

Biopsy overview: Hallmark




All 33 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.043. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Hallmark




All 33 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 328 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.051. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Reactome



All 328 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 62 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.053. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: KEGG_Legacy




All 62 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 897 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.046. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GOBP




All 897 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.





All 58 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.04. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GO_Slim




All 58 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.


Training_C1, fgsea collapse survivors at FDR < 0.05
5 sets. Page 1 of 1.
Huntingtons Disease
Mito. Protein Degradation
Aerobic Resp. + ETC
Gen. of Precursor Metabolites
Striated Muscle Contraction
−2
−1
0
1
2
normalised enrichment score
proteins
50
100
150
200
GOBP
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Training_C2, fgsea collapse survivors at FDR < 0.05
6 sets. Page 1 of 1.
Mito. Gene Expression
Protein Localization To Mito.
OXPHOS
Muscle Contraction
Muscle Organ Development
Dilated Cardiomyopathy
−2
−1
0
1
2
normalised enrichment score
proteins
30
60
90
120
150
GOBP
Hallmark
KEGG_Legacy
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1, fgsea collapse survivors at FDR < 0.05

28 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C2, fgsea collapse survivors at FDR < 0.05
65 sets. Page 1 of 2.
G2M Checkpoint
Membraneless Org. Assembly
MYC Targets V1
Heterochromatin Org.
Reg. Chromosome Org.
Reg. Translation
Positive Reg. Protein Containing Complex Assembly
Aurka Activation By Tpx2
Chromatin Org.
Resp. to Topologically Incorrect Protein
Nucleus Org.
UPR
Actin Mediated Cell Contraction
Cytoskel. Org.
Immune System Process
Adipogenesis
Reg. Lipid Localization
Protein Localization
Mito. Resp. Chain Complex Assembly
Fructose & Mannose Metabolism
Insulin Signaling
Metabolism Of Vitamins & Cofactors
Alpha AA Metabolism
OXPHOS
Diseases Of Metabolism
Nucleobase−Containing Small Molecule Metabolism
Ketone Biosynthesis
Carbohydrate Metabolism
Small Molecule Catabolism
Glycolysis
Dicarboxylic Acid Metabolism
Aerobic Resp. + ETC
Pyridine Containing Compound Metabolism
Mito. FA Beta Oxidation
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Purine Metabolism
Gen. of Precursor Metabolites
Tricarboxylic Acid Cycle
FA Metabolism
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C2, fgsea collapse survivors at FDR < 0.05


65 sets. Page 2 of 2.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Baseline_C1vC2, fgsea collapse survivors at FDR < 0.05


3 sets. Page 1 of 1.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1vC2, fgsea collapse survivors at FDR < 0.05

41 sets. Page 1 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C1vC2, fgsea collapse survivors at FDR < 0.05


41 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_Interaction, fgsea collapse survivors at FDR < 0.05
10 sets. Page 1 of 1.
Monosaccharide Catabolism
MAPK Family Signaling Cascades
mRNA Metabolism
Heterochromatin Org.
Protein RNA Complex Org.
Reg. Signal Transduction By p53 Class Mediator
Spliceosome
Selenoamino Acid Metabolism
Srp Dependent Cotranslational Protein Targeting To Membrane
Cytoplasmic Translation
−2
−1
0
1
2
normalised enrichment score
proteins
30
60
90
GO_Slim
GOBP
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_C1, fry sets at p < 0.05
141 sets. Page 1 of 4.
Protein Localization
Protein−Containing Complex Assembly
Membrane Org.
Intrinsic Apoptotic Signaling In Resp. to Oxidative Stress
Resp. to Leukemia Inhibitory Factor
tRNA Metabolism
Macromolecule Methylation
Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Reg. DNA Recombination
Negative Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Multicellular Organism Growth
Adaptive Thermogenesis
Glucan Metabolism
Lipid Catabolism
Hormone Metabolism
Resp. to Corticosteroid
Small Molecule Catabolism
Carbohydrate Homeostasis
Negative Reg. Secretion
Reg. Hormone Secretion
Amide Transport
Resp. to UV
Type I Interferon Production
Cellular Resp. to Light Stimulus
Reg. Resp. to Wounding
Positive Reg. Small GTPase Mediated Signal Transduction
Purine Nucleoside Monophosphate Metabolism
Positive Reg. Growth
Positive Reg. Apoptotic Signaling
Resp. to Activity
Positive Reg. Cell Growth
Reg. Extrinsic Apoptotic Signaling
Extrinsic Apoptotic Signaling
Rho Gtpases Activate Pkns
Developmental Growth Involved In Morphogenesis
Vascular Smooth Muscle Contraction
Neuron Projection Extension
Developmental Cell Growth
Bone Development
−3
−2
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C1, fry sets at p < 0.05

141 sets. Page 4 of 4.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_C2, fry sets at p < 0.05
43 sets. Page 1 of 2.
Mito. Translation
Protein Localization To Mito.
Mito. Gene Expression
Reg. Lipid Localization
Negative Reg. Resp. to Endoplasmic Reticulum Stress
Cellular Resp. to Ketone
Establishment Of Protein Localization To Mito.
FA Derivative Metabolism
Protein Localization To Cell Junction
Establishment Of PM Protein Localization
Organelle Disassembly
Reg. Postsynaptic Membrane Neurotransmitter Receptor Levels
Oncogenic MAPK Signaling
Protein Targeting
Osteoblast Differentiation
Establishment Of Protein Localization To Mito. Membrane
PM Protein Localization
Fc Gamma R Mediated Phagocytosis
Reg. Resp. to Endoplasmic Reticulum Stress
Resp. to Organophosphorus
Cysteine & Methionine Metabolism
Positive Reg. Monoatomic Ion Transmembrane Transport
Ubiquitin Mediated Proteolysis
Calcium Ion Transmembrane Import Into Cytosol
Calcium Ion Transmembrane Transport
Heart Process
Negative Reg. Monoatomic Ion Transmembrane Transport
Phase Ii Conjugation Of Compounds
Glutathione Metabolism
Cellular Senescence
Autophagosome Org.
Negative Reg. Monoatomic Ion Transport
Autophagosome Maturation
Reactive Oxygen Species Pathway
Calcium Mediated Signaling
Androgen Response
Reg. Calcium Mediated Signaling
Resp. to Ionizing Radiation
−2
−1
0
1
2
3
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
30
40
50
60
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C2, fry sets at p < 0.05

43 sets. Page 2 of 2.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
99 sets. Page 1 of 3.
Reproductive System Development
Long Chain FA Metabolism
Cellular Resp. to Steroid Hormone Stimulus
AA Catabolism
Glycerolipid Metabolism
Reg. Blood Pressure
Organic Acid Biosynthesis
Organic Acid Catabolism
Ketone Metabolism
FA Biosynthesis
Negative Reg. Autophagy
Resp. to Steroid Hormone
Phospholipid Metabolism
Protein Homotetramerization
Alpha AA Metabolism
Gland Development
Apoptosis
L AA Metabolism
Polyol Metabolism
L AA Catabolism
Ppar Signaling
Peroxisomal Protein Import
Lipid Metabolism
Sex Differentiation
Sulfur Compound Metabolism
Peroxisome
AA Metabolism
Multicellular Organism Growth
Modified AA Metabolism
Cellular Resp. to Osmotic Stress
Adaptive Thermogenesis
Ketone Biosynthesis
Resp. to Estradiol
Resp. to Osmotic Stress
Temperature Homeostasis
Resp. to Organophosphorus
Clathrin Endocytosis
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05


99 sets. Page 3 of 3.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05
225 sets. Page 3 of 6.
Mitotic Metaphase Chromosome Alignment
Cellular Resp. to Topologically Incorrect Protein
Reg. DNA Repair
Reg. Membrane Potential
Apoptotic Execution Phase
Positive Reg. mRNA Metabolism
Ribosome Biogenesis
Resp. to Virus
Reg. Release Of Sequestered Calcium Ion Into Cytosol
Muscle System Process
Reg. DNA Binding Transcription Factor Activity
Mitotic Prophase
Reg. Release Of Sequestered Calcium Ion Into Cytosol By Sarcoplasmic Reticulum
Negative Reg. Catalytic Activity
Translational Elongation
Positive Reg. Protein Containing Complex Assembly
Reg. Translational Initiation
Cardiac Muscle Contraction
UPR
Positive Reg. Protein Polymerization
Type I Interferon Production
Reg. Heart Rate
Resp. to Calcium Ion
Sulfur Compound Metabolism
Carbohydrate Biosynthesis
AA Biosynthesis
Mito. Translation Elongation
Hormone Transport
Glycolytic Process Through Fructose 6 Phosphate
Protein Homotetramerization
Nucleoside Monophosphate Metabolism
Glutamine Family AA Metabolism
Cellular Resp. to Alcohol
Myd88 Independent Tlr4 Cascade
Lipid Oxidation
Reg. Peptide Transport
FA Beta Oxidation
Immune Response Regulating Cell Surface Receptor Signaling
−1
0
1
signed −log10 p (positive: up)
proteins
40
80
120
160
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05
225 sets. Page 4 of 6.
Selenoamino Acid Metabolism
Membraneless Org. Assembly
Ribosome Quality Control Rqc Complex Extracts & Degrades Nascent Peptide
Ribosome
Influenza Viral RNA Transcription & Replication
Ribosome Assembly
DNA Templated Transcription Initiation
Srp Dependent Cotranslational Protein Targeting To Membrane
Response Of Eif2ak4 Gcn2 To AA Deficiency
Reg. Heart Contraction
Signaling By Robo Receptors
Myoblast Differentiation
Reg. Cytoplasmic Translation
Ribosome Associated Quality Control
Reg. Blood Circulation
Allograft Rejection
Translation
Muscle Cell Differentiation
Positive Reg. Proteolysis
Reg. Cardiac Muscle Contraction By Calcium Ion Signaling
Muscle Contraction
Reg. Expression Of Slits & Robos
Sodium Ion Transport
Cellular Resp. to Starvation
rRNA Processing
Viral Process
Striated Muscle Diff.
Cellular Resp. to Unfolded Protein
Activation Of The mRNA Upon Binding Of The Cap Binding Complex & Eifs & Subsequent Binding To 43s
Reg. Transferase Activity
Rhobtb2 GTPase Cycle
Reg. Striated Muscle Contraction
Reg. Cardiac Muscle Contraction By Reg. The Release Of Sequestered Calcium Ion
Nucleus Org.
Heart Process
Cardiac Chamber Development
Chromatin Org.
Resp. to Ethanol
Stem Cell Differentiation
E2F Targets
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C2, fry sets at p < 0.05
225 sets. Page 6 of 6.
Viral Genome Replication
RNA Splicing Via Transesterification Reactions
Protein DNA Complex Org.
Negative Reg. DNA Metabolism
RNA Splicing
mRNA Splicing
Negative Reg. mRNA Metabolism
Dengue Virus Host Interactions
mRNA Metabolism
mRNA Polyadenylation
Reg. mRNA Catabolism
mRNA 3 End Processing
Reg. mRNA Metabolism
Pre−mRNA Processing
Reg. DNA Recombination
Negative Reg. Translation
Resp. to Leukemia Inhibitory Factor
Reg. Viral Life Cycle
Negative Reg. RNA Catabolism
G2M Checkpoint
Nuclear Transcribed mRNA Catabolism
Reg. mRNA Processing
Protein RNA Complex Org.
Negative Reg. mRNA Catabolism
Spliceosome
0
1
2
3
4
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_C1vC2, fry sets at p < 0.05

57 sets. Page 1 of 2.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_C1vC2, fry sets at p < 0.05
57 sets. Page 2 of 2.
Bone Development
Connective Tissue Development
Mito. Translation Elongation
Protein Transmembrane Transport
Positive Reg. Immune Effector Process
Mito. Translation
Cellular Resp. to Light Stimulus
Mito. Gene Expression
Ribosome Assembly
Resp. to Estradiol
Nadplus Metabolism
Apoptosis
Prostanoid Metabolism
Olefinic Compound Metabolism
Glutathione Metabolism
Carbohydrate Homeostasis
−1
0
1
2
signed −log10 p (positive: up)
proteins
15
20
25
30
35
40
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Trained_C1vC2, fry sets at p < 0.05
48 sets. Page 1 of 2.
Reg. Membrane Permeability
Clathrin Endocytosis
Resp. to Leukemia Inhibitory Factor
Reg. Mito. Membrane Permeability
Reg. Blood Pressure
Negative Reg. Gene Expression Epigenetic
tRNA Aminoacylation
Resp. to Oxygen Levels
Sulfur Compound Biosynthesis
Cytosolic tRNA Aminoacylation
Aminoacyl tRNA Biosynthesis
Positive Reg. Translation
Heterochromatin Org.
tRNA Metabolism
Organophosphate Ester Transport
DNA Recombination
Sulfur Compound Metabolism
Extra Nuclear Estrogen Signaling
Sterol Transport
Positive Reg. Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Extrinsic Apoptotic Signaling
Developmental Cell Growth
Vascular Smooth Muscle Contraction
Oncogenic MAPK Signaling
Neurotrophin Signaling
Positive Reg. Apoptotic Signaling
Signaling By Moderate Kinase Activity Braf Mutants
Reg. Mito. Membrane Potential
Rho Gtpases Activate Pkns
Cellular Resp. to Starvation
Developmental Growth Involved In Morphogenesis
Metabolism Of Steroids
Reg. Lipid Localization
Neuron Projection Extension
Focal Adhesion Assembly
Platelet Homeostasis
Cellular Resp. to Ketone
−2
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Trained_C1vC2, fry sets at p < 0.05


48 sets. Page 2 of 2.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_Interaction, fry sets at p < 0.05
85 sets. Page 2 of 3.
Reg. Blood Pressure
Reg. Peptide Transport
Resp. to Estradiol
Resp. to Ethanol
Sensory Perception Of Mechanical Stimulus
Phospholipid Metabolism
Reg. Insulin Secretion
Resp. to Leukemia Inhibitory Factor
Resp. to Ionizing Radiation
Ppar Signaling
Long Chain FA Metabolism
Reg. Membrane Permeability
Reg. Oxidative Stress Induced Intrinsic Apoptotic Signaling
Clathrin Endocytosis
Cysteine & Methionine Metabolism
Biological Oxidations
Lymphocyte Differentiation
Negative Reg. Gene Expression Epigenetic
Negative Reg. Autophagy
Amide Transport
Negative Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Resp. to Alcohol
Muscle Cell Apoptotic Process
Negative Reg. Monoatomic Ion Transmembrane Transport
L AA Catabolism
p53 Pathway
Sulfur Compound Metabolism
Icosanoid Metabolism
Resp. to Xenobiotic Stimulus
Modified AA Metabolism
Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Glycerophospholipid Metabolism
Polyol Metabolism
Glycerolipid Metabolism
Spliceosome
Carbohydrate Homeostasis
Reg. Mito. Membrane Permeability
Reg. Hormone Secretion
0
1
2
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Interaction, fry sets at p < 0.05

85 sets. Page 3 of 3.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
68 sets. Page 1 of 2.
Sex Differentiation
Multicellular Organism Growth
Negative Reg. Translation
Negative Reg. DNA Metabolism
Aminoacyl tRNA Biosynthesis
Negative Reg. RNA Catabolism
Spliceosome
Reg. mRNA Processing
Cytoplasmic Translational Initiation
Cytosolic tRNA Aminoacylation
Protein−Containing Complex Assembly
tRNA Metabolism
p53 Pathway
Negative Reg. Resp. to Biotic Stimulus
Clathrin Endocytosis
Negative Reg. Gene Expression Epigenetic
Positive Reg. Translation
Nuclear Transcribed mRNA Catabolism
Viral Genome Replication
Cell Communication By Electrical Coupling
tRNA Aminoacylation
Heterochromatin Org.
Resp. to Ethanol
Reg. Phagocytosis
Reactive Oxygen Species Pathway
Defense Resp. to Virus
Reg. Translation
Reg. Signal Transduction By p53 Class Mediator
Reg. Chromosome Segregation
Erythrocyte Homeostasis
Resp. to Estradiol
DNA Recombination
AA Activation
Protein RNA Complex Org.
Myeloid Cell Homeostasis
Reg. DNA Recombination
Resp. to Leukemia Inhibitory Factor
Reg. Blood Pressure
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.