Discrimination overview: Hallmark



All 33 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/set_classification.xlsx, auc.

Discrimination overview: Reactome




All 328 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/set_classification.xlsx, auc.

Discrimination overview: KEGG_Legacy




All 62 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/set_classification.xlsx, auc.

Discrimination overview: GOBP



All 897 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/set_classification.xlsx, auc.


Discrimination overview: GO_Slim



All 58 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/set_classification.xlsx, auc.

C1 vs C2 at T1


56 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and colle

C1 vs C2 at T1


56 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and c

C1 vs C2 at T2


87 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and c

C1 vs C2 at T2


87 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and c

C1 vs C2 at T3


10 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 1.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and collec

C1 vs C2, training change


134 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and collec

C1 vs C2, training change


134 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and colle

C1 vs C2, acute change


71 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and colle

C1 vs C2, acute change

71 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



C1 (up to 7) against C2 (up to 7); AUC above 0.5 means higher in C1. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and colle