
# Training, HR (T1 to T2)


50 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 5.




Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Training, HR (T1 to T2)


50 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 5.




Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Training, HR (T1 to T2)


50 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 5.




Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Training, HR (T1 to T2)


50 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 5.




Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Training, HR (T1 to T2)


50 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 5.




Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Training, LR (T1 to T2)


30 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 3.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Training, LR (T1 to T2)


30 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 3.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Training, LR (T1 to T2)


30 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 3.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

# Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

# Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

# Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 8 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 9 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

# Acute bout, HR (T2 to T3)


113 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 10 of 10.




Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 8 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 9 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 10 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 11 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

# Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 12 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

# Acute bout, LR (T2 to T3)


153 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 13 of 13.




Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

## HR vs LR at T1


14 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR at T1


14 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR at T2


14 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR at T2


14 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, training change


37 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 4.




HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, training change


37 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 4.




HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, training change


37 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 4.




HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, training change


37 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 4.




HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, acute change


56 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 5.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, acute change


56 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 5.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, acute change


56 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 5.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, acute change


56 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 5.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_classify.x

## HR vs LR, acute change

56 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 5.




HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task and collection, and the feature's n. Table: c_data/03_clas