




P-value distribution per contrast

limma via proteoDA, 20 bins








Protein contrast hits (3/8)


limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 151–225



Rows: proteins at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = $-\log_{10} p$. Black ring: BH < 0.05 . Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_mat


Protein contrast hits (4/8)

limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 226–300



Protein contrast hits (5/8)


limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 301-375



Rows: proteins at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_matr

Protein contrast hits (6/8)


limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 376–450



Rows: proteins at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_matrix


Protein contrast hits (7/8)

limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 451–525





Rows: proteins at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = $\log_2 FC$, size = $-\log_{10} p$. Black ring: BH < 0.05 . Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_mat

limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 526–597




Rows: proteins at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_mat






Protein classification hits (3/6)

rank AUC, Wilcoxon p per task; 419 proteins nominal in at least one column; rows 151–225





Protein classification hits (4/6)

rank AUC, Wilcoxon p per task; 419 proteins nominal in at least one column; rows 226–300




Rows: proteins at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = AUC, size = $-\log_{10} p$. Black ring: BH < 0.05 . Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, protein_auc.





Training, HR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 43 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, HR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 43 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, HR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 43 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, HR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 43 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, LR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 78 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, LR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 78 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, LR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 78 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: [c_data/02_differential.xlsx](#), [protein_auc](#).

Training, LR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 78 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, LR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 78 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, LR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 78 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Training, LR (T1 to T2)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T2



All 78 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, HR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 116 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, HR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 116 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, HR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 116 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, HR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 116 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, HR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 116 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, HR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 116 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.


Acute bout, HR (T2 to T3)

log2 abundance per protein, paired subjects, AUC above 0.5 favours T3




Acute bout, HR (T2 to T3)

log2 abundance per protein, paired subjects, AUC above 0.5 favours T3




Acute bout, HR (T2 to T3)

log2 abundance per protein, paired subjects, AUC above 0.5 favours T3




Acute bout, HR (T2 to T3)

log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

Acute bout, LR (T2 to T3)


log2 abundance per protein, paired subjects, AUC above 0.5 favours T3



All 107 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR at T2


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 61 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR at T2


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 61 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR at T2


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 61 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR at T2


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 61 proteins at nominal $p < 0.05$ on this task, by p . Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR at T2


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 61 proteins at nominal $p < 0.05$ on this task, by p . Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: [c_data/02_differential.xlsx](#), protein_auc.

HR vs LR at T2


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 61 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, training change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 39 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, training change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 39 proteins at nominal $p < 0.05$ on this task, by p . Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: [c_data/02_differential.xlsx](#), [protein_auc](#).

HR vs LR, training change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 39 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, training change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 39 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, acute change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, acute change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, acute change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, acute change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, acute change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, acute change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p . Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: `c_data/02_differential.xlsx`, `protein_auc`.

HR vs LR, acute change


log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.

HR vs LR, acute change

log2 abundance per protein, subjects, AUC above 0.5 favours HR



All 88 proteins at nominal $p < 0.05$ on this task, by p. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within task. Table: c_data/02_differential.xlsx, protein_auc.