

Female: PAS vs VEH, female, every protein


limpa dpcDE, BH within universe; labelled: FDR ≤ 0.05 and the 10 smallest p




Proteins per tier
Dashed: proteins at p ≤ 0.05 expected by chance in each direction; Π can include p > 0.05
Full proteome
Mitochondrial universe
FDR ≤ 0.05
Π ≤ 0.05
p ≤ 0.05
1
0
60
55
80
77
0
10
6
20
22
100
50
0
50
100
20
10
0
10
20
30
Proteins (down | up)
down
up


All 157 proteins at p ≤ 0.05, per mouse

Rows z-scored across these mice, clustered on 1 - Pearson r (display only)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)

