


Female: GO:BP
12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05
Monosaccharide Catabolic Process *
Neuromuscular Process *
Response To Toxic Substance *
Sarcomere Organization *
Protein Targeting *
Cell Redox Homeostasis *
Monosaccharide Biosynthetic Process *
Regulation Of Transferase Activity *
MAPK Cascade *
Proteasome Mediated Ubiquitin Dependent Protein Catabolic Process *
Regulation Of Chemotaxis *
Cell Cycle *
-log10 p
down
up
log2 FC
NES
3
2
1
0
-1
-2
-3


Female: Reactome


*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*





Female: MitoCarta

*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*





Female: signal by GO Slim family
fgsea; a term counts in every family it belongs to; every family with a term at p ≤ 0.05
Anatomical structure development
Muscle system process
Signaling
Cytoskeleton organization
Carbohydrate metabolic process
Cell differentiation
Nucleobase-containing small molecule metabolic process
Telomere organization
Programmed cell death
Nervous system process
Mitotic cell cycle
Generation of precursor metabolites and energy
Detoxification
Carbohydrate derivative metabolic process
Vesicle-mediated transport
Protein maturation
Protein catabolic process
Modified amino acid metabolic process
Lipid metabolic process
Intracellular protein transport
Immune system process
Amino acid metabolic process
5
0
5
10
GO:BP terms at p ≤ 0.05 (down | up)
down
up



20 strongest GO:BP and Reactome terms, ordered by shared genes
EnrichmentMap similarity, average linkage; black ring FDR ≤ 0.05
Organic Acid Metabolic Process
Small Molecule Catabolic Process
Carbohydrate Catabolic Process
Monosaccharide Catabolic Process
Cellular Response To Toxic Substance
Response To Toxic Substance
Striated Muscle Contraction
Muscle Contraction
Regulation Of Muscle System Process
Skeletal Muscle Contraction
Neuromuscular Process
Muscle Contraction
Striated Muscle Contraction
Myofibril Assembly
Sarcomere Organization
Cell Cycle
Cell Cycle Mitotic
Mitotic G2 G2 M Phases
Cell Cycle
Protein Targeting
-2
-1
0
1
2
NES
-log10(p)
3.5
4.0
4.5
5.0
NES
3
2
1
0
-1
-2
-3


GO Slim cellular compartments
fgsea, full proteome
Endoplasmic Reticulum
Extracellular Region
Extracellular Matrix
External Encapsulating Structure
Peroxisome
Organelle
Vacuole
Mitochondrion
Cytoskeleton
Lipid Droplet
Lysosome
Golgi Apparatus
Nuclear Envelope
Nucleolus
Plasma Membrane
Chromosome
Cytoplasmic Vesicle
Ribosome
Cytosol
Cilium
Nucleus
Endosome
Microtubule Organizing Center
Nucleoplasm
p 2.5e-09
p 4.5e-05
p 0.012
p 0.016
p 0.18
p 0.13
p 0.29
p 0.21
p 0.42
p 0.5
p 0.64
p 0.72
p 0.72
p 0.9
p 0.77
p 0.43
p 0.3
p 0.07
p 0.00026
p 0.015
p 2e-05
p 0.0042
p 0.0036
p 1.6e-07
-2
-1
0
1
2
NES
FDR > 0.05
FDR ≤ 0.05


Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)



Female: every term at p ≤ 0.05, in order of p (fgsea running score)



Female: every term at p ≤ 0.05, in order of p (fgsea running score)



Female: every term at p ≤ 0.05, in order of p (fgsea running score)

