

Male: PAS vs VEH, male, every protein


limpa dpcDE, BH within universe; labelled: FDR ≤ 0.05 and the 10 smallest p



Proteins per tier


Dashed: proteins at p ≤ 0.05 expected by chance in each direction; Π can include p > 0.05




All 135 proteins at p ≤ 0.05, per mouse
Rows z-scored across these mice, clustered on 1 - Pearson r (display only)
VEH_M
PAS_M
z
2
1
0
-1
-2
VEH_M1
VEH_M2
VEH_M3
VEH_M4
VEH_M5
PAS_M1
PAS_M2
PAS_M3
PAS_M4
PAS_M5


Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)

