

Male: GO:BP

*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*




Male: Reactome


*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*





Male: MitoCarta

*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*





Male: signal by GO Slim family
fgsea; a term counts in every family it belongs to; every family with a term at p ≤ 0.05
Cytoskeleton organization
Lipid metabolic process
Cell adhesion
Anatomical structure development
Vesicle-mediated transport
Signaling
Cell junction organization
Cell differentiation
Protein-containing complex assembly
Nervous system process
Muscle system process
Membrane organization
Circulatory system process
Immune system process
Defense response to other organism
Carbohydrate metabolic process
10
5
0
GO:BP terms at p ≤ 0.05 (down | up)
down
up



20 strongest GO:BP and Reactome terms, ordered by shared genes
EnrichmentMap similarity, average linkage; black ring FDR ≤ 0.05
Multicellular Organismal Level Homeostasis
Positive Regulation Of Gene Expression
Cellular Response To Chemical Stress
Plasma Membrane Organization
Regulation Of Actin Filament Based Process
Regulation Of Actin Filament Organization
Actin Filament Based Process
Actin Filament Organization
Supramolecular Fiber Organization
Actomyosin Structure Organization
Regulation Of Anatomical Structure Size
Regulation Of Cell Shape
Striated Muscle Contraction
Cellular Component Disassembly
Integrin Cell Surface Interactions
Extracellular Matrix Organization
Transport Of Small Molecules
Lipid Homeostasis
Sensory Perception
Biological Oxidations
-1.5
-1.0
-0.5
0.0
NES
-log10(p)
2.5
3.0
3.5
4.0
NES
3
2
1
0
-1
-2
-3


GO Slim cellular compartments
fgsea, full proteome
Endoplasmic Reticulum
Nuclear Envelope
Chromosome
Microtubule Organizing Center
Nucleus
Nucleoplasm
Golgi Apparatus
Endosome
Extracellular Region
Cytoplasmic Vesicle
Ribosome
Mitochondrion
Lipid Droplet
Organelle
Cytosol
Peroxisome
Nucleolus
Plasma Membrane
Cilium
Extracellular Matrix
External Encapsulating Structure
Vacuole
Lysosome
Cytoskeleton
p 0.0018
p 0.84
p 0.83
p 0.73
p 0.77
p 0.71
p 0.49
p 0.47
p 0.26
p 0.2
p 0.24
p 0.086
p 0.23
p 0.047
p 0.017
p 0.19
p 0.072
p 0.0083
p 0.048
p 0.039
p 0.023
p 0.0071
p 0.0048
p 2.7e-05
-2
-1
0
1
NES
FDR > 0.05
FDR ≤ 0.05


Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)



Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)


Mitochondrial Ribosome
NES 1.71, p 0.0027, FDR 0.06, n 61
singscore p 0.84




Translation
NES 1.55, p 0.005, FDR 0.074, n 87
singscore p 0.98




Metabolism
NES -1.36, p 0.011, FDR 0.12, n 245
singscore p 0.52



Small Molecule Transport
NES -1.58, p 0.015, FDR 0.13, n 34
singscore p 0.99



Carbohydrate Metabolism
NES -1.43, p 0.045, FDR 0.31, n 50
singscore p 0.41



Lysine Metabolism
NES -1.49, p 0.049, FDR 0.31, n 12
singscore p 0.14

