

Male: PAS vs VEH, male, every protein


limpa dpcDE, BH within universe; labelled: FDR ≤ 0.05 and the 10 smallest p




Proteins per tier
Dashed: proteins at p ≤ 0.05 expected by chance in each direction; Π can include p > 0.05
Full proteome
Mitochondrial universe
FDR ≤ 0.05
Π ≤ 0.05
p ≤ 0.05
0
0
79
27
6
3
119
74
25
12
150
100
50
0
50
100
30
20
10
0
10
20
Proteins (down | up)
down
up


All 193 proteins at p ≤ 0.05, per mouse

Rows z-scored across these mice, clustered on 1 - Pearson r (display only)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Male: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)

