




Male: GO:BP
12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05
Regulation Of Anatomical Structure Size *
Anatomical Structure Formation Involved In Morphogenesis *
Plasma Membrane Organization *
Homeostatic Process *
Carbohydrate Derivative Biosynthetic Process *
Muscle Contraction
Monosaccharide Catabolic Process
Protein Containing Complex Disassembly
Regulation Of Cell Morphogenesis
Localization Within Membrane
Regulation Of Cell Differentiation
Negative Regulation Of Cellular Component Organization
-log10 p
down
up
log2 FC
NES
3
2
1
0
-1
-2
-3


Male: Reactome


*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*





Male: MitoCarta
12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05
Fe S Containing Proteins
Complex IV
Ci Subunits
Translation
Nucleotide Metabolism
Mitochondrial Dynamics And Surveillance
Vitamin Metabolism
Protein Homeostasis
Lipid Metabolism
Protein Import And Sorting
Detoxification
Lysine Metabolism
-log10 p
down
up
log2 FC
NES
3
2
1
0
-1
-2
-3


Male: signal by GO Slim family
fgsea; a term counts in every family it belongs to; every family with a term at p ≤ 0.05
Anatomical structure development
Cytoskeleton organization
Cell adhesion
Cell differentiation
Nucleobase-containing small molecule metabolic process
Cell junction organization
Vesicle-mediated transport
Protein-containing complex assembly
Carbohydrate metabolic process
Carbohydrate derivative metabolic process
Signaling
Immune system process
Cell motility
Nervous system process
Muscle system process
Membrane organization
Circulatory system process
Wound healing
Lipid metabolic process
Defense response to other organism
10
0
GO:BP terms at p ≤ 0.05 (down | up)
down
up



20 strongest GO:BP and Reactome terms, ordered by shared genes
EnrichmentMap similarity, average linkage; black ring FDR ≤ 0.05
Extracellular Matrix Organization
Cell Substrate Adhesion
Anatomical Structure Formation Involved In Morphogenesis
Actomyosin Structure Organization
Regulation Of Supramolecular Fiber Organization
Regulation Of Actin Filament Organization
Regulation Of Cytoskeleton Organization
Regulation Of Actin Filament Polymerization
Regulation Of Actin Filament Length
Actin Polymerization Or Depolymerization
Regulation Of Actin Filament Based Process
Actin Filament Based Process
Actin Filament Organization
Supramolecular Fiber Organization
Actin Filament Bundle Organization
Regulation Of Cellular Component Biogenesis
Regulation Of Cellular Component Size
Regulation Of Anatomical Structure Size
Negative Regulation Of Cytoskeleton Organization
Plasma Membrane Organization
-2.0
-1.5
-1.0
-0.5
0.0
NES
NES
3
2
1
0
-1
-2
-3
-log10(p)
4
5
6
7


GO Slim cellular compartments
fgsea, full proteome
Endoplasmic Reticulum
Nuclear Envelope
Peroxisome
Mitochondrion
Golgi Apparatus
Ribosome
Microtubule Organizing Center
Lipid Droplet
Organelle
Nucleus
Cytoplasmic Vesicle
Endosome
Cilium
Nucleolus
Nucleoplasm
Extracellular Region
Vacuole
Chromosome
Lysosome
Cytosol
Plasma Membrane
Extracellular Matrix
External Encapsulating Structure
Cytoskeleton
p 4e-10
p 0.59
p 0.99
p 1
p 0.72
p 0.52
p 0.48
p 0.45
p 0.32
p 0.22
p 0.24
p 0.24
p 0.25
p 0.21
p 0.13
p 0.085
p 0.12
p 0.11
p 0.069
p 0.00098
p 0.0027
p 0.0076
p 0.004
p 4.4e-11
-2
-1
0
1
2
NES
FDR > 0.05
FDR ≤ 0.05


Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)



Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)


RNA Localization
NES -1.45, p 0.04, FDR 0.22, n 23
singscore p 0.12




Ameboidal Type Cell Migration
NES -1.46, p 0.04, FDR 0.22, n 19
singscore p 0.35




Positive Regulation Of Endocytosis
NES -1.45, p 0.04, FDR 0.22, n 22
singscore p 0.53




Organic Anion Transport
NES -1.49, p 0.04, FDR 0.22, n 38
singscore p 0.29




Regulation Of Endocytosis
NES -1.45, p 0.041, FDR 0.22, n 36
singscore p 0.58




Positive Regulation Of Cell Activation
NES -1.48, p 0.041, FDR 0.22, n 20
singscore p 0.17




Epithelial Cell Differentiation
NES -1.39, p 0.041, FDR 0.22, n 45
singscore p 0.21




Pyridine Containing Compound Metaboli...
NES 1.37, p 0.042, FDR 0.22, n 39
singscore p 0.25




Epithelial Cell Development
NES -1.48, p 0.042, FDR 0.23, n 18
singscore p 0.2




Sensory Organ Development
NES -1.45, p 0.043, FDR 0.23, n 31
singscore p 0.11




Reactive Nitrogen Species Metabolic P...
NES -1.45, p 0.043, FDR 0.23, n 19
singscore p 0.92




Positive Regulation Of Locomotion
NES -1.38, p 0.043, FDR 0.23, n 56
singscore p 0.55




Male: every term at p ≤ 0.05, in order of p (fgsea running score)



Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)




Male: every term at p ≤ 0.05, in order of p (fgsea running score)

Fe S Containing Proteins
NES -1.55, p 0.028, FDR 0.26, n 24
singscore p 0.14



Lysine Metabolism
NES -1.53, p 0.029, FDR 0.26, n 12
singscore p 0.15



Fe S Cluster Biosynthesis
NES -1.55, p 0.043, FDR 0.32, n 17
singscore p 0.025

