




Sex difference: GO:BP
12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05
up: PAS raised the set more in females than in males
Homeostatic Process *
Muscle Cell Development *
Circulatory System Development *
Skeletal Muscle Organ Development
External Encapsulating Structure Organization
Response To Reactive Oxygen Species
Plasma Membrane Organization
Negative Regulation Of Establishment Of Protein Localization
Negative Regulation Of Organelle Organization
Proteasome Mediated Ubiquitin Dependent Protein Catabolic Process *
Actin Filament Based Process *
Cellular Oxidant Detoxification *
-log10 p
down
up
log2 FC
NES
3
2
1
0
-1
-2
-3



Sex difference: Reactome
12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05
up: PAS raised the set more in females than in males
Striated Muscle Contraction *
Extracellular Matrix Organization *
Cellular Response To Chemical Stress *
Binding And Uptake Of Ligands By Scavenger Receptors
Tp53 Regulates Metabolic Genes
Eph Ephrin Signaling
Metabolism Of Lipids
Mitochondrial Protein Degradation
Abc Family Proteins Mediated Transport
Complex I Biogenesis
Deubiquitination
Cell Cycle
-log10 p
down
up
log2 FC
NES
3
2
1
0
-1
-2
-3


Sex difference: MitoCarta

*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*
up: PAS raised the set more in females than in males





Sex difference: signal by GO Slim family
fgsea; a term counts in every family it belongs to; every family with a term at p ≤ 0.05
Anatomical structure development
Cytoskeleton organization
Muscle system process
Cell differentiation
Cell adhesion
Nervous system process
Immune system process
Detoxification
Circulatory system process
Wound healing
Protein catabolic process
Nucleobase-containing small molecule metabolic process
Membrane organization
Intracellular protein transport
0
5
10
15
20
GO:BP terms at p ≤ 0.05 (down l up)
down
up



20 strongest GO:BP and Reactome terms, ordered by shared genes
EnrichmentMap similarity, average linkage; black ring FDR ≤ 0.05
Cell Redox Homeostasis
Homeostatic Process
Cellular Response To Toxic Substance
Cellular Oxidant Detoxification
Response To Toxic Substance
Proteasome Mediated Ubiquitin Dependent Protein Catabolic Process
Actomyosin Structure Organization
Actin Filament Based Process
Supramolecular Fiber Organization
Striated Muscle Cell Differentiation
Muscle Cell Development
Myofibril Assembly
Sarcomere Organization
Cellular Component Assembly Involved In Morphogenesis
Circulatory System Development
Muscle Contraction
Striated Muscle Contraction
Muscle Contraction
Collagen Formation
Extracellular Matrix Organization
-2
-1
0
1
2
NES
-log10(p)
4
5
6
NES
3
2
1
0
-1
-2
-3


GO Slim cellular compartments
fgsea, full proteome
External Encapsulating Structure
Extracellular Region
Extracellular Matrix
Cytoskeleton
Vacuole
Lysosome
Plasma Membrane
Lipid Droplet
Organelle
Endoplasmic Reticulum
Peroxisome
Cytoplasmic Vesicle
Golgi Apparatus
Chromosome
Mitochondrion
Nuclear Envelope
Nucleolus
Cytosol
Nucleus
Ribosome
Endosome
Cilium
Microtubule Organizing Center
Nucleoplasm
p 4.1e-05
p 4.2e-07
p 9.8e-05
p 4.4e-05
p 0.061
p 0.12
p 0.1
p 0.31
p 0.21
p 0.59
p 0.54
p 0.72
p 0.75
p 0.75
p 0.99
p 0.87
p 0.95
p 0.6
p 0.35
p 0.32
p 0.29
p 0.17
p 0.16
p 0.049
-1
0
1
2
NES
FDR > 0.05
FDR ≤ 0.05


Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)




Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)




Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)




Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)



Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)



Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)




Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)


Negative Regulation Of Cytoskeleton O...
NES 1.54, p 0.029, FDR 0.3, n 16
singscore p 0.12




Phosphorylation
NES -1.50, p 0.031, FDR 0.31, n 39
singscore p 0.042




Cellular Response To Chemical Stress
NES 1.48, p 0.031, FDR 0.31, n 43
singscore p 0.087




Cell Cycle
NES -1.41, p 0.034, FDR 0.33, n 78
singscore p 0.037



Nucleotide Biosynthetic Process
NES -1.41, p 0.034, FDR 0.33, n 48
singscore p 0.17




Response To Oxygen Containing Compound
NES 1.34, p 0.035, FDR 0.33, n 134
singscore p 0.75



Regulation Of Transferase Activity
NES -1.59, p 0.036, FDR 0.34, n 17
singscore p 0.0079




Vascular Process In Circulatory System
NES 1.49, p 0.038, FDR 0.36, n 31
singscore p 0.4




Negative Regulation Of Supramolecular ...
NES 1.50, p 0.038, FDR 0.36, n 18
singscore p 0.18




Bone Development
NES 1.50, p 0.039, FDR 0.36, n 18
singscore p 0.029




Regulation Of Lipid Localization
NES 1.48, p 0.041, FDR 0.37, n 21
singscore p 0.35




Muscle Organ Development
NES 1.42, p 0.041, FDR 0.37, n 47
singscore p 0.25




Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)



Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)



Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)



Sex difference: every term at p ≤ 0.05, in order of p (fgsea running score)

