

Female: GO:BP

*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*




Female: Reactome


*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*





Female: MitoCarta

*12 strongest terms the EnrichmentMap flag keeps; * FDR≤0.05*





Female: signal by GO Slim family
fgsea; a term counts in every family it belongs to; every family with a term at p ≤ 0.05
Anatomical structure development
Signaling
Muscle system process
Cytoskeleton organization
Nucleobase-containing small molecule metabolic process
Cell differentiation
Carbohydrate metabolic process
Programmed cell death
Nervous system process
Mitotic cell cycle
Telomere organization
Protein-containing complex assembly
Detoxification
Cell adhesion
Carbohydrate derivative metabolic process
Protein catabolic process
Mitochondrion organization
Generation of precursor metabolites and energy
Chromosome segregation
4
0
4
8
GO:BP terms at p ≤ 0.05 (down | up)
down
up



20 strongest GO:BP and Reactome terms, ordered by shared genes
EnrichmentMap similarity, average linkage; black ring FDR ≤ 0.05
Regulation Of Cell Cycle
Cell Cycle
Chromosome Organization
Cell Cycle
Regulation Of Growth
Growth
Muscle Contraction
Striated Muscle Contraction
Muscle Contraction
Skeletal Muscle Contraction
Multicellular Organismal Movement
Neuromuscular Process
Striated Muscle Cell Differentiation
Muscle Cell Development
Sarcomere Organization
Myofibril Assembly
Cellular Component Assembly Involved In Morphogenesis
Response To Toxic Substance
Monosaccharide Catabolic Process
Carbohydrate Catabolic Process
-2
-1
0
1
2
NES
NES
3
2
1
0
-1
-2
-3
-log10(p)
2.75
3.00
3.25
3.50
3.75


GO Slim cellular compartments
fgsea, full proteome
Endoplasmic Reticulum
Extracellular Region
Extracellular Matrix
External Encapsulating Structure
Vacuole
Lysosome
Golgi Apparatus
Nuclear Envelope
Peroxisome
Lipid Droplet
Mitochondrion
Organelle
Cytoplasmic Vesicle
Plasma Membrane
Cytoskeleton
Chromosome
Nucleolus
Endosome
Cytosol
Nucleus
Cilium
Ribosome
Microtubule Organizing Center
Nucleoplasm
p 1.2e-07
p 0.00032
p 0.0041
p 0.019
p 0.061
p 0.17
p 0.44
p 0.51
p 0.63
p 0.69
p 1
p 0.76
p 0.54
p 0.49
p 0.38
p 0.31
p 0.1
p 0.037
p 0.00067
p 0.00018
p 0.014
p 0.004
p 0.0038
p 1.1e-06
-2
-1
0
1
2
NES
FDR > 0.05
FDR ≤ 0.05


Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)



Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)


Protein Homeostasis
NES 1.72, p 0.007, FDR 0.15, n 32
singscore p 0.017



ROS And Glutathione Metabolism
NES 1.73, p 0.013, FDR 0.16, n 20
singscore p 0.11



Metabolism
NES 1.33, p 0.015, FDR 0.16, n 239
singscore p 0.2



Lipid Metabolism
NES 1.43, p 0.049, FDR 0.34, n 68
singscore p 0.12

