



Male: PAS effect on each phenotype
% change against vehicle, Welch t on log values, n = 5 v 5
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
-50%
+0%
+100%
PAS vs vehicle, % change (95% CI, log scale)
p > 0.05
Male



Male: features moving with each phenotype
Across PAS and vehicle mice of this sex (n = 10); p ≤ 0.05 of tests; BH within level and phenotype
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
466 / 1842
FDR 193
215 / 568
FDR 157
38 / 760
FDR 0
2 / 18
FDR 0
6 / 93
FDR 0
0 / 13
FDR 0
384 / 1842
FDR 7
186 / 568
FDR 32
14 / 760
FDR 0
0 / 18
FDR 0
6 / 93
FDR 0
0 / 13
FDR 0
457 / 1842
FDR 129
174 / 568
FDR 67
14 / 760
FDR 0
0 / 18
FDR 0
2 / 93
FDR 0
0 / 13
FDR 0
439 / 1842
FDR 92
155 / 568
FDR 0
18 / 760
FDR 0
1 / 18
FDR 0
5 / 93
FDR 0
1 / 13
FDR 0
411 / 1842
FDR 67
117 / 568
FDR 2
86 / 760
FDR 0
1 / 18
FDR 0
2 / 93
FDR 0
4 / 13
FDR 0
28 / 1842
FDR 0
11 / 568
FDR 0
0 / 760
FDR 0
0 / 18
FDR 0
0 / 93
FDR 0
0 / 13
FDR 0
Proteins
Proteins, mito
GO:BP / MitoCarta
Modules
Complexes
Clusters
p ≤ 0.05 / chance
6
4
2
0

Check: protein links with and without pellet mitochondrial share

Share centred within group, added to the link model






Male: Clusters against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
String 13 Ion Transport By P Type Atpases
String 12 Coagulation
String 11 Unannotated
String 10 Translation
String 09 Extracellular Matrix Organization
String 08 Myogenesis
String 07 Protein Secretion
String 06 Unannotated
String 05 Phospholipid Metabolism
String 04 mRNA Splicing
String 03 Rho GTPase Effectors
String 02 Unannotated
String 01 Oxidative Phosphorylation
-0.06
0.09
0.50
0.20
-0.59
-0.56
0.05
0.36
0.47
0.10
-0.18
0.52
0.16
-0.29 0.37 0.23 0.01 0.44 -0.14
0.10 -0.07 -0.03 -0.12 -0.02 0.19
0.07 0.28 0.40 -0.06 -0.62 -0.33
0.06 -0.25 0.23 0.07 -0.35 -0.28
-0.41 -0.26 -0.34 0.42 0.65 -0.10
-0.61 0.31 -0.10 -0.11 0.29 -0.03
0.25 0.20 -0.29 -0.00 -0.04 0.36
0.15 0.15 0.50 0.15 -0.30 -0.63
-0.05 0.38 0.48 -0.32 -0.62 -0.17
0.56 -0.35 -0.15 0.54 -0.20 -0.21
0.04 -0.38 -0.27 0.26 0.69 0.17
0.35 0.44 0.17 0.01 -0.69 0.06
-0.15 0.53 0.29 -0.66 -0.47 0.08
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0



Male: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
Zfand2b Complex 8497
Tnfalpha Nfkappa B Signaling Complex 5232
Tim23 Sort Complex Romo1 Timm17b Timm21 Ti...
Spliceosome E Complex 8391
Spliceosome A Complex 8372
Snw1 Complex 1335
Selk Multiprotein Complex 6131
Sdh Mabc1 Pic Ant Atpase Complex 139
Sarcoglycan Sarcospan Syntrophin Dystrobre...
Respiratory Chain Complex I Subcomplex I A...
Respiratory Chain Complex I Mitochondrial 382
Respiratory Chain Complex I Mitochondrial 381
Respiratory Chain Complex I Intermediate V...
Respiratory Chain Complex I Intermediate M...
Respiratory Chain Complex I Holoenzyme Mit...
Respiratory Chain Complex I Gamma Subunit ...
Respiratory Chain Complex I Early Intermed...
Parvulin Associated Pre Rrnp Complex 3047
Oligosaccharyltransferase Ostc Ii 1208
Oligosaccharyltransferase Ostc I 1203
Nop56p Associated Pre rRNA Complex 3055
Mib Complex Mitochondrial 6249
Large Drosha Complex 1332
Hrd1 Complex 6859
H2ax Complex Ii 1227
Er Localized Multiprotein Complex In Absen...
Er Localized Multiprotein Complex Ig Heavy...
Emerin Complex 52 5615
Emerin Complex 25 5613
Emerin Complex 24 5611
Dystrophin Glycoprotein Complex DGC Skelet...
Cdc5l Complex 1183
C Complex Spliceosome 1181
7961
7960
742
60s Ribosomal Subunit Cytoplasmic 308
5685
1200
1199
-0.47
-0.05
0.20
-0.15
-0.14
-0.09
0.20
0.30
-0.61
0.20
0.20
0.21
0.11
0.10
0.21
0.17
0.21
-0.16
0.56
0.53
-0.17
-0.02
0.03
0.38
-0.09
0.16
0.30
-0.13
-0.26
-0.15
-0.59
-0.17
-0.06
0.47
0.47
-0.12
-0.19
-0.31
0.59
0.53
0.40 0.28 -0.51 0.48 -0.33 -0.06
-0.11 -0.63 0.01 0.31 -0.35 -0.32
-0.25 0.28 0.41 -0.48 -0.52 -0.11
0.12 -0.58 -0.15 0.43 0.18 -0.29
0.08 -0.61 -0.11 0.39 0.19 -0.32
-0.33 -0.58 -0.06 0.02 0.17 -0.02
0.06 0.69 0.10 -0.36 -0.34 0.15
0.02 0.38 0.20 -0.43 -0.58 0.25
-0.28 -0.30 -0.58 0.32 0.55 0.38
-0.37 0.33 0.41 -0.73 -0.08 -0.00
-0.34 0.36 0.40 -0.72 -0.05 0.00
-0.29 0.38 0.39 -0.71 -0.04 -0.01
-0.45 0.30 0.43 -0.76 -0.05 0.01
-0.43 0.34 0.42 -0.75 -0.01 -0.00
-0.33 0.35 0.40 -0.71 -0.04 0.00
-0.38 0.35 0.40 -0.71 -0.07 0.02
-0.32 0.38 0.40 -0.69 -0.12 -0.06
-0.86 -0.60 0.33 -0.31 0.03 -0.11
0.36 0.38 0.10 0.14 -0.32 -0.02
0.22 0.49 0.20 -0.28 -0.45 0.11
-0.59 -0.68 0.23 -0.03 -0.15 -0.31
-0.46 0.39 0.27 -0.62 -0.32 0.09
0.18 -0.61 -0.05 0.42 0.21 -0.29
0.55 0.65 0.04 -0.29 -0.00 0.31
0.18 -0.65 -0.16 0.35 0.15 0.04
-0.07 0.40 0.22 -0.13 -0.41 -0.11
0.20 0.47 0.23 -0.04 -0.51 -0.15
0.42 -0.36 -0.38 0.47 0.38 0.00
0.17 -0.46 -0.40 0.35 0.45 0.01
0.18 -0.49 -0.37 0.55 0.29 0.01
-0.38 -0.30 -0.43 0.14 0.57 0.40
-0.09 -0.75 -0.02 0.26 0.30 -0.24
0.28 -0.51 -0.14 0.42 0.10 -0.23
-0.03 0.26 0.45 -0.13 -0.63 -0.35
-0.03 0.27 0.46 -0.14 -0.62 -0.34
0.01 -0.43 0.18 -0.32 0.19 -0.19
-0.62 -0.61 0.26 -0.11 -0.11 -0.18
0.55 0.30 -0.51 0.56 -0.36 -0.10
0.22 0.49 0.37 -0.30 -0.35 0.00
0.07 0.47 0.38 -0.38 -0.35 0.01
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0

Male: Modules against PAS and the phenotypes

Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)





Male: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
V Atpase Ragulator Axin Lkb1 Ampk Complex …
Tnf Alpha Nf Kappa B Signaling Complex 6 5266
Tle1 Corepressor Complex 1729
Tim22 Holo Complex Agk Timm9 Timm10 Timm10…
Sarcoglycan Sarcospan Dystroglycan Complex…
Sarcoglycan Sarcospan Complex Sg Spn 343
Ribosome Cytoplasmic 306
Respiratory Chain Supercomplex Complex I I…
Respiratory Chain Complex I Subcomplex I L…
Respiratory Chain Complex I Subcomplex I B…
Respiratory Chain Complex I Lambda Subunit…
Respiratory Chain Complex I Incomplete Int…
Respiratory Chain Complex I Beta Subunit M…
Pyruvate Dehydrogenase Complex 1375
Pa700 Complex 32
Pa28 20s Proteasome 192
Oligosaccharyltransferase Ostc Iii 1209
Mitrac Complex Mitochondrial 8569
Mitofilin Complex Mitochondrial 8587
Micos Complex Mitochondrial 6255
Lebercilin Complex 5899
Kinase Maturation Complex 1 5199
Immunoproteasome 39
Dystrophin Sarcoglycan Syntrophin Complex …
Dynactin 6130
Ddb2 Complex 726
Cytochrome C Oxidase Heart Mitochondrial 542
Cytochrome Bc1 Complex Ec 1 10 2 2 Mitocho…
Coa3 Hspa9 Timm44 Tim23 Sort Complex Mitoc…
Cct Prefoldin Complex Cct6a Variant 145
C Src Immune Complex 6938
Bbs Chaperonin Complex 6247
Aqp2 Binding Multiprotein Force Generator …
8918
7305
5380
40s Ribosomal Subunit Cytoplasmic 305
39s Ribosomal Subunit Mitochondrial 324
26s Proteasome 181
20s Proteasome 38
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Male: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
Thymoproteasome 8522
Profilin 1 Complex 2836
Pa700 20s Pa28 Complex 193
P2x7 Receptor Signalling Complex 725
Cytochrome C Oxidase Liver Mitochondrial 546
Cytochrome C Oxidase Liver Mitochondrial 538
Alix Actomyosin Tight Junction Complex 8172
Actb Anp32a C1qbp Psma1 Ptma Psma1 Complex…
55s Ribosome Mitochondrial 320
51
28s Ribosomal Subunit Mitochondrial 315
0.36 -0.25 -0.10 0.42 -0.32 0.09 -0.13
0.44 0.83 0.12 -0.20 0.31 -0.25 -0.03
0.35 0.56 -0.05 -0.33 0.67 -0.17 -0.07
0.19 0.23 -0.03 -0.05 -0.01 0.15 0.13
-0.41 -0.83 0.00 0.14 -0.48 -0.09 0.03
-0.41 -0.83 0.00 0.14 -0.48 -0.08 0.03
0.17 0.31 -0.09 -0.02 -0.03 0.29 -0.23
0.35 0.74 -0.03 -0.37 0.33 0.08 0.24
-0.01 -0.18 0.02 0.20 -0.05 -0.19 -0.16
-0.44 -0.44 -0.03 -0.20 -0.27 0.12 0.38
0.01 -0.14 -0.02 0.15 -0.07 -0.20 -0.04
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Male: strongest robust protein per phenotype

Smallest link p that keeps its sign and p ≤ 0.05 with any one mouse left out




Male: Clusters moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 4)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Clusters moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Capillary density, every link at p ≤ 0.05 (n = 6)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 2)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 5)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with CSA, every link at p ≤ 0.05 (n = 6)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 2)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Modules moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_M PAS_M

Male: Modules moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_M PAS_M


Male: Modules moving with CSA, every link at p ≤ 0.05 (n = 2)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Capillary density, every link at p ≤ 0.05 (n = 14)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Regulation Of WNT Signaling P...
r 0.52 (VEH 0.55, PAS -0.13)
p 0.047, FDR 0.41
Neurogenesis
r 0.73 (VEH 0.86, PAS 0.27)
p 0.048, FDR 0.41
Acyl Coa Biosynthetic Process
r -0.56 (VEH -0.63, PAS -0.42)
p 0.048, FDR 0.41
Skeletal System Development
r 0.72 (VEH 0.87, PAS 0.15)
p 0.048, FDR 0.41
Regulation Of Nervous System ...
r 0.62 (VEH 0.76, PAS 0.47)
p 0.049, FDR 0.41
Regulation Of Cell Junction A...
r 0.58 (VEH 0.51, PAS 0.54)
p 0.05, FDR 0.41
Feature value
Phenotype
VEH_M
PAS_M


Male: GO:BP / MitoCarta moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 18)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 38)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 38)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 14)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Tubb2a
r -0.28 (VEH -0.68, PAS 0.56)
p 0.0085, FDR 0.12
Endog (mito)
r -0.45 (VEH -0.54, PAS -0.32)
p 0.0085, FDR 0.068
Tmem126a (mito)
r 0.21 (VEH 0.42, PAS -0.11)
p 0.0086, FDR 0.068
Dhodh
r 0.43 (VEH 0.62, PAS 0.45)
p 0.0086, FDR 0.12
Camk2a
r 0.29 (VEH 0.69, PAS -0.33)
p 0.0087, FDR 0.12
Ssc5d
r -0.34 (VEH -0.65, PAS 0.01)
p 0.0087, FDR 0.12
Stxbp3
r -0.57 (VEH -0.80, PAS -0.20)
p 0.0087, FDR 0.12
Abcb7 (mito)
r 0.22 (VEH 0.44, PAS -0.24)
p 0.0088, FDR 0.068
Atp5po (mito)
r 0.23 (VEH 0.41, PAS -0.14)
p 0.0088, FDR 0.068
Vdac2
r 0.33 (VEH 0.56, PAS -0.17)
p 0.0089, FDR 0.12
Ogdh
r 0.56 (VEH 0.85, PAS 0.33)
p 0.009, FDR 0.12
Srsf5
r -0.35 (VEH -0.35, PAS -0.57)
p 0.009, FDR 0.12
Sccpdh
r 0.35 (VEH 0.64, PAS -0.13)
p 0.0091, FDR 0.12
Naxe
r 0.24 (VEH 0.40, PAS -0.17)
p 0.0091, FDR 0.12
Cyb5r1
r 0.34 (VEH 0.52, PAS -0.19)
p 0.0096, FDR 0.12
Sirt5 (mito)
r -0.39 (VEH -0.35, PAS -0.44)
p 0.0096, FDR 0.072
Naxe (mito)
r 0.20 (VEH 0.31, PAS -0.17)
p 0.0097, FDR 0.072
Apool
r 0.41 (VEH 0.61, PAS 0.26)
p 0.0097, FDR 0.12
Gstz1
r 0.31 (VEH 0.84, PAS -0.27)
p 0.0097, FDR 0.12
Macrod1 (mito)
r -0.53 (VEH -0.78, PAS -0.41)
p 0.0097, FDR 0.072
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Atp5po
r 0.28 (VEH 0.41, PAS -0.02)
p 0.014, FDR 0.14
Cyc1
r 0.37 (VEH 0.57, PAS -0.28)
p 0.014, FDR 0.14
Fis1 (mito)
r 0.46 (VEH 0.92, PAS -0.25)
p 0.014, FDR 0.081
Rrbp1
r -0.50 (VEH -0.95, PAS 0.10)
p 0.014, FDR 0.14
Pdha1
r 0.34 (VEH 0.76, PAS -0.27)
p 0.014, FDR 0.14
Atp5mf (mito)
r 0.51 (VEH 0.60, PAS 0.34)
p 0.014, FDR 0.081
Abcc9
r 0.07 (VEH 0.14, PAS -0.21)
p 0.014, FDR 0.14
Mcts1
r 0.81 (VEH 0.92, PAS 0.71)
p 0.014, FDR 0.14
Srpra
r 0.42 (VEH 0.94, PAS -0.35)
p 0.014, FDR 0.14
Surf1
r -0.46 (VEH -0.71, PAS -0.03)
p 0.014, FDR 0.14
Pnkd
r -0.17 (VEH -0.29, PAS 0.25)
p 0.014, FDR 0.14
Vdac1
r 0.25 (VEH 0.47, PAS -0.16)
p 0.014, FDR 0.14
Rab12
r 0.47 (VEH 0.81, PAS 0.57)
p 0.014, FDR 0.14
Bcat2 (mito)
r 0.26 (VEH 0.41, PAS -0.14)
p 0.015, FDR 0.083
Etfa
r 0.38 (VEH 0.51, PAS 0.09)
p 0.015, FDR 0.14
Napg
r 0.38 (VEH 0.36, PAS 0.68)
p 0.015, FDR 0.14
Ndl
r -0.45 (VEH -0.88, PAS -0.57)
p 0.015, FDR 0.14
Acta1
r 0.36 (VEH 0.22, PAS 0.38)
p 0.015, FDR 0.14
Hpx
r -0.32 (VEH -0.27, PAS -0.28)
p 0.015, FDR 0.14
Slirp (mito)
r -0.20 (VEH -0.35, PAS 0.42)
p 0.015, FDR 0.086
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Cyp27a1
r 0.36 (VEH 0.50, PAS 0.18)
p 0.016, FDR 0.14
Ndufs2
r 0.35 (VEH 0.52, PAS 0.05)
p 0.016, FDR 0.14
Sec11a
r 0.42 (VEH 0.32, PAS 0.52)
p 0.016, FDR 0.14
Sntb2
r 0.66 (VEH 0.73, PAS 0.64)
p 0.016, FDR 0.14
Pcyox1
r 0.38 (VEH 0.69, PAS -0.06)
p 0.016, FDR 0.14
Tmem126a
r 0.25 (VEH 0.47, PAS -0.11)
p 0.016, FDR 0.14
Fh (mito)
r 0.35 (VEH 0.43, PAS 0.25)
p 0.016, FDR 0.09
F2
r 0.37 (VEH 0.24, PAS 0.50)
p 0.016, FDR 0.14
Slc25a4
r 0.25 (VEH 0.41, PAS -0.19)
p 0.016, FDR 0.14
Eif3i
r -0.14 (VEH -0.15, PAS -0.13)
p 0.016, FDR 0.14
Rtn2
r 0.45 (VEH 1.00, PAS -0.34)
p 0.016, FDR 0.14
Prxl2a
r 0.42 (VEH 0.55, PAS 0.26)
p 0.016, FDR 0.14
Phkb
r 0.33 (VEH 0.50, PAS -0.24)
p 0.016, FDR 0.14
Atp2a2
r 0.51 (VEH 0.43, PAS 0.63)
p 0.016, FDR 0.14
Suox (mito)
r -0.27 (VEH -0.50, PAS 0.17)
p 0.016, FDR 0.092
Gstm2
r 0.73 (VEH 0.79, PAS 0.72)
p 0.016, FDR 0.14
Atp5f1e
r 0.25 (VEH 0.25, PAS 0.25)
p 0.017, FDR 0.14
Hsp90b1
r 0.29 (VEH 0.33, PAS 0.46)
p 0.017, FDR 0.14
Hspe1 (mito)
r -0.27 (VEH -0.63, PAS 0.29)
p 0.017, FDR 0.092
Rps24
r 0.23 (VEH 0.24, PAS 0.25)
p 0.017, FDR 0.14
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Abcf2
r -0.38 (VEH -0.69, PAS -0.01)
p 0.017, FDR 0.14
Mrpl35
r 0.31 (VEH 0.53, PAS -0.32)
p 0.017, FDR 0.15
Rpl15
r -0.45 (VEH -0.55, PAS -0.31)
p 0.018, FDR 0.15
Ndufa6 (mito)
r 0.24 (VEH 0.37, PAS -0.23)
p 0.018, FDR 0.096
Rpl8
r -0.47 (VEH -0.56, PAS -0.43)
p 0.018, FDR 0.15
Dhrs1 (mito)
r 0.51 (VEH 0.74, PAS 0.33)
p 0.018, FDR 0.096
Rpl14
r -0.46 (VEH -0.51, PAS -0.59)
p 0.018, FDR 0.15
Oxsm (mito)
r -0.34 (VEH -0.39, PAS 0.02)
p 0.018, FDR 0.097
Coa6
r -0.29 (VEH -0.57, PAS 0.31)
p 0.018, FDR 0.15
Ndufs4 (mito)
r -0.33 (VEH -0.46, PAS -0.27)
p 0.018, FDR 0.097
Btf3
r -0.50 (VEH -0.51, PAS -0.87)
p 0.018, FDR 0.15
Gatc (mito)
r -0.14 (VEH -0.37, PAS 0.26)
p 0.019, FDR 0.098
Stoml2 (mito)
r -0.22 (VEH -0.46, PAS 0.24)
p 0.019, FDR 0.098
Acad12
r 0.74 (VEH 0.78, PAS 0.64)
p 0.019, FDR 0.15
Acsl6
r 0.30 (VEH 0.75, PAS -0.18)
p 0.019, FDR 0.15
Pdk4
r 0.52 (VEH 0.54, PAS 0.46)
p 0.019, FDR 0.15
Mrps2
r -0.16 (VEH -0.06, PAS -0.11)
p 0.019, FDR 0.15
Gnb1
r -0.40 (VEH -0.77, PAS 0.09)
p 0.019, FDR 0.15
Hnrnpc
r -0.43 (VEH -0.42, PAS -0.61)
p 0.019, FDR 0.15
Glrx2
r -0.29 (VEH -0.31, PAS -0.58)
p 0.019, FDR 0.15
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Mtdh
r -0.06 (VEH 0.02, PAS -0.16)
p 0.039, FDR 0.21
Mapre3
r -0.16 (VEH -0.24, PAS 0.15)
p 0.039, FDR 0.21
Glud1
r -0.67 (VEH -0.87, PAS -0.26)
p 0.039, FDR 0.21
Aurkaip1 (mito)
r -0.27 (VEH -0.18, PAS -0.29)
p 0.04, FDR 0.14
Mcl1
r -0.28 (VEH -0.27, PAS -0.16)
p 0.04, FDR 0.22
Usp10
r -0.22 (VEH -0.44, PAS 0.21)
p 0.04, FDR 0.22
Sucla2 (mito)
r 0.18 (VEH 0.25, PAS 0.06)
p 0.04, FDR 0.14
Aldh4a1 (mito)
r -0.33 (VEH -0.57, PAS 0.16)
p 0.04, FDR 0.14
Mdh1
r 0.40 (VEH 0.81, PAS 0.44)
p 0.04, FDR 0.22
Tmed1
r 0.38 (VEH 0.42, PAS 0.31)
p 0.041, FDR 0.22
St13
r -0.46 (VEH -0.59, PAS -0.31)
p 0.041, FDR 0.22
Atp5f1a (mito)
r 0.08 (VEH 0.15, PAS -0.18)
p 0.041, FDR 0.14
Acadvl (mito)
r 0.28 (VEH 0.41, PAS -0.20)
p 0.041, FDR 0.14
Rps6kb2
r -0.34 (VEH -0.30, PAS -0.44)
p 0.041, FDR 0.22
Mrpl39 (mito)
r -0.19 (VEH -0.31, PAS -0.12)
p 0.041, FDR 0.14
Serbp1
r -0.47 (VEH -0.78, PAS -0.08)
p 0.041, FDR 0.22
Timm10
r -0.45 (VEH -0.74, PAS -0.23)
p 0.042, FDR 0.22
Cat (mito)
r -0.23 (VEH -0.42, PAS 0.15)
p 0.042, FDR 0.14
Slc25a11
r 0.36 (VEH 0.62, PAS -0.20)
p 0.042, FDR 0.22
Apoa4
r 0.10 (VEH 0.05, PAS -0.06)
p 0.042, FDR 0.22
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ube2n
r 0.15 (VEH 0.18, PAS -0.16)
p 0.048, FDR 0.23
Uqcrc2 (mito)
r -0.24 (VEH 0.22, PAS -0.63)
p 0.048, FDR 0.15
Dmac1 (mito)
r 0.17 (VEH 0.06, PAS 0.53)
p 0.049, FDR 0.15
Cyb5r3 (mito)
r 0.16 (VEH 0.35, PAS -0.31)
p 0.049, FDR 0.15
Cars2
r 0.36 (VEH 0.62, PAS -0.20)
p 0.049, FDR 0.24
Alyref
r -0.24 (VEH -0.32, PAS -0.11)
p 0.049, FDR 0.24
Atp5f1d (mito)
r -0.30 (VEH -0.43, PAS -0.05)
p 0.049, FDR 0.15
Kng1
r -0.38 (VEH -0.74, PAS 0.24)
p 0.05, FDR 0.24
Ndufa7
r -0.22 (VEH -0.57, PAS 0.53)
p 0.05, FDR 0.24
Mrpl34
r 0.61 (VEH 0.63, PAS 0.55)
p 0.05, FDR 0.24
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Srpra
r -0.48 (VEH -0.38, PAS -0.56)
p 0.0062, FDR 0.084
Uqcr10
r -0.45 (VEH -0.33, PAS -0.90)
p 0.0062, FDR 0.084
Mrpl27
r -0.41 (VEH -0.59, PAS -0.33)
p 0.0062, FDR 0.084
Cisd1
r -0.26 (VEH -0.13, PAS -0.56)
p 0.0063, FDR 0.084
Bcap31
r -0.76 (VEH -0.77, PAS -0.74)
p 0.0063, FDR 0.084
Sptbn1
r 0.61 (VEH 0.85, PAS 0.24)
p 0.0063, FDR 0.084
Sars2 (mito)
r -0.57 (VEH -0.81, PAS 0.43)
p 0.0066, FDR 0.11
Rps24
r -0.28 (VEH -0.34, PAS -0.23)
p 0.0067, FDR 0.086
Pals2
r -0.26 (VEH -0.18, PAS -0.48)
p 0.0067, FDR 0.086
Epb41l2
r 0.63 (VEH 0.73, PAS 0.46)
p 0.0067, FDR 0.086
Pdha1
r -0.44 (VEH -0.23, PAS -0.79)
p 0.0067, FDR 0.086
Timm50 (mito)
r -0.55 (VEH -0.58, PAS -0.41)
p 0.0067, FDR 0.11
Tefm
r -0.48 (VEH -0.42, PAS -0.40)
p 0.0067, FDR 0.086
Abhd16a
r -0.46 (VEH -0.42, PAS -0.50)
p 0.0068, FDR 0.086
Samm50
r -0.36 (VEH -0.25, PAS -0.70)
p 0.0068, FDR 0.086
Slc25a3 (mito)
r -0.26 (VEH -0.12, PAS -0.69)
p 0.0068, FDR 0.11
Arcn1
r -0.30 (VEH -0.43, PAS -0.00)
p 0.0068, FDR 0.086
Nadk2 (mito)
r 0.51 (VEH 0.62, PAS 0.61)
p 0.0069, FDR 0.11
Cavin3
r 0.65 (VEH 0.64, PAS 0.57)
p 0.0069, FDR 0.086
Mrps31 (mito)
r 0.36 (VEH 0.10, PAS 0.50)
p 0.0069, FDR 0.11
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ptrh2 (mito)
r -0.67 (VEH -0.55, PAS -0.99)
p 0.0081, FDR 0.11
Golga2
r 0.56 (VEH 0.70, PAS 0.55)
p 0.0082, FDR 0.092
Crip1
r 0.53 (VEH 0.52, PAS 0.54)
p 0.0082, FDR 0.092
Nipsnap2
r -0.30 (VEH -0.26, PAS -0.55)
p 0.0083, FDR 0.093
Sqor (mito)
r -0.23 (VEH -0.03, PAS -0.68)
p 0.0083, FDR 0.11
Sts
r -0.48 (VEH -0.17, PAS -0.91)
p 0.0083, FDR 0.093
Acp6 (mito)
r -0.35 (VEH -0.21, PAS -0.77)
p 0.0084, FDR 0.11
Mrpl52 (mito)
r 0.17 (VEH -0.02, PAS 0.91)
p 0.0084, FDR 0.11
Therm6
r -0.55 (VEH -0.51, PAS -0.92)
p 0.0085, FDR 0.094
Lrpprc
r -0.43 (VEH -0.43, PAS -0.58)
p 0.0085, FDR 0.094
Mrps34 (mito)
r -0.43 (VEH -0.67, PAS -0.50)
p 0.0086, FDR 0.11
Uqcc5
r -0.39 (VEH -0.63, PAS 0.91)
p 0.0087, FDR 0.096
Pdha1 (mito)
r -0.43 (VEH -0.18, PAS -0.78)
p 0.0088, FDR 0.11
Hnrnpdl
r 0.23 (VEH 0.13, PAS 0.37)
p 0.0089, FDR 0.096
Spcs2
r -0.44 (VEH -0.36, PAS -0.54)
p 0.0089, FDR 0.096
Cs
r -0.70 (VEH -0.93, PAS -0.29)
p 0.009, FDR 0.097
Cp
r 0.63 (VEH 0.82, PAS 0.82)
p 0.0091, FDR 0.097
Slc44a1
r -0.49 (VEH -0.59, PAS -0.93)
p 0.0091, FDR 0.097
Ufd1
r -0.47 (VEH -0.79, PAS -0.23)
p 0.0091, FDR 0.097
Msra (mito)
r 0.32 (VEH 0.07, PAS 0.93)
p 0.0092, FDR 0.11
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link






Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ahnak2
r 0.65 (VEH 0.71, PAS 0.34)
p 0.016, FDR 0.12
Flot1
r 0.61 (VEH 0.80, PAS 0.37)
p 0.016, FDR 0.12
Cpox (mito)
r 0.31 (VEH 0.07, PAS 0.83)
p 0.016, FDR 0.14
Pdk2
r -0.36 (VEH -0.32, PAS -0.54)
p 0.016, FDR 0.12
Slc25a3
r -0.24 (VEH -0.12, PAS -0.67)
p 0.016, FDR 0.12
Atp5mk (mito)
r -0.35 (VEH -0.25, PAS -0.67)
p 0.016, FDR 0.14
Akap1 (mito)
r 0.31 (VEH 0.20, PAS 0.58)
p 0.016, FDR 0.14
Capza2
r 0.60 (VEH 0.50, PAS 0.65)
p 0.016, FDR 0.12
Rpl38
r -0.15 (VEH -0.03, PAS -0.46)
p 0.016, FDR 0.12
Micu3 (mito)
r 0.14 (VEH 0.07, PAS 0.77)
p 0.016, FDR 0.14
Clpb (mito)
r 0.53 (VEH 0.93, PAS 0.61)
p 0.017, FDR 0.14
Tom1l2
r 0.69 (VEH 0.79, PAS 0.79)
p 0.017, FDR 0.13
Stoml2
r 0.24 (VEH 0.09, PAS 0.62)
p 0.017, FDR 0.13
Mfn2 (mito)
r -0.30 (VEH -0.08, PAS -0.89)
p 0.017, FDR 0.14
Emc3
r -0.54 (VEH -0.61, PAS -0.44)
p 0.018, FDR 0.13
Chchd6 (mito)
r 0.27 (VEH 0.13, PAS 0.57)
p 0.018, FDR 0.14
Pdpr (mito)
r -0.27 (VEH -0.29, PAS -0.31)
p 0.018, FDR 0.14
Bpgm
r 0.42 (VEH 0.23, PAS 0.90)
p 0.018, FDR 0.13
Etf1
r -0.52 (VEH -0.52, PAS -0.20)
p 0.018, FDR 0.13
Mrpl3 (mito)
r 0.26 (VEH -0.05, PAS 0.76)
p 0.018, FDR 0.14
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ociad2
r -0.77 (VEH -0.95, PAS -0.83)
p 0.018, FDR 0.13
Ywhah
r -0.30 (VEH -0.28, PAS 0.12)
p 0.018, FDR 0.13
Atp5mk
r -0.33 (VEH -0.22, PAS -0.65)
p 0.018, FDR 0.13
Fech
r -0.39 (VEH -0.46, PAS -0.36)
p 0.018, FDR 0.13
Rab2a
r -0.30 (VEH -0.16, PAS -0.75)
p 0.019, FDR 0.13
Mrps31
r 0.30 (VEH -0.01, PAS 0.45)
p 0.019, FDR 0.14
Grsf1 (mito)
r 0.33 (VEH 0.69, PAS 0.11)
p 0.019, FDR 0.15
Park7
r 0.53 (VEH 0.75, PAS 0.22)
p 0.019, FDR 0.14
Ermp1
r -0.32 (VEH -0.38, PAS -0.53)
p 0.019, FDR 0.14
Cpt2
r -0.40 (VEH -0.32, PAS -0.57)
p 0.019, FDR 0.14
Mrpl3
r 0.18 (VEH -0.17, PAS 0.71)
p 0.019, FDR 0.14
B2m
r 0.50 (VEH 0.62, PAS 0.26)
p 0.019, FDR 0.14
Ufc1
r -0.27 (VEH -0.19, PAS -0.55)
p 0.019, FDR 0.14
Trim72
r 0.43 (VEH 0.46, PAS -0.09)
p 0.02, FDR 0.14
Vcl
r -0.23 (VEH -0.51, PAS -0.16)
p 0.02, FDR 0.14
Mpp1
r 0.38 (VEH 0.15, PAS 0.47)
p 0.02, FDR 0.14
Clta
r 0.42 (VEH 0.72, PAS -0.01)
p 0.02, FDR 0.14
Alpl
r 0.34 (VEH 0.39, PAS -0.11)
p 0.02, FDR 0.14
Eif4a3
r 0.17 (VEH -0.11, PAS 0.72)
p 0.02, FDR 0.14
Slc25a11 (mito)
r -0.30 (VEH -0.28, PAS -0.36)
p 0.02, FDR 0.15
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Mtarc2
r -0.32 (VEH-0.18, PAS-0.60)
p 0.023, FDR 0.15
Atp5f1c
r -0.28 (VEH-0.17, PAS-0.65)
p 0.023, FDR 0.15
Cpt2 (mito)
r -0.35 (VEH-0.24, PAS-0.58)
p 0.023, FDR 0.16
Mrpl4
r -0.33 (VEH-0.32, PAS-0.55)
p 0.023, FDR 0.15
Slc25a12 (mito)
r -0.37 (VEH-0.25, PAS-0.51)
p 0.024, FDR 0.16
Coq6
r -0.65 (VEH-0.75, PAS-0.56)
p 0.024, FDR 0.15
S100a10
r 0.59 (VEH 0.55, PAS 0.45)
p 0.024, FDR 0.15
Rps2
r -0.36 (VEH-0.44, PAS-0.29)
p 0.024, FDR 0.15
Vamp3
r 0.33 (VEH 0.11, PAS 0.72)
p 0.024, FDR 0.15
Clptm1
r -0.50 (VEH-0.68, PAS 0.40)
p 0.024, FDR 0.15
Sntb1
r 0.74 (VEH 0.84, PAS 0.17)
p 0.024, FDR 0.15
Apmap
r -0.39 (VEH-0.20, PAS-0.58)
p 0.024, FDR 0.15
Myl6
r 0.60 (VEH 0.53, PAS 0.72)
p 0.025, FDR 0.15
Rpl18a
r -0.41 (VEH-0.88, PAS-0.49)
p 0.025, FDR 0.15
Uggt1
r -0.18 (VEH-0.05, PAS-0.37)
p 0.025, FDR 0.15
Mtarc2 (mito)
r -0.27 (VEH-0.11, PAS-0.61)
p 0.025, FDR 0.17
Atp2b1
r 0.53 (VEH 0.75, PAS 0.32)
p 0.025, FDR 0.15
Afg3l1
r -0.68 (VEH-0.70, PAS-0.58)
p 0.025, FDR 0.15
Cisd1 (mito)
r -0.18 (VEH-0.03, PAS-0.48)
p 0.025, FDR 0.17
Rab24 (mito)
r -0.51 (VEH-0.62, PAS-0.45)
p 0.025, FDR 0.17
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 39)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 39)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Nfs1
r -0.65 (VEH -0.87, PAS 0.50)
p 0.022, FDR 0.14
Ndufa8
r -0.54 (VEH -0.79, PAS 0.44)
p 0.023, FDR 0.14
Gcsh (mito)
r 0.41 (VEH 0.58, PAS -0.09)
p 0.023, FDR 0.12
Fxyd1
r 0.52 (VEH 0.67, PAS 0.37)
p 0.023, FDR 0.14
Ddost
r -0.50 (VEH -0.83, PAS 0.39)
p 0.023, FDR 0.14
Rplp2
r -0.51 (VEH -0.63, PAS -0.24)
p 0.023, FDR 0.14
Uqcc5
r -0.34 (VEH -0.62, PAS 0.50)
p 0.023, FDR 0.14
Ndufb8
r -0.47 (VEH -0.86, PAS 0.52)
p 0.023, FDR 0.14
Cmc1
r 0.60 (VEH 0.85, PAS -0.32)
p 0.023, FDR 0.14
Odr4
r -0.38 (VEH -0.66, PAS 0.06)
p 0.023, FDR 0.14
Lclat1
r -0.43 (VEH -0.69, PAS -0.16)
p 0.023, FDR 0.14
Eef1a1
r -0.44 (VEH -0.89, PAS 0.46)
p 0.023, FDR 0.14
Crip1
r 0.44 (VEH 0.68, PAS -0.22)
p 0.023, FDR 0.14
Rpl29
r 0.49 (VEH 0.95, PAS -0.65)
p 0.023, FDR 0.14
Mrpl46
r 0.37 (VEH 0.68, PAS -0.40)
p 0.023, FDR 0.14
Arcn1
r -0.37 (VEH -0.61, PAS 0.03)
p 0.023, FDR 0.14
Slirp (mito)
r 0.57 (VEH 0.79, PAS 0.13)
p 0.023, FDR 0.12
Ccdc43
r 0.56 (VEH 0.86, PAS -0.57)
p 0.024, FDR 0.14
IL19
r 0.50 (VEH 0.96, PAS -0.38)
p 0.024, FDR 0.14
Letm1
r -0.48 (VEH -0.76, PAS 0.36)
p 0.024, FDR 0.14
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ssbp1
r 0.85 (VEH 0.91, PAS 0.89)
p 4.1e-05, FDR 0.0052
Idh2
r -0.79 (VEH -0.75, PAS -0.90)
p 4.3e-05, FDR 0.0052
Cyb5r3
r -0.58 (VEH -0.67, PAS -0.50)
p 4.6e-05, FDR 0.0052
Tmed4
r -0.63 (VEH -0.74, PAS -0.61)
p 4.8e-05, FDR 0.0052
Nit1
r 0.78 (VEH 0.18, PAS 0.98)
p 5.1e-05, FDR 0.0053
Rtn4ip1
r -0.45 (VEH -0.54, PAS -0.42)
p 5.6e-05, FDR 0.0054
Diablo (mito)
r 0.85 (VEH 0.78, PAS 0.92)
p 6.1e-05, FDR 0.0038
Rab2a
r -0.67 (VEH -0.39, PAS -0.84)
p 6.3e-05, FDR 0.0058
Coq8a (mito)
r -0.77 (VEH -0.63, PAS -0.86)
p 6.8e-05, FDR 0.0038
Pafah1b1
r 0.56 (VEH -0.01, PAS 0.97)
p 7.3e-05, FDR 0.0064
Prdx3 (mito)
r 0.75 (VEH 0.55, PAS 0.90)
p 7.6e-05, FDR 0.0038
Klhl31
r -0.94 (VEH -0.86, PAS -0.99)
p 8e-05, FDR 0.0067
Ldhd (mito)
r 0.75 (VEH 0.78, PAS 0.93)
p 8.6e-05, FDR 0.0038
Uqcrh
r 0.80 (VEH 0.64, PAS 0.96)
p 9.2e-05, FDR 0.0074
Tmem126a (mito)
r -0.49 (VEH -0.28, PAS -0.71)
p 9.3e-05, FDR 0.0038
Abcb7 (mito)
r -0.62 (VEH -0.25, PAS -0.87)
p 9.6e-05, FDR 0.0038
Atp5f1a (mito)
r -0.66 (VEH -0.70, PAS -0.72)
p 9.7e-05, FDR 0.0038
Ethe1
r 0.85 (VEH 0.73, PAS 0.97)
p 0.0001, FDR 0.0078
Ssbp1 (mito)
r 0.83 (VEH 0.83, PAS 0.91)
p 0.0001, FDR 0.0038
Phb2 (mito)
r -0.58 (VEH -0.49, PAS -0.73)
p 0.00011, FDR 0.0038
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Abcb7
r -0.60 (VEH -0.21, PAS -0.87)
p 0.00023, FDR 0.011
Mrps30 (mito)
r 0.44 (VEH 0.54, PAS 0.27)
p 0.00023, FDR 0.0055
Echdc3
r 0.52 (VEH 0.51, PAS 0.83)
p 0.00026, FDR 0.012
Tsfm (mito)
r 0.59 (VEH 0.43, PAS 0.69)
p 0.00026, FDR 0.0059
Tmem126a
r -0.47 (VEH -0.24, PAS -0.74)
p 0.00026, FDR 0.012
Tor1b
r 0.93 (VEH 0.91, PAS 0.94)
p 0.00027, FDR 0.012
Rps4x
r -0.65 (VEH -0.74, PAS -0.65)
p 0.00027, FDR 0.012
Mecr
r 0.73 (VEH 0.64, PAS 0.93)
p 0.00028, FDR 0.012
Mrpl52 (mito)
r 0.67 (VEH 0.64, PAS 0.77)
p 0.00028, FDR 0.0059
Tmem11 (mito)
r -0.59 (VEH -0.32, PAS -0.84)
p 0.00029, FDR 0.0059
Tuba4a
r -0.67 (VEH -0.50, PAS -0.73)
p 0.00029, FDR 0.012
Eci1 (mito)
r 0.74 (VEH 0.78, PAS 0.98)
p 0.00029, FDR 0.0059
Btf3l4
r 0.61 (VEH 0.62, PAS 0.79)
p 0.0003, FDR 0.012
Bckdhb
r -0.44 (VEH -0.34, PAS -0.74)
p 0.0003, FDR 0.012
Rtn4ip1 (mito)
r -0.44 (VEH -0.60, PAS -0.33)
p 0.00031, FDR 0.0059
Rps13
r -0.73 (VEH -0.61, PAS -0.84)
p 0.00033, FDR 0.013
Mtif3 (mito)
r 0.58 (VEH 0.85, PAS 0.33)
p 0.00033, FDR 0.0059
Eci1
r 0.79 (VEH 0.84, PAS 0.94)
p 0.00034, FDR 0.013
Bcat2 (mito)
r -0.71 (VEH -0.62, PAS -0.80)
p 0.00034, FDR 0.0059
Abcf1
r 0.63 (VEH 0.63, PAS 0.61)
p 0.00035, FDR 0.013
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link






Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Gpd1
r -0.61 (VEH -0.54, PAS -0.60)
p 0.00079, FDR 0.019
Ndufa7 (mito)
r 0.73 (VEH 0.48, PAS 0.92)
p 0.00079, FDR 0.0094
Cisd1 (mito)
r -0.51 (VEH -0.50, PAS -0.68)
p 0.0008, FDR 0.0094
Chchd2
r 0.74 (VEH 0.67, PAS 0.90)
p 0.0008, FDR 0.019
Cmc2
r 0.81 (VEH 0.76, PAS 0.90)
p 0.00082, FDR 0.02
Echdc3 (mito)
r 0.49 (VEH 0.39, PAS 0.85)
p 0.00083, FDR 0.0096
Slc25a4 (mito)
r -0.70 (VEH -0.61, PAS -0.80)
p 0.00087, FDR 0.0099
Rab33b
r -0.80 (VEH -0.58, PAS -0.97)
p 0.00088, FDR 0.021
Ndufb4 (mito)
r -0.56 (VEH -0.50, PAS -0.88)
p 0.0009, FDR 0.0099
Akap1
r 0.72 (VEH 0.60, PAS 0.96)
p 0.0009, FDR 0.021
Mrpl52
r 0.71 (VEH 0.69, PAS 0.80)
p 0.00091, FDR 0.021
Acad8 (mito)
r -0.66 (VEH -0.63, PAS -0.68)
p 0.00092, FDR 0.0099
Ndufs8 (mito)
r 0.76 (VEH 0.59, PAS 0.97)
p 0.00093, FDR 0.0099
Mccc2 (mito)
r 0.52 (VEH 0.47, PAS 0.53)
p 0.00095, FDR 0.0099
Bphl (mito)
r -0.40 (VEH -0.35, PAS -0.41)
p 0.00096, FDR 0.0099
Fam210a
r -0.58 (VEH -0.52, PAS -0.55)
p 0.00098, FDR 0.022
Atp5po (mito)
r -0.52 (VEH -0.50, PAS -0.77)
p 0.00099, FDR 0.01
Fech (mito)
r -0.51 (VEH -0.20, PAS -0.74)
p 0.001, FDR 0.01
Trap1 (mito)
r -0.61 (VEH -0.45, PAS -0.75)
p 0.001, FDR 0.01
Etfdh (mito)
r -0.41 (VEH -0.57, PAS -0.44)
p 0.0011, FDR 0.01
Feature value
Phenotype
VEH_M
PAS_M



Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Tsfm
r 0.56 (VEH 0.48, PAS 0.60)
p 0.0011, FDR 0.025
Atxn2
r 0.54 (VEH 0.47, PAS 0.72)
p 0.0011, FDR 0.025
Pdp1 (mito)
r 0.71 (VEH 0.56, PAS 0.82)
p 0.0011, FDR 0.011
Ak3
r 0.80 (VEH 0.82, PAS 0.88)
p 0.0012, FDR 0.026
Dusp29
r 0.80 (VEH 0.63, PAS 0.84)
p 0.0012, FDR 0.026
Dnajb11
r 0.89 (VEH 0.95, PAS 0.92)
p 0.0012, FDR 0.027
Bckdk (mito)
r 0.48 (VEH 0.73, PAS 0.20)
p 0.0013, FDR 0.012
Sars2
r 0.64 (VEH 0.75, PAS 0.61)
p 0.0013, FDR 0.027
Sarnp
r 0.65 (VEH 0.77, PAS 0.61)
p 0.0013, FDR 0.027
Sars2 (mito)
r 0.65 (VEH 0.72, PAS 0.74)
p 0.0013, FDR 0.012
Fam210a (mito)
r -0.58 (VEH -0.61, PAS -0.46)
p 0.0013, FDR 0.012
Suclg2 (mito)
r -0.74 (VEH -0.42, PAS -0.88)
p 0.0013, FDR 0.012
Atp1b1
r -0.56 (VEH -0.66, PAS -0.56)
p 0.0014, FDR 0.028
Me3 (mito)
r -0.60 (VEH -0.83, PAS -0.73)
p 0.0014, FDR 0.012
Mrpl46
r 0.50 (VEH 0.60, PAS 0.41)
p 0.0014, FDR 0.029
Lamtor4
r 0.45 (VEH -0.10, PAS 0.88)
p 0.0014, FDR 0.029
Atp5mg (mito)
r -0.54 (VEH -0.54, PAS -0.65)
p 0.0014, FDR 0.012
Ndufa6
r -0.65 (VEH -0.61, PAS -0.81)
p 0.0015, FDR 0.03
Bcat2
r -0.66 (VEH -0.56, PAS -0.80)
p 0.0015, FDR 0.03
Tmed9
r -0.47 (VEH -0.30, PAS -0.77)
p 0.0015, FDR 0.03
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link






Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Hspd1 (mito)
r 0.78 (VEH 0.54, PAS 0.85)
p 0.0019, FDR 0.015
Samm50 (mito)
r -0.53 (VEH -0.30, PAS -0.72)
p 0.002, FDR 0.016
C1qbp
r 0.56 (VEH 0.41, PAS 0.83)
p 0.002, FDR 0.034
Fdx2
r 0.65 (VEH 0.50, PAS 0.83)
p 0.0021, FDR 0.034
Dnajc11 (mito)
r -0.59 (VEH -0.76, PAS -0.59)
p 0.0021, FDR 0.016
Rplp2
r -0.76 (VEH -0.86, PAS -0.74)
p 0.0021, FDR 0.034
Nfu1 (mito)
r 0.63 (VEH 0.49, PAS 0.84)
p 0.0021, FDR 0.016
Eif2s1
r -0.60 (VEH -0.76, PAS -0.70)
p 0.0021, FDR 0.034
Pals2
r -0.46 (VEH -0.39, PAS -0.72)
p 0.0022, FDR 0.035
Ppif
r 0.79 (VEH 0.78, PAS 0.84)
p 0.0022, FDR 0.035
Sco1 (mito)
r -0.83 (VEH -0.91, PAS -0.78)
p 0.0023, FDR 0.017
Chchd6 (mito)
r 0.44 (VEH 0.41, PAS 0.57)
p 0.0023, FDR 0.017
Txndc17
r 0.52 (VEH -0.48, PAS 0.65)
p 0.0023, FDR 0.036
Akap1 (mito)
r 0.65 (VEH 0.45, PAS 0.97)
p 0.0023, FDR 0.017
Ddx1
r -0.85 (VEH -0.80, PAS -0.90)
p 0.0024, FDR 0.037
Camk2a
r -0.48 (VEH -0.26, PAS -0.92)
p 0.0024, FDR 0.037
Nipsnap2
r -0.53 (VEH -0.31, PAS -0.77)
p 0.0024, FDR 0.037
Dglucy (mito)
r 0.67 (VEH 0.56, PAS 0.86)
p 0.0024, FDR 0.018
Ndufs8
r 0.77 (VEH 0.62, PAS 1.00)
p 0.0025, FDR 0.037
Slc16a1
r 0.65 (VEH 0.46, PAS 0.72)
p 0.0025, FDR 0.037
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Vdac1 (mito)
r -0.54 (VEH -0.64, PAS -0.67)
p 0.0025, FDR 0.018
Mlycd
r 0.70 (VEH 0.37, PAS 0.98)
p 0.0025, FDR 0.037
Mtarc2 (mito)
r -0.62 (VEH -0.41, PAS -0.92)
p 0.0025, FDR 0.018
Cycs (mito)
r -0.69 (VEH -0.77, PAS -0.60)
p 0.0025, FDR 0.018
Tmem109
r -0.66 (VEH 0.28, PAS -0.85)
p 0.0025, FDR 0.037
Alyref
r 0.59 (VEH 0.71, PAS 0.62)
p 0.0025, FDR 0.038
Phb2
r -0.52 (VEH -0.44, PAS -0.68)
p 0.0026, FDR 0.038
Slc25a3
r -0.53 (VEH -0.47, PAS -0.67)
p 0.0026, FDR 0.038
CD36
r -0.70 (VEH -0.69, PAS -0.60)
p 0.0026, FDR 0.038
Slc25a46 (mito)
r 0.69 (VEH 0.53, PAS 0.83)
p 0.0026, FDR 0.018
Timm8a1 (mito)
r 0.69 (VEH 0.47, PAS 0.86)
p 0.0027, FDR 0.018
Ak2 (mito)
r 0.83 (VEH 0.71, PAS 0.93)
p 0.0027, FDR 0.018
Prkca
r -0.29 (VEH -0.43, PAS -0.58)
p 0.0027, FDR 0.039
Ampd1
r -0.75 (VEH -0.74, PAS -0.80)
p 0.0027, FDR 0.039
Vdac3
r -0.58 (VEH -0.48, PAS -0.85)
p 0.0027, FDR 0.039
Apoa4
r -0.49 (VEH -0.86, PAS -0.06)
p 0.0028, FDR 0.039
Ndufa9 (mito)
r -0.44 (VEH -0.52, PAS -0.59)
p 0.0028, FDR 0.019
Decr1 (mito)
r 0.46 (VEH 0.41, PAS 0.78)
p 0.0028, FDR 0.019
Emc6
r -0.58 (VEH -0.16, PAS -0.88)
p 0.0028, FDR 0.039
Immt (mito)
r -0.74 (VEH -0.61, PAS -0.86)
p 0.0029, FDR 0.019
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link






Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Igf1
r 0.73 (VEH 0.88, PAS 0.60)
p 0.0034, FDR 0.043
Chchd6
r 0.43 (VEH 0.50, PAS 0.46)
p 0.0035, FDR 0.043
Cars1
r -0.34 (VEH -0.61, PAS -0.12)
p 0.0035, FDR 0.043
Mccc2
r 0.50 (VEH 0.57, PAS 0.36)
p 0.0035, FDR 0.043
Fkbp8 (mito)
r -0.59 (VEH -0.92, PAS -0.27)
p 0.0035, FDR 0.021
Tha1 (mito)
r -0.65 (VEH -0.86, PAS -0.82)
p 0.0035, FDR 0.021
Map2k1
r -0.73 (VEH -0.51, PAS -0.84)
p 0.0035, FDR 0.043
Mrps2 (mito)
r 0.63 (VEH 0.70, PAS 0.53)
p 0.0035, FDR 0.021
Sco1
r -0.83 (VEH -0.68, PAS -0.84)
p 0.0036, FDR 0.043
Cisd2
r -0.47 (VEH 0.09, PAS -0.96)
p 0.0036, FDR 0.043
Acp6 (mito)
r -0.65 (VEH -0.41, PAS -0.82)
p 0.0036, FDR 0.021
Scn4b
r -0.35 (VEH -0.44, PAS -0.47)
p 0.0036, FDR 0.043
Apoo (mito)
r -0.56 (VEH -0.79, PAS -0.56)
p 0.0036, FDR 0.021
Atp5f1a
r -0.65 (VEH -0.72, PAS -0.72)
p 0.0036, FDR 0.043
Ndufa7
r 0.76 (VEH 0.55, PAS 0.91)
p 0.0037, FDR 0.043
Atp5f1c
r -0.55 (VEH -0.37, PAS -0.83)
p 0.0037, FDR 0.044
Col6a1
r -0.90 (VEH -0.87, PAS -0.94)
p 0.0038, FDR 0.044
Perm1
r 0.67 (VEH 0.39, PAS 0.93)
p 0.0038, FDR 0.044
Coa6
r 0.66 (VEH 0.50, PAS 0.86)
p 0.0038, FDR 0.044
Suox
r 0.70 (VEH 0.38, PAS 0.83)
p 0.0038, FDR 0.044
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Gfer (mito)
r 0.56 (VEH 0.44, PAS 0.94)
p 0.0045, FDR 0.025
Adck1 (mito)
r -0.59 (VEH -0.70, PAS -0.66)
p 0.0046, FDR 0.025
Cadm4
r -0.35 (VEH 0.22, PAS -0.59)
p 0.0046, FDR 0.047
Fyco1
r 0.42 (VEH -0.12, PAS 0.92)
p 0.0046, FDR 0.047
Mrpl4 (mito)
r -0.79 (VEH -0.54, PAS -0.90)
p 0.0047, FDR 0.025
Slc25a46
r 0.76 (VEH 0.58, PAS 0.90)
p 0.0048, FDR 0.048
Hp1bp3
r 0.56 (VEH 0.67, PAS 0.52)
p 0.0048, FDR 0.048
Supv3l1 (mito)
r 0.49 (VEH 0.41, PAS 0.65)
p 0.0048, FDR 0.025
Supv3l1
r 0.46 (VEH 0.51, PAS 0.47)
p 0.0048, FDR 0.048
Tmem65 (mito)
r -0.62 (VEH -0.77, PAS -0.68)
p 0.0048, FDR 0.025
Kars1 (mito)
r -0.57 (VEH -0.43, PAS -0.69)
p 0.0048, FDR 0.025
Mrps28 (mito)
r 0.38 (VEH 0.74, PAS 0.27)
p 0.0049, FDR 0.025
Lonp1 (mito)
r -0.46 (VEH -0.28, PAS -0.79)
p 0.0049, FDR 0.025
Aspn
r -0.76 (VEH -0.75, PAS -0.83)
p 0.0049, FDR 0.048
Hint2
r 0.67 (VEH 0.48, PAS 0.90)
p 0.0049, FDR 0.048
Iba57 (mito)
r 0.74 (VEH 0.57, PAS 0.93)
p 0.0049, FDR 0.025
Ywhah
r 0.57 (VEH -0.25, PAS 0.88)
p 0.0049, FDR 0.048
Pdgfb
r 0.53 (VEH 0.68, PAS 0.25)
p 0.005, FDR 0.049
Decr1
r 0.46 (VEH 0.52, PAS 0.77)
p 0.005, FDR 0.049
Rps23
r -0.41 (VEH -0.19, PAS -0.48)
p 0.0051, FDR 0.049
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ddx3x
r 0.57 (VEH 0.51, PAS 0.59)
p 0.0051, FDR 0.049
Cept1
r -0.42 (VEH -0.05, PAS -0.92)
p 0.0051, FDR 0.049
Bphl
r -0.41 (VEH -0.31, PAS -0.47)
p 0.0052, FDR 0.049
Mtfr1l
r 0.65 (VEH 0.29, PAS 0.91)
p 0.0053, FDR 0.05
Chchd1 (mito)
r -0.63 (VEH -0.42, PAS -1.00)
p 0.0053, FDR 0.027
Sqor
r -0.53 (VEH -0.51, PAS -0.59)
p 0.0053, FDR 0.05
Ube2n
r -0.57 (VEH -0.68, PAS -0.56)
p 0.0054, FDR 0.05
Prdx2
r 0.61 (VEH 0.18, PAS 0.98)
p 0.0054, FDR 0.05
Mtfr1l (mito)
r 0.57 (VEH 0.19, PAS 0.88)
p 0.0055, FDR 0.028
Acaa2 (mito)
r -0.60 (VEH -0.58, PAS -0.49)
p 0.0055, FDR 0.028
Pccb (mito)
r 0.68 (VEH 0.72, PAS 0.61)
p 0.0056, FDR 0.028
Vdac1
r -0.50 (VEH -0.62, PAS -0.62)
p 0.0058, FDR 0.053
Atp5po
r -0.47 (VEH -0.49, PAS -0.67)
p 0.0058, FDR 0.053
Prkcsh
r 0.92 (VEH 0.79, PAS 0.97)
p 0.0058, FDR 0.053
Atp5mg
r -0.51 (VEH -0.50, PAS -0.65)
p 0.0058, FDR 0.053
Fdx2 (mito)
r 0.61 (VEH 0.43, PAS 0.84)
p 0.0059, FDR 0.029
Cyc1 (mito)
r -0.56 (VEH -0.48, PAS -0.71)
p 0.0059, FDR 0.029
Mapre3
r 0.59 (VEH 0.48, PAS 0.61)
p 0.0059, FDR 0.054
Ostn
r 0.50 (VEH 0.44, PAS 0.37)
p 0.006, FDR 0.054
Lrpprc (mito)
r -0.47 (VEH -0.14, PAS -0.77)
p 0.006, FDR 0.029
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Mpc1 (mito)
r -0.53 (VEH -0.44, PAS -0.59)
p 0.006, FDR 0.029
Mrc1
r -0.20 (VEH -0.69, PAS -0.02)
p 0.006, FDR 0.054
Pptc7
r 0.79 (VEH 0.84, PAS 0.71)
p 0.006, FDR 0.054
Sdf2
r 0.75 (VEH 0.71, PAS 0.79)
p 0.006, FDR 0.054
Micu1 (mito)
r -0.62 (VEH -0.40, PAS -0.92)
p 0.0061, FDR 0.029
Acad8
r -0.58 (VEH -0.54, PAS -0.66)
p 0.0061, FDR 0.055
Pptc7 (mito)
r 0.75 (VEH 0.69, PAS 0.71)
p 0.0062, FDR 0.029
Cpt1b
r -0.46 (VEH -0.45, PAS -0.66)
p 0.0063, FDR 0.056
Eci2
r 0.74 (VEH 0.74, PAS 0.84)
p 0.0063, FDR 0.056
Mrps28
r 0.40 (VEH 0.78, PAS 0.26)
p 0.0064, FDR 0.056
Ivd (mito)
r -0.54 (VEH -0.60, PAS -0.70)
p 0.0065, FDR 0.031
Mpc1
r -0.51 (VEH -0.43, PAS -0.60)
p 0.0065, FDR 0.057
Aup1
r 0.76 (VEH 0.70, PAS 0.77)
p 0.0066, FDR 0.057
Rps27a
r -0.82 (VEH -0.78, PAS -0.80)
p 0.0066, FDR 0.057
Stoml2 (mito)
r 0.44 (VEH 0.30, PAS 0.73)
p 0.0066, FDR 0.031
Cnpy2
r 0.71 (VEH 0.42, PAS 0.96)
p 0.0067, FDR 0.057
Crat (mito)
r -0.63 (VEH -0.17, PAS -0.94)
p 0.0067, FDR 0.031
Ppa1
r 0.43 (VEH 0.09, PAS 0.59)
p 0.0068, FDR 0.058
Mrpl35 (mito)
r -0.61 (VEH -0.30, PAS -0.91)
p 0.0068, FDR 0.031
Mrpl9 (mito)
r -0.58 (VEH -0.56, PAS -0.72)
p 0.0069, FDR 0.031
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ube2v2
r 0.61 (VEH 0.40, PAS 0.96)
p 0.011, FDR 0.077
Hspa8
r -0.47 (VEH -0.68, PAS -0.55)
p 0.011, FDR 0.077
Ckap4
r -0.27 (VEH -0.32, PAS -0.14)
p 0.011, FDR 0.077
Chmp4b
r 0.57 (VEH 0.28, PAS 0.85)
p 0.011, FDR 0.077
Dnajc19 (mito)
r 0.81 (VEH 0.89, PAS 0.78)
p 0.011, FDR 0.044
Eci2 (mito)
r 0.68 (VEH 0.70, PAS 0.85)
p 0.011, FDR 0.044
Ppib
r -0.72 (VEH -0.61, PAS -0.78)
p 0.011, FDR 0.078
Fundc2 (mito)
r -0.35 (VEH -0.18, PAS -0.74)
p 0.011, FDR 0.044
Ndufs6
r 0.41 (VEH 0.27, PAS 0.52)
p 0.011, FDR 0.079
Ndufa11
r -0.51 (VEH -0.59, PAS -0.79)
p 0.012, FDR 0.08
Aurkaip1 (mito)
r 0.41 (VEH 0.67, PAS 0.06)
p 0.012, FDR 0.046
Rdh13 (mito)
r -0.61 (VEH -0.44, PAS -0.68)
p 0.012, FDR 0.046
Letm1 (mito)
r -0.29 (VEH -0.37, PAS -0.34)
p 0.012, FDR 0.046
Aldh5a1
r 0.70 (VEH 0.30, PAS 0.77)
p 0.012, FDR 0.082
Pdk2 (mito)
r -0.66 (VEH -0.43, PAS -0.95)
p 0.012, FDR 0.046
Vcl
r -0.47 (VEH 0.11, PAS -0.79)
p 0.012, FDR 0.082
Gsn
r -0.67 (VEH -0.78, PAS -0.56)
p 0.012, FDR 0.082
Tmpo
r 0.47 (VEH 0.86, PAS 0.03)
p 0.012, FDR 0.082
Etfdh
r -0.34 (VEH -0.52, PAS -0.39)
p 0.012, FDR 0.082
Tpm4
r 0.37 (VEH -0.19, PAS 0.86)
p 0.012, FDR 0.082
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link






Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Plin3
r 0.49 (VEH 0.36, PAS 0.86)
p 0.024, FDR 0.12
Ndufs3
r -0.59 (VEH -0.63, PAS -0.95)
p 0.024, FDR 0.12
Chchd7
r 0.59 (VEH 0.33, PAS 0.84)
p 0.025, FDR 0.12
Micu3 (mito)
r 0.45 (VEH 0.49, PAS 0.64)
p 0.025, FDR 0.08
Tmub1
r 0.75 (VEH 0.76, PAS 0.82)
p 0.025, FDR 0.12
Tmem230
r -0.21 (VEH 0.10, PAS -0.50)
p 0.025, FDR 0.12
Lmnb2
r 0.31 (VEH 0.62, PAS 0.34)
p 0.025, FDR 0.12
Mfn2
r -0.44 (VEH -0.25, PAS -0.55)
p 0.026, FDR 0.13
Rab1b
r -0.40 (VEH -0.31, PAS -0.33)
p 0.026, FDR 0.13
Prkaa2
r -0.25 (VEH -0.47, PAS -0.28)
p 0.026, FDR 0.13
Mrps11 (mito)
r 0.27 (VEH 0.42, PAS 0.14)
p 0.026, FDR 0.084
Ppox (mito)
r -0.51 (VEH -0.43, PAS -0.62)
p 0.026, FDR 0.084
Sco2 (mito)
r 0.39 (VEH -0.64, PAS 0.92)
p 0.026, FDR 0.084
Lamtor1
r -0.56 (VEH -0.77, PAS -0.20)
p 0.026, FDR 0.13
Por
r -0.09 (VEH -0.14, PAS -0.26)
p 0.026, FDR 0.13
Ndufv2 (mito)
r -0.80 (VEH -0.83, PAS -0.74)
p 0.027, FDR 0.084
Mrpl40 (mito)
r 0.32 (VEH 0.38, PAS 0.37)
p 0.027, FDR 0.084
Ccdc43
r 0.64 (VEH 0.64, PAS 0.71)
p 0.027, FDR 0.13
Ccdc127 (mito)
r -0.45 (VEH -0.83, PAS -0.94)
p 0.027, FDR 0.084
Reep1
r 0.42 (VEH 0.36, PAS 0.24)
p 0.027, FDR 0.13
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link






Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Atp5f1d (mito)
r 0.48 (VEH 0.30, PAS 0.66)
p 0.032, FDR 0.097
Slc30a9 (mito)
r 0.71 (VEH 0.47, PAS 0.72)
p 0.032, FDR 0.097
Oat (mito)
r 0.27 (VEH -0.29, PAS 0.58)
p 0.033, FDR 0.097
Atp5mk (mito)
r -0.45 (VEH -0.30, PAS -0.66)
p 0.033, FDR 0.097
Hexb
r 0.63 (VEH 0.89, PAS 0.45)
p 0.033, FDR 0.15
Mrpl39
r 0.07 (VEH 0.42, PAS -0.06)
p 0.033, FDR 0.15
Myom1
r -0.69 (VEH -0.19, PAS -0.76)
p 0.033, FDR 0.15
Grsf1 (mito)
r 0.16 (VEH -0.11, PAS 0.14)
p 0.033, FDR 0.098
Ampd1
r 0.27 (VEH -0.56, PAS 0.69)
p 0.034, FDR 0.16
Fundc2
r -0.31 (VEH -0.17, PAS -0.75)
p 0.034, FDR 0.16
Acp1
r 0.48 (VEH 0.56, PAS 0.16)
p 0.034, FDR 0.16
Napg
r 0.50 (VEH 0.67, PAS 0.33)
p 0.034, FDR 0.16
Vapa
r -0.48 (VEH -0.19, PAS -0.79)
p 0.034, FDR 0.16
Ivd
r -0.45 (VEH -0.50, PAS -0.64)
p 0.034, FDR 0.16
Ndufb8
r -0.41 (VEH -0.48, PAS -0.71)
p 0.034, FDR 0.16
Vcp
r 0.41 (VEH 0.74, PAS 0.73)
p 0.035, FDR 0.16
Acad9
r -0.42 (VEH -0.07, PAS -0.69)
p 0.035, FDR 0.16
Oat
r 0.32 (VEH -0.25, PAS 0.63)
p 0.035, FDR 0.16
Mrpl2 (mito)
r 0.43 (VEH 0.70, PAS 0.09)
p 0.035, FDR 0.1
Rpl27a
r -0.37 (VEH -0.58, PAS -0.34)
p 0.035, FDR 0.16
Feature value
Phenotype
VEH_M
PAS_M



Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Fis1
r -0.26 (VEH 0.11, PAS -0.75)
p 0.035, FDR 0.16
Ndufa1
r -0.56 (VEH -0.79, PAS -0.68)
p 0.035, FDR 0.16
Akr1b1
r -0.49 (VEH -0.33, PAS -0.73)
p 0.036, FDR 0.16
Clybl (mito)
r 0.69 (VEH 0.67, PAS 0.86)
p 0.036, FDR 0.11
Mgst3 (mito)
r -0.38 (VEH -0.03, PAS -0.96)
p 0.036, FDR 0.11
Vwa8 (mito)
r -0.21 (VEH -0.45, PAS -0.22)
p 0.037, FDR 0.11
Mtx2 (mito)
r -0.50 (VEH -0.08, PAS -0.71)
p 0.037, FDR 0.11
Mybpc1
r -0.56 (VEH -0.63, PAS -0.27)
p 0.037, FDR 0.16
Mrps11
r 0.25 (VEH 0.45, PAS 0.07)
p 0.037, FDR 0.17
Slc25a20
r -0.37 (VEH -0.25, PAS -0.38)
p 0.037, FDR 0.17
Gadd45gip1
r 0.55 (VEH 0.63, PAS 0.43)
p 0.037, FDR 0.17
Ndufa1 (mito)
r -0.58 (VEH -0.84, PAS -0.73)
p 0.037, FDR 0.11
Pcmt1
r 0.50 (VEH 0.46, PAS 0.65)
p 0.037, FDR 0.17
Rps15a
r -0.62 (VEH -0.22, PAS -0.88)
p 0.038, FDR 0.17
Igtp
r 0.31 (VEH -0.78, PAS 0.89)
p 0.038, FDR 0.17
Srpra
r -0.23 (VEH 0.20, PAS -0.94)
p 0.039, FDR 0.17
Slc25a5 (mito)
r -0.32 (VEH -0.45, PAS -0.26)
p 0.039, FDR 0.11
Gadd45gip1 (mito)
r 0.51 (VEH 0.57, PAS 0.48)
p 0.039, FDR 0.11
Crip1
r 0.30 (VEH -0.11, PAS 0.88)
p 0.039, FDR 0.17
Mrpl57
r 0.13 (VEH 0.36, PAS 0.15)
p 0.039, FDR 0.17
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Pdia4
r -0.11 (VEH 0.02, PAS -0.20)
p 0.043, FDR 0.18
Tsg101
r -0.43 (VEH -0.88, PAS 0.00)
p 0.043, FDR 0.18
Kars1
r -0.54 (VEH -0.36, PAS -0.68)
p 0.043, FDR 0.18
Tnnc1
r 0.51 (VEH 0.37, PAS 0.59)
p 0.044, FDR 0.18
Acsl6 (mito)
r -0.48 (VEH 0.07, PAS -0.81)
p 0.044, FDR 0.12
Mrpl13
r 0.23 (VEH 0.53, PAS 0.14)
p 0.044, FDR 0.18
Uba1
r -0.01 (VEH 0.54, PAS -0.22)
p 0.044, FDR 0.18
Sec61g
r -0.15 (VEH 0.12, PAS -0.30)
p 0.044, FDR 0.18
Tbl2
r -0.59 (VEH -0.38, PAS -0.71)
p 0.044, FDR 0.19
Mtln
r -0.49 (VEH -0.24, PAS -0.98)
p 0.045, FDR 0.19
Ndufb5
r -0.54 (VEH -0.69, PAS -0.67)
p 0.045, FDR 0.19
Grsf1
r 0.15 (VEH -0.08, PAS 0.04)
p 0.045, FDR 0.19
Eif2s3x
r -0.23 (VEH 0.02, PAS -0.54)
p 0.045, FDR 0.19
Letm1
r -0.25 (VEH -0.31, PAS -0.39)
p 0.045, FDR 0.19
Mybpc2
r -0.68 (VEH -0.53, PAS -0.66)
p 0.045, FDR 0.19
Mrps5 (mito)
r -0.03 (VEH 0.22, PAS -0.15)
p 0.045, FDR 0.12
Coq5 (mito)
r -0.60 (VEH 0.25, PAS -0.75)
p 0.045, FDR 0.12
Stxbp3
r 0.43 (VEH 0.04, PAS 0.63)
p 0.045, FDR 0.19
Ywhag
r -0.53 (VEH -0.40, PAS -0.92)
p 0.046, FDR 0.19
Tnnc2
r -0.71 (VEH -0.70, PAS -0.67)
p 0.046, FDR 0.19
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Nol3
r 0.60 (VEH 0.60, PAS 0.68)
p 0.046, FDR 0.19
Arfgap1
r 0.62 (VEH -0.08, PAS 0.92)
p 0.046, FDR 0.19
Mrpl11 (mito)
r 0.55 (VEH 0.53, PAS 0.87)
p 0.046, FDR 0.12
Pdhx (mito)
r 0.27 (VEH 0.76, PAS 0.06)
p 0.046, FDR 0.12
Cox7c
r -0.68 (VEH -0.63, PAS -0.73)
p 0.046, FDR 0.19
Ehd2
r -0.72 (VEH -0.99, PAS -0.37)
p 0.046, FDR 0.19
Acsl1 (mito)
r -0.33 (VEH -0.58, PAS -0.21)
p 0.047, FDR 0.12
Ddrgk1
r 0.78 (VEH 0.91, PAS 0.62)
p 0.048, FDR 0.19
Rala
r -0.48 (VEH -0.79, PAS -0.52)
p 0.048, FDR 0.19
Thy1
r 0.21 (VEH -0.38, PAS 0.82)
p 0.048, FDR 0.19
Pitpna
r 0.23 (VEH -0.41, PAS 0.47)
p 0.048, FDR 0.19
Rpl36
r -0.61 (VEH 0.17, PAS -0.70)
p 0.048, FDR 0.19
Pdlim3
r 0.19 (VEH -0.57, PAS 0.74)
p 0.048, FDR 0.19
Nomo1
r -0.12 (VEH -0.06, PAS -0.64)
p 0.049, FDR 0.19
Acadvl (mito)
r -0.64 (VEH -0.68, PAS -0.76)
p 0.049, FDR 0.13
Msrb2
r 0.77 (VEH 0.61, PAS 0.97)
p 0.049, FDR 0.19
Dhrs7b (mito)
r 0.67 (VEH 0.63, PAS 0.76)
p 0.049, FDR 0.13
Ndufa10
r -0.26 (VEH -0.44, PAS -0.34)
p 0.05, FDR 0.2
Cox20
r 0.49 (VEH 0.45, PAS 0.77)
p 0.05, FDR 0.2
Yme1l1
r 0.66 (VEH 0.84, PAS 0.74)
p 0.05, FDR 0.2
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
St3gal6
r 0.36 (VEH 0.80, PAS 0.05)
p 0.0029, FDR 0.045
Cobl
r -0.41 (VEH -0.83, PAS 0.24)
p 0.003, FDR 0.046
Fsd2
r 0.49 (VEH 0.66, PAS 0.24)
p 0.0031, FDR 0.047
Atp5mg (mito)
r 0.24 (VEH 0.86, PAS -0.19)
p 0.0031, FDR 0.043
Fech
r 0.27 (VEH 0.70, PAS 0.05)
p 0.0031, FDR 0.047
Eif4b
r -0.24 (VEH -0.91, PAS 0.41)
p 0.0032, FDR 0.047
Ldhd (mito)
r -0.50 (VEH -0.85, PAS -0.43)
p 0.0032, FDR 0.043
Ndufa11
r 0.44 (VEH 0.87, PAS -0.04)
p 0.0033, FDR 0.048
Apool (mito)
r 0.26 (VEH 0.86, PAS -0.29)
p 0.0033, FDR 0.043
Gpd2
r 0.42 (VEH 0.77, PAS -0.46)
p 0.0033, FDR 0.048
Phb2
r 0.24 (VEH 0.88, PAS -0.16)
p 0.0033, FDR 0.048
Mtarc2 (mito)
r 0.44 (VEH 0.95, PAS 0.22)
p 0.0034, FDR 0.043
Clptm1
r 0.60 (VEH 0.44, PAS 0.21)
p 0.0035, FDR 0.05
Mrpl35
r 0.35 (VEH 0.87, PAS 0.46)
p 0.0035, FDR 0.05
Vwa8 (mito)
r 0.14 (VEH 0.95, PAS -0.49)
p 0.0035, FDR 0.045
Etfdh
r 0.37 (VEH 0.89, PAS -0.19)
p 0.0036, FDR 0.05
Tdrkh (mito)
r -0.59 (VEH -0.59, PAS -0.78)
p 0.0037, FDR 0.045
Dhodh
r 0.29 (VEH 0.81, PAS -0.68)
p 0.0037, FDR 0.051
Idh3b (mito)
r 0.25 (VEH 0.95, PAS -0.42)
p 0.0038, FDR 0.045
Atp5mg
r 0.25 (VEH 0.86, PAS -0.21)
p 0.0038, FDR 0.052
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Bckdhb (mito)
r 0.74 (VEH 0.77, PAS 0.81)
p 0.0046, FDR 0.048
Iscu (mito)
r -0.39 (VEH -0.84, PAS 0.29)
p 0.0046, FDR 0.048
Tmem65
r 0.29 (VEH 0.89, PAS -0.24)
p 0.0047, FDR 0.058
Fundc2 (mito)
r 0.36 (VEH 0.71, PAS -0.02)
p 0.0047, FDR 0.048
Mrps34 (mito)
r 0.27 (VEH 0.67, PAS 0.28)
p 0.0047, FDR 0.048
Hspa8
r 0.41 (VEH 0.92, PAS -0.15)
p 0.0048, FDR 0.058
Sgcg
r -0.70 (VEH -0.66, PAS -0.46)
p 0.0048, FDR 0.058
Ndufs2
r 0.36 (VEH 0.85, PAS -0.20)
p 0.0048, FDR 0.058
Abcb7
r 0.19 (VEH 0.76, PAS 0.10)
p 0.0048, FDR 0.058
Ldhd
r -0.46 (VEH -0.79, PAS -0.42)
p 0.0048, FDR 0.058
Flna
r -0.48 (VEH -0.54, PAS -0.47)
p 0.0049, FDR 0.058
Hspb6
r -0.08 (VEH -0.61, PAS 0.19)
p 0.0049, FDR 0.058
Mrpl49 (mito)
r -0.36 (VEH -0.86, PAS -0.21)
p 0.0049, FDR 0.049
Rps21
r -0.36 (VEH -0.92, PAS -0.21)
p 0.0049, FDR 0.058
Lrp1
r -0.46 (VEH -0.63, PAS -0.37)
p 0.005, FDR 0.058
Crat (mito)
r 0.45 (VEH 0.76, PAS 0.49)
p 0.005, FDR 0.049
Slc25a12
r 0.20 (VEH 0.71, PAS -0.42)
p 0.005, FDR 0.058
Fahd2a (mito)
r -0.77 (VEH -0.93, PAS -0.96)
p 0.0051, FDR 0.049
Rpl12
r -0.44 (VEH -0.96, PAS -0.02)
p 0.0051, FDR 0.059
Ssr3
r 0.53 (VEH 0.86, PAS 0.13)
p 0.0052, FDR 0.059
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Abcb7 (mito)
r 0.17 (VEH 0.77, PAS 0.08)
p 0.0083, FDR 0.061
Rps24
r 0.10 (VEH 0.68, PAS -0.32)
p 0.0084, FDR 0.075
Tmem65 (mito)
r 0.29 (VEH 0.87, PAS -0.19)
p 0.0084, FDR 0.061
Rab18
r 0.36 (VEH 0.92, PAS -0.89)
p 0.0084, FDR 0.075
Fcgrt
r -0.26 (VEH -0.64, PAS 0.06)
p 0.0084, FDR 0.075
Mrpl37
r 0.44 (VEH 0.65, PAS 0.61)
p 0.0085, FDR 0.075
Pym1
r -0.32 (VEH -0.92, PAS -0.05)
p 0.0085, FDR 0.075
Dhrs7c
r 0.28 (VEH 0.86, PAS 0.33)
p 0.0086, FDR 0.075
Col12a1
r -0.34 (VEH -0.31, PAS 0.35)
p 0.0086, FDR 0.075
Hrg
r -0.28 (VEH -0.99, PAS -0.18)
p 0.0087, FDR 0.075
Phb1
r 0.34 (VEH 0.83, PAS -0.51)
p 0.0087, FDR 0.075
Gys1
r 0.73 (VEH 0.82, PAS 0.36)
p 0.0087, FDR 0.075
Trdn
r 0.49 (VEH 0.33, PAS 0.41)
p 0.0088, FDR 0.075
Fdx2 (mito)
r -0.33 (VEH -0.92, PAS -0.05)
p 0.0088, FDR 0.062
Lonp1 (mito)
r 0.38 (VEH 0.82, PAS 0.06)
p 0.0088, FDR 0.062
Cdh13
r -0.48 (VEH -0.92, PAS 0.00)
p 0.0088, FDR 0.075
Anxa6
r 0.36 (VEH 0.96, PAS -0.17)
p 0.0089, FDR 0.075
Cavin4
r -0.36 (VEH -0.83, PAS 0.28)
p 0.0089, FDR 0.075
Tst (mito)
r 0.53 (VEH 0.72, PAS -0.10)
p 0.0089, FDR 0.062
Atp5f1a (mito)
r 0.27 (VEH 0.84, PAS 0.05)
p 0.009, FDR 0.062
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Tmx1
r 0.20 (VEH 0.88, PAS -0.42)
p 0.011, FDR 0.085
Gpd1
r 0.04 (VEH 0.98, PAS -0.23)
p 0.012, FDR 0.086
Card19
r -0.06 (VEH 0.86, PAS -0.66)
p 0.012, FDR 0.086
Elmod2
r 0.50 (VEH 0.78, PAS 0.16)
p 0.012, FDR 0.086
Mtch2 (mito)
r 0.17 (VEH 0.85, PAS -0.05)
p 0.012, FDR 0.071
Cpt2
r 0.24 (VEH 0.86, PAS -0.15)
p 0.012, FDR 0.087
Fxr1
r -0.37 (VEH -0.97, PAS 0.47)
p 0.012, FDR 0.087
Srsf5
r -0.21 (VEH -0.93, PAS 0.85)
p 0.012, FDR 0.087
Prkaa2
r 0.63 (VEH 0.82, PAS 0.55)
p 0.012, FDR 0.088
Alpl
r -0.38 (VEH -0.87, PAS 0.64)
p 0.012, FDR 0.088
Surf1
r -0.34 (VEH -0.97, PAS -0.04)
p 0.012, FDR 0.089
Coa6
r -0.32 (VEH -1.00, PAS -0.07)
p 0.013, FDR 0.089
Myo1c
r -0.50 (VEH -0.30, PAS -0.09)
p 0.013, FDR 0.09
Pnkd (mito)
r -0.19 (VEH -0.91, PAS 0.01)
p 0.013, FDR 0.076
Mylk2
r 0.29 (VEH 0.86, PAS 0.09)
p 0.013, FDR 0.092
Ndufs5
r 0.30 (VEH 0.93, PAS -0.73)
p 0.013, FDR 0.092
Fahd2a
r -0.75 (VEH -0.91, PAS -0.40)
p 0.013, FDR 0.092
Mrpl17
r 0.42 (VEH 0.81, PAS 0.31)
p 0.013, FDR 0.092
Srrm2
r -0.03 (VEH -0.78, PAS 0.79)
p 0.013, FDR 0.092
Atp5mk
r 0.21 (VEH 0.90, PAS -0.29)
p 0.013, FDR 0.092
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Got2
r 0.22 (VEH 0.89, PAS -0.34)
p 0.017, FDR 0.11
Acsl1 (mito)
r 0.27 (VEH 0.89, PAS -0.46)
p 0.017, FDR 0.093
Phka1
r 0.11 (VEH 0.93, PAS 0.12)
p 0.017, FDR 0.11
Atp1b1
r 0.39 (VEH 0.95, PAS 0.16)
p 0.017, FDR 0.11
Apoo (mito)
r 0.32 (VEH 0.79, PAS -0.08)
p 0.018, FDR 0.093
Hint2
r -0.39 (VEH -0.93, PAS -0.22)
p 0.018, FDR 0.11
Fh
r 0.29 (VEH 0.89, PAS -0.60)
p 0.018, FDR 0.11
Uqcrh
r -0.25 (VEH -0.82, PAS -0.30)
p 0.018, FDR 0.11
Mrpl13 (mito)
r -0.38 (VEH -0.82, PAS 0.03)
p 0.018, FDR 0.093
Oat (mito)
r -0.15 (VEH -0.68, PAS 0.09)
p 0.018, FDR 0.093
Endog (mito)
r -0.34 (VEH -0.97, PAS 0.43)
p 0.018, FDR 0.093
Spg7 (mito)
r 0.43 (VEH 0.92, PAS -0.60)
p 0.018, FDR 0.093
Surf4
r 0.18 (VEH 0.85, PAS 0.08)
p 0.018, FDR 0.11
Pdk2
r 0.41 (VEH 0.80, PAS 0.27)
p 0.018, FDR 0.11
Cmc1 (mito)
r -0.44 (VEH -0.87, PAS -0.47)
p 0.018, FDR 0.093
Nefl
r -0.43 (VEH -0.41, PAS 0.12)
p 0.019, FDR 0.11
Cmc2
r -0.29 (VEH -0.89, PAS -0.15)
p 0.019, FDR 0.11
Acsl3
r 0.45 (VEH 0.61, PAS 0.05)
p 0.019, FDR 0.11
Trap1 (mito)
r 0.15 (VEH 0.80, PAS -0.12)
p 0.019, FDR 0.094
Fam136a
r -0.37 (VEH -0.89, PAS -0.14)
p 0.019, FDR 0.11
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link

