

Male: perfect separations against chance

Dot: observed; grey: median and 95th percentile over all 252 relabellings of the same mice





Male: AUC of every feature



Male: Complexes, PAS vs vehicle, every feature at p ≤ 0.05 (n = 1)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Male: Modules, PAS vs vehicle, every feature at p ≤ 0.05 (n = 2)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Pink
0.00 (lower), p 0.008, FDR(
Red
0.08 (lower), p 0.032, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Male: GO:BP / MitoCarta, PAS vs vehicle, every feature at p ≤ 0.05 (n = 19)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Male: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 52)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Male: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 52)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Male: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 52)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group

