

Sex difference: perfect separations against chance


Dot: observed; grey: median and 95th percentile over all 252 relabellings of the same mice




Sex difference: AUC of every feature
Male vs female, PAS
Male vs female, PAS change
Male vs female, vehicle
Proteins
GO:BP / MitoCarta
Modules
Complexes
Clusters
Features
AUC (1: higher in the first-named group)


Sex difference: Clusters, Male vs female, PAS, every feature at p ≤ 0.05 (n = 6)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Complexes, Male vs female, PAS, every feature at p ≤ 0.05 (n = 49)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Complexes, Male vs female, PAS, every feature at p ≤ 0.05 (n = 49)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Complexes, Male vs female, PAS, every feature at p ≤ 0.05 (n = 49)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Modules, Male vs female, PAS, every feature at p ≤ 0.05 (n = 10)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Black
.00 (higher), p 0.008, FDR(
Blue
.00 (higher), p 0.008, FDR(
Greenyellow
.00 (higher), p 0.008, FDR(
Lightgreen
.00 (higher), p 0.008, FDR(
Midnightblue
.00 (higher), p 0.008, FDR(
Pink
.00 (lower), p 0.008, FDR0
Tan
.00 (higher), p 0.008, FDR(
Yellow
.00 (lower), p 0.008, FDR0
Red
.08 (lower), p 0.032, FDR0
Salmon
.08 (lower), p 0.032, FDR0
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Phospholipid Metabolism
0.00 (lower), p 0.008, FDR0
Amino Acid Metabolism
0.00 (lower), p 0.008, FDR0
anched Chain Amino Acid M
0.00 (lower), p 0.008, FDR0
Lysine Metabolism
0.00 (lower), p 0.008, FDR0
Vitamin Metabolism
0.00 (lower), p 0.008, FDR0
Xenobiotic Metabolism
0.00 (lower), p 0.008, FDR0
Signaling
0.00 (lower), p 0.008, FDR0
Calcium Homeostasis
0.00 (lower), p 0.008, FDR0
Complex IV
.96 (higher), p 0.016, FDR(
Cell Junction Assembly
0.04 (lower), p 0.016, FDR0
ellular Component Assembly
0.04 (lower), p 0.016, FDR0
Circulatory System Process
0.04 (lower), p 0.016, FDR0
Cytoskeleton Organization
0.04 (lower), p 0.016, FDR0
ilycerolipid Metabolic Proces
0.04 (lower), p 0.016, FDR0
lonosaccharide Biosynthetic
0.04 (lower), p 0.016, FDR0
Myofibril Assembly
0.04 (lower), p 0.016, FDR0
egative Regulation Of Gene
.96 (higher), p 0.016, FDR(
Neuromuscular Process
0.04 (lower), p 0.016, FDR0
Organelle Fusion
0.04 (lower), p 0.016, FDR0
ganophosphate Metabolic
0.04 (lower), p 0.016, FDR0
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, PAS, every feature at p ≤ 0.05 (n = 217)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Tmx3
0.00 (lower), p 0.008, FDR(
Slc44a2
0.00 (lower), p 0.008, FDR(
Stac3
0.00 (lower), p 0.008, FDR(
Uqcc5
1.00 (higher), p 0.008, FDR
Ccdc90b
1.00 (higher), p 0.008, FDR
Nadk2
1.00 (higher), p 0.008, FDR
Timm21
1.00 (higher), p 0.008, FDR
Mtch1
1.00 (higher), p 0.008, FDR
Plin1
0.00 (lower), p 0.008, FDR(
Dhrs7c
0.00 (lower), p 0.008, FDR(
Slain2
1.00 (higher), p 0.008, FDR
Lrrc20
0.00 (lower), p 0.008, FDR(
Gfm1
1.00 (higher), p 0.008, FDR
Saysd1
0.00 (lower), p 0.008, FDR(
Cmc2
1.00 (higher), p 0.008, FDR
Colgalt1
1.00 (higher), p 0.008, FDR
Sirt5
1.00 (higher), p 0.008, FDR
Otud6b
1.00 (higher), p 0.008, FDR
Mrpl38
1.00 (higher), p 0.008, FDR
Chchd7
1.00 (higher), p 0.008, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Acp1
1.00 (higher), p 0.008, FDR
Snap23
0.00 (lower), p 0.008, FDR(
Plgrkt
1.00 (higher), p 0.008, FDR
Cul5
0.00 (lower), p 0.008, FDR(
Ttn
0.00 (lower), p 0.008, FDR(
Mrps36
0.00 (lower), p 0.008, FDR(
Mrpl2
1.00 (higher), p 0.008, FDR
Klhl40
0.00 (lower), p 0.008, FDR(
Apmap
0.00 (lower), p 0.008, FDR(
Rpl37
1.00 (higher), p 0.008, FDR
Slirp
1.00 (higher), p 0.008, FDR
Mdp1
0.00 (lower), p 0.008, FDR(
Trmu
1.00 (higher), p 0.008, FDR
Napa
0.00 (lower), p 0.008, FDR(
Aldh7a1
0.00 (lower), p 0.008, FDR(
Srpra
0.00 (lower), p 0.008, FDR(
Lman2
0.00 (lower), p 0.008, FDR(
Acadsb
0.00 (lower), p 0.008, FDR(
Cmpk1
0.00 (lower), p 0.008, FDR(
Igtp
0.00 (lower), p 0.008, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Ndufa7
1.00 (higher), p 0.008, FDR
Uso1
0.00 (lower), p 0.008, FDR(
Sucla2
0.00 (lower), p 0.008, FDR(
Vamp5
0.00 (lower), p 0.008, FDR(
Mrpl40
1.00 (higher), p 0.008, FDR
Pdf
0.00 (lower), p 0.008, FDR(
Mdh2
1.00 (higher), p 0.008, FDR
Hmgn1
1.00 (higher), p 0.008, FDR
Cox6b1
1.00 (higher), p 0.008, FDR
Rpl19
1.00 (higher), p 0.008, FDR
Immt
1.00 (higher), p 0.008, FDR
Nufip2
1.00 (higher), p 0.008, FDR
Myh9
1.00 (higher), p 0.008, FDR
Mlycd
1.00 (higher), p 0.008, FDR
Plpp3
1.00 (higher), p 0.008, FDR
Mrpl15
1.00 (higher), p 0.008, FDR
Sucla1
1.00 (higher), p 0.008, FDR
Timm9
1.00 (higher), p 0.008, FDR
Myh13
1.00 (higher), p 0.008, FDR
Kpna6
1.00 (higher), p 0.008, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Ndufv3
.02 (lower), p 0.016, FDR0
Srsf7
.96 (higher), p 0.016, FDR(
Mtln
.96 (higher), p 0.016, FDR(
Synpo2l
.04 (lower), p 0.016, FDR0
Farsa
.96 (higher), p 0.016, FDR(
Grsf1
.96 (higher), p 0.016, FDR(
Vwf
.96 (higher), p 0.016, FDR(
Acad10
.04 (lower), p 0.016, FDR0
Appl1
.96 (higher), p 0.016, FDR(
Ptrh2
.96 (higher), p 0.016, FDR(
Mrps23
.96 (higher), p 0.016, FDR(
Fitm1
.04 (lower), p 0.016, FDR0
Plpp7
.96 (higher), p 0.016, FDR(
Rheb
.04 (lower), p 0.016, FDR0
Macrod1
.96 (higher), p 0.016, FDR(
Dhrs7b
.96 (higher), p 0.016, FDR(
Stoml2
.96 (higher), p 0.016, FDR(
Cmas
.96 (higher), p 0.016, FDR(
Ppif
.96 (higher), p 0.016, FDR(
Sntb1
.04 (lower), p 0.016, FDR0
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, PAS, every feature at p ≤ 0.05 (n = 748)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Sco2
.90 (higher), p 0.040, FDR(
Hspa5
0.10 (lower), p 0.048, FDR(
Nploc4
0.12 (lower), p 0.048, FDR(
Dnajc7
0.88 (higher), p 0.048, FDR
Timm29
0.88 (higher), p 0.048, FDR
Mrpl34
0.88 (higher), p 0.048, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Clusters, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 6)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Complexes, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 34)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Complexes, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 34)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Modules, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 7)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 142)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 142)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 142)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 142)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 142)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 142)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: GO:BP / MitoCarta, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 142)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group





Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Ilk
.00 (lower), p 0.008, FDR0
Eif3d
.00 (higher), p 0.008, FDR(
Gpx4
.00 (higher), p 0.008, FDR(
Cops3
.00 (lower), p 0.008, FDR0
Cops4
.00 (lower), p 0.008, FDR0
Yme1l1
.00 (higher), p 0.008, FDR(
Rbm3
.00 (higher), p 0.008, FDR(
Col4a1
.00 (higher), p 0.008, FDR(
Aldoa
.00 (lower), p 0.008, FDR0
Ldha
.00 (lower), p 0.008, FDR0
Gpi
.00 (lower), p 0.008, FDR0
Hsp90aa1
.00 (lower), p 0.008, FDR0
Phkg1
.00 (lower), p 0.008, FDR0
Cbr2
.00 (higher), p 0.008, FDR(
Lyz2
.00 (higher), p 0.008, FDR(
Alpl
.00 (higher), p 0.008, FDR(
Ncl
.00 (higher), p 0.008, FDR(
Ace
.00 (higher), p 0.008, FDR(
Surf1
.00 (higher), p 0.008, FDR(
Slc3a2
.00 (lower), p 0.008, FDR0
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Hsp90ab1
.00 (lower), p 0.008, FDR0
Rpl7a
.00 (higher), p 0.008, FDR(
Gpd1
.00 (lower), p 0.008, FDR0
Rpl7
.00 (higher), p 0.008, FDR(
Mdh1
.00 (lower), p 0.008, FDR0
Atp1b2
.00 (lower), p 0.008, FDR0
Nme1
.00 (higher), p 0.008, FDR(
Ca3
.00 (lower), p 0.008, FDR0
Ldhb
.00 (lower), p 0.008, FDR0
Srp14
.00 (lower), p 0.008, FDR0
Hmgn1
.00 (higher), p 0.008, FDR(
Phka1
.00 (lower), p 0.008, FDR0
Tnnc1
.00 (higher), p 0.008, FDR(
Hexb
.00 (higher), p 0.008, FDR(
Tln1
.00 (lower), p 0.008, FDR0
Msn
.00 (higher), p 0.008, FDR(
Ahsg
.00 (lower), p 0.008, FDR0
Oat
.00 (higher), p 0.008, FDR(
Hmgb2
.00 (lower), p 0.008, FDR0
Mif
.00 (higher), p 0.008, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Acot2
.00 (higher), p 0.008, FDR(
Vps29
.00 (higher), p 0.008, FDR(
Ecsit
.00 (higher), p 0.008, FDR(
Ak1
0.00 (lower), p 0.008, FDR0
Eci2
0.00 (lower), p 0.008, FDR0
Ak4
0.00 (lower), p 0.008, FDR0
Apobec2
0.00 (lower), p 0.008, FDR0
Eif2s3x
0.00 (lower), p 0.008, FDR0
Rps6kb2
.00 (higher), p 0.008, FDR(
Fkbp9
0.00 (lower), p 0.008, FDR0
Mrpl40
.00 (higher), p 0.008, FDR(
Psma5
0.00 (lower), p 0.008, FDR0
Ank3
0.00 (lower), p 0.008, FDR0
Dld
.00 (higher), p 0.008, FDR(
Dcn
.00 (higher), p 0.008, FDR(
Cox6b1
.00 (higher), p 0.008, FDR(
Usp30
.00 (higher), p 0.008, FDR(
Bdh1
.00 (higher), p 0.008, FDR(
Mtch1
.00 (higher), p 0.008, FDR(
Rab5a
.00 (higher), p 0.008, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group



Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group






Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Scn1b
0.08 (lower), p 0.032, FDR
Col6a2
0.92 (higher), p 0.032, FDR
Acads
0.08 (lower), p 0.032, FDR
Perm1
0.92 (higher), p 0.032, FDR
Ccdc51
0.92 (higher), p 0.032, FDR
Tapt1
0.08 (lower), p 0.032, FDR
Mlip
0.92 (higher), p 0.032, FDR
Cp
0.08 (lower), p 0.032, FDR
Fbn1
0.92 (higher), p 0.032, FDR
Sptbn1
0.92 (higher), p 0.032, FDR
MAPK3
0.92 (higher), p 0.032, FDR
Mff
0.92 (higher), p 0.032, FDR
Eif2s1
0.08 (lower), p 0.032, FDR
Tdrkh
0.92 (higher), p 0.032, FDR
Zmpste24
0.08 (lower), p 0.032, FDR
B3galnt2
0.08 (lower), p 0.032, FDR
Srsf7
0.92 (higher), p 0.032, FDR
Acp6
0.92 (higher), p 0.032, FDR
Acaa2
0.08 (lower), p 0.032, FDR
Plin1
0.08 (lower), p 0.032, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00

Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Tpd52l2
0.92 (higher), p 0.032, FDR
Acsl3
0.92 (higher), p 0.032, FDR
Hhatl
0.08 (lower), p 0.032, FDR
Mrps33
0.92 (higher), p 0.032, FDR
Plgrkt
0.92 (higher), p 0.032, FDR
Dusp3
0.08 (lower), p 0.032, FDR
Cyp27a1
0.92 (higher), p 0.032, FDR
Cars1
0.92 (higher), p 0.032, FDR
Dync1h1
0.08 (lower), p 0.032, FDR
Myot
0.08 (lower), p 0.032, FDR
Gde1
0.08 (lower), p 0.032, FDR
Gpc1
0.92 (higher), p 0.032, FDR
Dstn
0.08 (lower), p 0.032, FDR
Acot9
0.08 (lower), p 0.032, FDR
Preb
0.08 (lower), p 0.032, FDR
Cpq
0.08 (lower), p 0.032, FDR
Ca14
0.08 (lower), p 0.032, FDR
Gys1
0.08 (lower), p 0.032, FDR
Lmnb2
0.92 (higher), p 0.032, FDR
Lin7c
0.92 (higher), p 0.032, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Sex difference: Proteins, Male vs female, vehicle, every feature at p ≤ 0.05 (n = 525)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Ptp4a2
0.10 (lower), p 0.040, FDR(
Slc16a3
0.10 (lower), p 0.040, FDR(
Abcf2
.90 (higher), p 0.040, FDR
Apoa1
.12 (lower), p 0.048, FDR(
Timm21
.88 (higher), p 0.048, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00