



Female: PAS effect on each phenotype
% change against vehicle, Welch t on log values, n = 5 v 5
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
p > 0.05
p ≤ 0.05
Female
-50%
+0%
+100%
+300%
+700%
PAS vs vehicle, % change (95% CI, log scale)



Female: features moving with each phenotype
Across PAS and vehicle mice of this sex (n = 10); p ≤ 0.05 of tests; BH within level and phenotype
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
120 / 1842
FDR 0
28 / 568
FDR 0
30 / 760
FDR 0
1 / 18
FDR 0
11 / 93
FDR 1
1 / 13
FDR 0
136 / 1842
FDR 4
34 / 568
FDR 0
27 / 760
FDR 0
1 / 18
FDR 0
6 / 93
FDR 0
1 / 13
FDR 0
274 / 1842
FDR 14
78 / 568
FDR 1
28 / 760
FDR 0
2 / 18
FDR 0
11 / 93
FDR 1
1 / 13
FDR 0
56 / 1842
FDR 0
12 / 568
FDR 0
32 / 760
FDR 0
1 / 18
FDR 0
2 / 93
FDR 0
1 / 13
FDR 0
40 / 1842
FDR 0
25 / 568
FDR 0
1 / 760
FDR 0
0 / 18
FDR 0
0 / 93
FDR 0
0 / 13
FDR 0
177 / 1842
FDR 2
43 / 568
FDR 0
98 / 760
FDR 0
2 / 18
FDR 0
15 / 93
FDR 0
1 / 13
FDR 0
Proteins
Proteins, mito
GO:BP / MitoCarta
Modules
Complexes
Clusters
p ≤ 0.05 / chance
3
2
1
0


Check: protein links with and without pellet mitochondrial share


Share centred within group, added to the link model




Female: Clusters against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
String 13 Ion Transport By P Type Atpases
String 12 Coagulation
String 11 Unannotated
String 10 Translation
String 09 Extracellular Matrix Organization
String 08 Myogenesis
String 07 Protein Secretion
String 06 Unannotated
String 05 Phospholipid Metabolism
String 04 mRNA Splicing
String 03 Rho GTPase Effectors
String 02 Unannotated
String 01 Oxidative Phosphorylation
-0.12 -0.14 0.12 -0.05 -0.57 -0.18 0.14
0.35 0.28 0.44 -0.00 -0.32 0.00 0.19
0.10 0.07 0.07 0.01 0.29 -0.08 0.49
-0.10 0.12 0.11 0.04 -0.28 -0.25 0.18
0.42 0.48 0.13 0.55 0.26 0.37 -0.54
0.26 0.28 -0.07 0.33 0.62 0.38 -0.45
-0.16 -0.15 0.16 -0.33 -0.51 -0.39 0.46
0.84 0.71 0.67 0.49 0.20 0.34 0.42
-0.00 -0.06 0.25 -0.06 -0.08 -0.38 0.73
-0.61 -0.40 -0.10 -0.51 -0.37 -0.58 0.47
-0.24 -0.38 -0.09 -0.43 -0.44 -0.15 -0.16
0.26 0.52 0.16 0.55 0.07 0.15 0.30
0.22 0.16 0.02 0.35 0.20 0.25 0.33
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0



Female: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
Tnfalpha Nfkappa B Signaling Complex 5232
Thymoproteasome 8522
Spliceosome E Complex 8391
Spliceosome A Complex 8372
Sarcoglycan Sarcospan Syntrophin Dystrobre…
Sarcoglycan Sarcospan Dystroglycan Complex…
Sarcoglycan Sarcospan Complex Sg Spn 343
Respiratory Chain Complex I Subcomplex I B…
Respiratory Chain Complex I Beta Subunit M…
Pa700 Complex 32
Pa700 20s Pa28 Complex 193
Pa28 20s Proteasome 192
Oligosaccharyltransferase Ostc Iii 1209
Oligosaccharyltransferase Ostc Ii 1208
Oligosaccharyltransferase Ostc I 1203
Mitrac Complex Mitochondrial 8569
Lebercilin Complex 5899
Large Drosha Complex 1332
Kinase Maturation Complex 1 5199
Immunoproteasome 39
H2ax Complex II 1227
Er Localized Multiprotein Complex In Absen…
Er Localized Multiprotein Complex Ig Heavy…
Emerin Complex 25 5613
Emerin Complex 24 5611
Dystrophin Sarcoglycan Syntrophin Complex …
Dystrophin Glycoprotein Complex DGC Skelet…
Ddb2 Complex 726
C Src Immune Complex 6938
C Complex Spliceosome 1181
Bbs Chaperonin Complex 6247
Alix Actomyosin Tight Junction Complex 8172
8918
55s Ribosome Mitochondrial 320
51
39s Ribosomal Subunit Mitochondrial 324
26s Proteasome 181
20s Proteasome 38
1200
1199
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Female: Modules against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
Yellow 0.37 0.26 0.33 0.29 0.13 -0.08 0.48
Turquoise 0.20 0.07 0.12 0.28 -0.03 -0.09 -0.22
Tan -0.06 0.00 0.19 0.00 -0.47 -0.34 0.00
Salmon 0.13 -0.10 0.16 0.01 0.08 -0.17 0.50
Red 0.26 0.30 -0.07 0.38 0.58 0.39 -0.46
Purple 0.29 0.34 0.19 0.13 0.20 0.27 0.27
Pink -0.82 -0.70 -0.62 -0.65 -0.10 -0.35 -0.42
Midnightblue -0.57 -0.55 -0.40 -0.45 -0.22 -0.30 0.05
Magenta 0.48 0.34 0.24 0.53 0.20 0.12 -0.12
Lightgreen -0.07 0.14 0.15 0.13 -0.56 -0.18 -0.08
Lightcyan -0.19 -0.17 -0.31 -0.10 -0.01 0.19 -0.73
Grey60 -0.30 -0.39 -0.09 -0.34 -0.54 -0.24 -0.00
Greenyellow -0.12 0.07 -0.00 -0.08 -0.20 0.02 -0.26
Green 0.39 0.47 0.38 0.30 0.12 0.17 0.70
Cyan -0.00 -0.07 0.20 -0.07 -0.36 -0.26 0.34
Brown -0.11 -0.23 0.18 -0.35 -0.53 -0.26 0.32
Blue -0.41 -0.30 -0.25 -0.50 -0.06 -0.03 0.41
Black -0.00 0.23 -0.22 0.16 0.49 0.37 -0.11
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Female: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
V Atpase Ragulator Axin Lkb1 Ampk Complex …
Tnf Alpha Nf Kappa B Signaling Complex 6 5266
Tle1 Corepressor Complex 1729
Tim23 Sort Complex Romo1 Timm17b Timm21 Ti…
Tim22 Holo Complex Agk Timm9 Timm10 Timm10…
Snw1 Complex 1335
Selk Multiprotein Complex 6131
Ribosome Cytoplasmic 306
Respiratory Chain Complex I Subcomplex I L…
Respiratory Chain Complex I Mitochondrial 382
Respiratory Chain Complex I Mitochondrial 381
Respiratory Chain Complex I Lambda Subunit…
Respiratory Chain Complex I Intermediate V…
Respiratory Chain Complex I Intermediate M…
Respiratory Chain Complex I Incomplete Int…
Respiratory Chain Complex I Holoenzyme Mit…
Respiratory Chain Complex I Gamma Subunit …
Respiratory Chain Complex I Early Intermed…
Pyruvate Dehydrogenase Complex 1375
Profilin 1 Complex 2836
Parvulin Associated Pre Rrnp Complex 3047
Micos Complex Mitochondrial 6255
Mib Complex Mitochondrial 6249
Hrd1 Complex 6859
Dynactin 6130
Cytochrome C Oxidase Liver Mitochondrial 546
Cytochrome C Oxidase Liver Mitochondrial 538
Cytochrome C Oxidase Heart Mitochondrial 542
Cytochrome Bc1 Complex Ec 1 10 2 2 Mitocho…
Coa3 Hspa9 Timm44 Tim23 Sort Complex Mitoc…
Cct Prefoldin Complex Cct6a Variant 145
Aqp2 Binding Multiprotein Force Generator …
Actb Anp32a C1qbp Psma1 Ptma Psma1 Complex…
7960
742
7305
60s Ribosomal Subunit Cytoplasmic 308
5380
40s Ribosomal Subunit Cytoplasmic 305
28s Ribosomal Subunit Mitochondrial 315
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Female: Complexes against PAS and the phenotypes

Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)




Female: strongest robust protein per phenotype

Smallest link p that keeps its sign and p ≤ 0.05 with any one mouse left out



Female: Clusters moving with Capillary density, every link at p ≤ 0.05 (n = 1)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_F PAS_F

Female: Clusters moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 1)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_F PAS_F


Female: Clusters moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Clusters moving with CSA, every link at p ≤ 0.05 (n = 1)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_F PAS_F


Female: Clusters moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 1)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with Capillary density, every link at p ≤ 0.05 (n = 6)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 15)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 2)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with CSA, every link at p ≤ 0.05 (n = 11)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 11)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with Capillary density, every link at p ≤ 0.05 (n = 1)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 2)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Modules moving with CSA, every link at p ≤ 0.05 (n = 1)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_F PAS_F


Female: Modules moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 2)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Capillary density, every link at p ≤ 0.05 (n = 27)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Capillary density, every link at p ≤ 0.05 (n = 27)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 1)

PAS changed Plantaris pyruvate by +31% in this sex (p 0.3), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_F PAS_F


Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 32)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 32)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 30)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 30)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 28)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 28)


PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)


PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)
PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Bcap31
r 0.78 (VEH 0.82, PAS 0.17)
p 0.0033, FDR 0.35
Tubb2b
r -0.45 (VEH -0.19, PAS -0.10)
p 0.0034, FDR 0.35
Cycs (mito)
r 0.64 (VEH -0.80, PAS 0.25)
p 0.0035, FDR 0.29
Acad10
r 0.75 (VEH 0.56, PAS 0.50)
p 0.0035, FDR 0.35
Chchd7
r -0.83 (VEH -0.15, PAS -0.79)
p 0.004, FDR 0.35
Mb
r 0.81 (VEH 0.74, PAS 0.36)
p 0.0041, FDR 0.35
Cand2
r -0.70 (VEH 0.12, PAS -0.22)
p 0.0041, FDR 0.35
Pdcd6ip
r -0.75 (VEH 0.08, PAS -0.75)
p 0.0042, FDR 0.35
Stat5b
r -0.77 (VEH 0.13, PAS -0.92)
p 0.0043, FDR 0.35
Ndufb1
r -0.76 (VEH -0.20, PAS -0.72)
p 0.0044, FDR 0.35
Myl2
r 0.54 (VEH -0.05, PAS 0.54)
p 0.0047, FDR 0.36
Mavs (mito)
r -0.63 (VEH -0.37, PAS -0.65)
p 0.0049, FDR 0.35
Sfxn3
r -0.84 (VEH -0.74, PAS -0.78)
p 0.0054, FDR 0.4
Tln1
r -0.60 (VEH -0.59, PAS 0.29)
p 0.0061, FDR 0.43
Arl6ip5
r 0.51 (VEH -0.73, PAS -0.54)
p 0.0067, FDR 0.45
Coa7 (mito)
r 0.66 (VEH -0.48, PAS 0.92)
p 0.007, FDR 0.44
Ddx5
r -0.80 (VEH -0.07, PAS -0.66)
p 0.007, FDR 0.45
Atox1
r 0.69 (VEH 0.63, PAS 0.53)
p 0.007, FDR 0.45
Dbi
r 0.45 (VEH -0.73, PAS -0.06)
p 0.0073, FDR 0.45
Tubb4a
r -0.66 (VEH -0.97, PAS -0.50)
p 0.0078, FDR 0.47
Feature value
Phenotype
VEH_F
PAS_F


Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

PAS changed Capillary density by +138% in this sex (p 0.0052).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

PAS changed Plantaris pyruvate by +31% in this sex (p 0.3), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

PAS changed Plantaris pyruvate by +31% in this sex (p 0.3), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

PAS changed Plantaris pyruvate by +31% in this sex (p 0.3), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

PAS changed Plantaris pyruvate by +31% in this sex (p 0.3), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

PAS changed Soleus octanoyl by +73% in this sex (p 0.35), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

PAS changed Soleus pyruvate by +12% in this sex (p 0.45), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

PAS changed CSA by +22% in this sex (p 0.002).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

PAS changed Satellite cells / fibre by +47% in this sex (p 0.0093).
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link

