



Female: perfect separations against chance
Dot: observed; grey: median and 95th percentile over all 252 relabellings of the same mice
p 0.103
Clusters
p 0.357
Complexes
p 0.111
Modules
p 0.079
GO:BP / MitoCarta
p 0.056
Proteins
0
10
20
30
40
Features separating PAS from vehicle perfectly


Female: AUC of every feature
Proteins
GO:BP / MitoCarta
Modules
Complexes
Clusters
Features
AUC (1: higher in PAS)
0.00
0.25
0.50
0.75
1.00


Female: Clusters, PAS vs vehicle, every feature at p ≤ 0.05 (n = 1)

Exact Wilcoxon p, BH within level; higher or lower in PAS




Female: Complexes, PAS vs vehicle, every feature at p ≤ 0.05 (n = 6)

Exact Wilcoxon p, BH within level; higher or lower in PAS




Female: Modules, PAS vs vehicle, every feature at p ≤ 0.05 (n = 1)

Exact Wilcoxon p, BH within level; higher or lower in PAS




Female: GO:BP / MitoCarta, PAS vs vehicle, every feature at p ≤ 0.05 (n = 41)


Exact Wilcoxon p, BH within level; higher or lower in PAS





Female: GO:BP / MitoCarta, PAS vs vehicle, every feature at p ≤ 0.05 (n = 41)


Exact Wilcoxon p, BH within level; higher or lower in PAS




Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in PAS
Itgb1
1.00 (higher), p 0.008, FDR
Snx12
0.00 (lower), p 0.008, FDR(
Cops3
0.00 (lower), p 0.008, FDR(
Mb
1.00 (higher), p 0.008, FDR
Ctsb
1.00 (higher), p 0.008, FDR
Hsp90ab1
0.00 (lower), p 0.008, FDR(
Map4
1.00 (higher), p 0.008, FDR
Tagln
0.00 (lower), p 0.008, FDR(
Stat5b
0.00 (lower), p 0.008, FDR(
Rab2a
1.00 (higher), p 0.008, FDR
Pcbp1
0.00 (lower), p 0.008, FDR(
Ube2n
0.00 (lower), p 0.008, FDR(
Cycs
1.00 (higher), p 0.008, FDR
Abcc9
1.00 (higher), p 0.008, FDR
Tom1l2
0.00 (lower), p 0.008, FDR(
Cdc37
0.00 (lower), p 0.008, FDR(
Bcap31
1.00 (higher), p 0.008, FDR
Ddx5
0.00 (lower), p 0.008, FDR(
Mff
0.00 (lower), p 0.008, FDR(
Cand2
0.00 (lower), p 0.008, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00



Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in PAS
Ppp2r1a
0.00 (lower), p 0.008, FDR(
Lnpk
1.00 (higher), p 0.008, FDR
Prune1
0.00 (lower), p 0.008, FDR(
Ipo5
0.00 (lower), p 0.008, FDR(
Me3
1.00 (higher), p 0.008, FDR
Hook3
0.00 (lower), p 0.008, FDR(
Slc44a2
1.00 (higher), p 0.008, FDR
Appl1
0.00 (lower), p 0.008, FDR(
Arl6ip5
1.00 (higher), p 0.008, FDR
Cops8
0.00 (lower), p 0.008, FDR(
Ttc1
0.00 (lower), p 0.008, FDR(
Ugp2
0.00 (lower), p 0.008, FDR(
Uqcrb
0.00 (lower), p 0.008, FDR(
Sugt1
0.00 (lower), p 0.008, FDR(
Manf
1.00 (higher), p 0.008, FDR
Dynll2
1.00 (higher), p 0.008, FDR
Dusp3
0.00 (lower), p 0.008, FDR(
Jph1
1.00 (higher), p 0.008, FDR
Htra2
1.00 (higher), p 0.008, FDR
Rnf7
0.00 (lower), p 0.008, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in PAS
Pdcd6ip
0.00 (lower), p 0.008, FDR(
Ilk
0.04 (lower), p 0.016, FDR(
Tln1
0.04 (lower), p 0.016, FDR(
Pitpna
0.04 (lower), p 0.016, FDR(
Kpnb1
0.04 (lower), p 0.016, FDR(
Srsf3
0.04 (lower), p 0.016, FDR(
Igfbp5
0.96 (higher), p 0.016, FDR
Perm1
0.04 (lower), p 0.016, FDR(
Nt5dc3
0.96 (higher), p 0.016, FDR
Ppp2r5e
0.04 (lower), p 0.016, FDR(
Tsg101
0.04 (lower), p 0.016, FDR(
Spr
0.96 (higher), p 0.016, FDR
Srl
0.96 (higher), p 0.016, FDR
Mrps27
0.96 (higher), p 0.016, FDR
Acp6
0.96 (higher), p 0.016, FDR
Fsd2
0.96 (higher), p 0.016, FDR
Hnrnpu
0.04 (lower), p 0.016, FDR(
Yars1
0.96 (higher), p 0.016, FDR
Kars1
0.04 (lower), p 0.016, FDR(
Tmem14c
0.96 (higher), p 0.016, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in PAS
Cyb5b
0.04 (lower), p 0.016, FDR(
Ufc1
0.04 (lower), p 0.016, FDR(
Chtop
0.04 (lower), p 0.016, FDR(
Pgm1
0.96 (higher), p 0.016, FDR
Cul5
0.04 (lower), p 0.016, FDR(
Prkar1a
0.04 (lower), p 0.016, FDR(
Ssr3
0.96 (higher), p 0.016, FDR
Add3
0.04 (lower), p 0.016, FDR(
Ank3
0.04 (lower), p 0.016, FDR(
Ndufb1
0.06 (lower), p 0.024, FDR(
Fyco1
0.06 (lower), p 0.024, FDR(
Plpp3
0.08 (lower), p 0.024, FDR(
Ube2v1
0.06 (lower), p 0.024, FDR(
Casq1
0.94 (higher), p 0.024, FDR
S100a13
0.94 (higher), p 0.024, FDR
Usp30
0.92 (higher), p 0.032, FDR
Acacb
0.08 (lower), p 0.032, FDR(
Trdn
0.92 (higher), p 0.032, FDR
Kpna3
0.08 (lower), p 0.032, FDR(
Snx3
0.08 (lower), p 0.032, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00

Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)

Exact Wilcoxon p, BH within level; higher or lower in PAS



Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)

Exact Wilcoxon p, BH within level; higher or lower in PAS

