



Male: PAS effect on each phenotype
% change against vehicle, Welch t on log values, n = 5 v 5
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
-50%
+0%
+100%
PAS vs vehicle, % change (95% CI, log scale)
p > 0.05
Male



Male: features moving with each phenotype
Across PAS and vehicle mice of this sex (n = 10); p ≤ 0.05 of tests; BH within level and phenotype
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
466 / 1842
FDR 193
215 / 568
FDR 157
38 / 760
FDR 0
2 / 18
FDR 0
6 / 93
FDR 0
0 / 13
FDR 0
384 / 1842
FDR 7
186 / 568
FDR 32
14 / 760
FDR 0
0 / 18
FDR 0
6 / 93
FDR 0
0 / 13
FDR 0
457 / 1842
FDR 129
174 / 568
FDR 67
14 / 760
FDR 0
0 / 18
FDR 0
2 / 93
FDR 0
0 / 13
FDR 0
439 / 1842
FDR 92
155 / 568
FDR 0
18 / 760
FDR 0
1 / 18
FDR 0
5 / 93
FDR 0
1 / 13
FDR 0
411 / 1842
FDR 67
117 / 568
FDR 2
86 / 760
FDR 0
1 / 18
FDR 0
2 / 93
FDR 0
4 / 13
FDR 0
28 / 1842
FDR 0
11 / 568
FDR 0
0 / 760
FDR 0
0 / 18
FDR 0
0 / 93
FDR 0
0 / 13
FDR 0
Proteins
Proteins, mito
GO:BP / MitoCarta
Modules
Complexes
Clusters
p ≤ 0.05 / chance
6
4
2
0

Check: protein links with and without pellet mitochondrial share

Share centred within group, added to the link model






Male: Clusters against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
String 13 Ion Transport By P Type Atpases
String 12 Coagulation
String 11 Unannotated
String 10 Translation
String 09 Extracellular Matrix Organization
String 08 Myogenesis
String 07 Protein Secretion
String 06 Unannotated
String 05 Phospholipid Metabolism
String 04 mRNA Splicing
String 03 Rho GTPase Effectors
String 02 Unannotated
String 01 Oxidative Phosphorylation
-0.06
0.09
0.50
0.20
-0.59
-0.56
0.05
0.36
0.47
0.10
-0.18
0.52
0.16
-0.29 0.37 0.23 0.01 0.44 -0.14
0.10 -0.07 -0.03 -0.12 -0.02 0.19
0.07 0.28 0.40 -0.06 -0.62 -0.33
0.06 -0.25 0.23 0.07 -0.35 -0.28
-0.41 -0.26 -0.34 0.42 0.65 -0.10
-0.61 0.31 -0.10 -0.11 0.29 -0.03
0.25 0.20 -0.29 -0.00 -0.04 0.36
0.15 0.15 0.50 0.15 -0.30 -0.63
-0.05 0.38 0.48 -0.32 -0.62 -0.17
0.56 -0.35 -0.15 0.54 -0.20 -0.21
0.04 -0.38 -0.27 0.26 0.69 0.17
0.35 0.44 0.17 0.01 -0.69 0.06
-0.15 0.53 0.29 -0.66 -0.47 0.08
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0



Male: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
Zfand2b Complex 8497
Tnfalpha Nfkappa B Signaling Complex 5232
Tim23 Sort Complex Romo1 Timm17b Timm21 Ti...
Spliceosome E Complex 8391
Spliceosome A Complex 8372
Snw1 Complex 1335
Selk Multiprotein Complex 6131
Sdh Mabc1 Pic Ant Atpase Complex 139
Sarcoglycan Sarcospan Syntrophin Dystrobre...
Respiratory Chain Complex I Subcomplex I A...
Respiratory Chain Complex I Mitochondrial 382
Respiratory Chain Complex I Mitochondrial 381
Respiratory Chain Complex I Intermediate V...
Respiratory Chain Complex I Intermediate M...
Respiratory Chain Complex I Holoenzyme Mit...
Respiratory Chain Complex I Gamma Subunit ...
Respiratory Chain Complex I Early Intermed...
Parvulin Associated Pre Rrnp Complex 3047
Oligosaccharyltransferase Ostc Ii 1208
Oligosaccharyltransferase Ostc I 1203
Nop56p Associated Pre rRNA Complex 3055
Mib Complex Mitochondrial 6249
Large Drosha Complex 1332
Hrd1 Complex 6859
H2ax Complex Ii 1227
Er Localized Multiprotein Complex In Absen...
Er Localized Multiprotein Complex Ig Heavy...
Emerin Complex 52 5615
Emerin Complex 25 5613
Emerin Complex 24 5611
Dystrophin Glycoprotein Complex DGC Skelet...
Cdc5l Complex 1183
C Complex Spliceosome 1181
7961
7960
742
60s Ribosomal Subunit Cytoplasmic 308
5685
1200
1199
-0.47
-0.05
0.20
-0.15
-0.14
-0.09
0.20
0.30
-0.61
0.20
0.20
0.21
0.11
0.10
0.21
0.17
0.21
-0.16
0.56
0.53
-0.17
-0.02
0.03
0.38
-0.09
0.16
0.30
-0.13
-0.26
-0.15
-0.59
-0.17
-0.06
0.47
0.47
-0.12
-0.19
-0.31
0.59
0.53
0.40 0.28 -0.51 0.48 -0.33 -0.06
-0.11 -0.63 0.01 0.31 -0.35 -0.32
-0.25 0.28 0.41 -0.48 -0.52 -0.11
0.12 -0.58 -0.15 0.43 0.18 -0.29
0.08 -0.61 -0.11 0.39 0.19 -0.32
-0.33 -0.58 -0.06 0.02 0.17 -0.02
0.06 0.69 0.10 -0.36 -0.34 0.15
0.02 0.38 0.20 -0.43 -0.58 0.25
-0.28 -0.30 -0.58 0.32 0.55 0.38
-0.37 0.33 0.41 -0.73 -0.08 -0.00
-0.34 0.36 0.40 -0.72 -0.05 0.00
-0.29 0.38 0.39 -0.71 -0.04 -0.01
-0.45 0.30 0.43 -0.76 -0.05 0.01
-0.43 0.34 0.42 -0.75 -0.01 -0.00
-0.33 0.35 0.40 -0.71 -0.04 0.00
-0.38 0.35 0.40 -0.71 -0.07 0.02
-0.32 0.38 0.40 -0.69 -0.12 -0.06
-0.86 -0.60 0.33 -0.31 0.03 -0.11
0.36 0.38 0.10 0.14 -0.32 -0.02
0.22 0.49 0.20 -0.28 -0.45 0.11
-0.59 -0.68 0.23 -0.03 -0.15 -0.31
-0.46 0.39 0.27 -0.62 -0.32 0.09
0.18 -0.61 -0.05 0.42 0.21 -0.29
0.55 0.65 0.04 -0.29 -0.00 0.31
0.18 -0.65 -0.16 0.35 0.15 0.04
-0.07 0.40 0.22 -0.13 -0.41 -0.11
0.20 0.47 0.23 -0.04 -0.51 -0.15
0.42 -0.36 -0.38 0.47 0.38 0.00
0.17 -0.46 -0.40 0.35 0.45 0.01
0.18 -0.49 -0.37 0.55 0.29 0.01
-0.38 -0.30 -0.43 0.14 0.57 0.40
-0.09 -0.75 -0.02 0.26 0.30 -0.24
0.28 -0.51 -0.14 0.42 0.10 -0.23
-0.03 0.26 0.45 -0.13 -0.63 -0.35
-0.03 0.27 0.46 -0.14 -0.62 -0.34
0.01 -0.43 0.18 -0.32 0.19 -0.19
-0.62 -0.61 0.26 -0.11 -0.11 -0.18
0.55 0.30 -0.51 0.56 -0.36 -0.10
0.22 0.49 0.37 -0.30 -0.35 0.00
0.07 0.47 0.38 -0.38 -0.35 0.01
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0

Male: Modules against PAS and the phenotypes

Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)





Male: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
V Atpase Ragulator Axin Lkb1 Ampk Complex …
Tnf Alpha Nf Kappa B Signaling Complex 6 5266
Tle1 Corepressor Complex 1729
Tim22 Holo Complex Agk Timm9 Timm10 Timm10…
Sarcoglycan Sarcospan Dystroglycan Complex…
Sarcoglycan Sarcospan Complex Sg Spn 343
Ribosome Cytoplasmic 306
Respiratory Chain Supercomplex Complex I I…
Respiratory Chain Complex I Subcomplex I L…
Respiratory Chain Complex I Subcomplex I B…
Respiratory Chain Complex I Lambda Subunit…
Respiratory Chain Complex I Incomplete Int…
Respiratory Chain Complex I Beta Subunit M…
Pyruvate Dehydrogenase Complex 1375
Pa700 Complex 32
Pa28 20s Proteasome 192
Oligosaccharyltransferase Ostc Iii 1209
Mitrac Complex Mitochondrial 8569
Mitofilin Complex Mitochondrial 8587
Micos Complex Mitochondrial 6255
Lebercilin Complex 5899
Kinase Maturation Complex 1 5199
Immunoproteasome 39
Dystrophin Sarcoglycan Syntrophin Complex …
Dynactin 6130
Ddb2 Complex 726
Cytochrome C Oxidase Heart Mitochondrial 542
Cytochrome Bc1 Complex Ec 1 10 2 2 Mitocho…
Coa3 Hspa9 Timm44 Tim23 Sort Complex Mitoc…
Cct Prefoldin Complex Cct6a Variant 145
C Src Immune Complex 6938
Bbs Chaperonin Complex 6247
Aqp2 Binding Multiprotein Force Generator …
8918
7305
5380
40s Ribosomal Subunit Cytoplasmic 305
39s Ribosomal Subunit Mitochondrial 324
26s Proteasome 181
20s Proteasome 38
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Male: Complexes against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
Thymoproteasome 8522
Profilin 1 Complex 2836
Pa700 20s Pa28 Complex 193
P2x7 Receptor Signalling Complex 725
Cytochrome C Oxidase Liver Mitochondrial 546
Cytochrome C Oxidase Liver Mitochondrial 538
Alix Actomyosin Tight Junction Complex 8172
Actb Anp32a C1qbp Psma1 Ptma Psma1 Complex…
55s Ribosome Mitochondrial 320
51
28s Ribosomal Subunit Mitochondrial 315
0.36 -0.25 -0.10 0.42 -0.32 0.09 -0.13
0.44 0.83 0.12 -0.20 0.31 -0.25 -0.03
0.35 0.56 -0.05 -0.33 0.67 -0.17 -0.07
0.19 0.23 -0.03 -0.05 -0.01 0.15 0.13
-0.41 -0.83 0.00 0.14 -0.48 -0.09 0.03
-0.41 -0.83 0.00 0.14 -0.48 -0.08 0.03
0.17 0.31 -0.09 -0.02 -0.03 0.29 -0.23
0.35 0.74 -0.03 -0.37 0.33 0.08 0.24
-0.01 -0.18 0.02 0.20 -0.05 -0.19 -0.16
-0.44 -0.44 -0.03 -0.20 -0.27 0.12 0.38
0.01 -0.14 -0.02 0.15 -0.07 -0.20 -0.04
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Male: strongest robust protein per phenotype

Smallest link p that keeps its sign and p ≤ 0.05 with any one mouse left out




Male: Clusters moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 4)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Clusters moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Capillary density, every link at p ≤ 0.05 (n = 6)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 2)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 5)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with CSA, every link at p ≤ 0.05 (n = 6)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Complexes moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 2)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Modules moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 1)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Modules moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Modules moving with CSA, every link at p ≤ 0.05 (n = 2)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Capillary density, every link at p ≤ 0.05 (n = 14)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 86)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 18)


PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 38)


PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 38)
PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Lipid Homeostasis
r -0.50 (VEH -0.83, PAS -0.02)
p 0.027, FDR 0.9
Cellular Response To Chemical...
r -0.61 (VEH -0.73, PAS -0.38)
p 0.028, FDR 0.9
Regulation Of Synaptic Plasti...
r 0.58 (VEH 0.19, PAS 0.78)
p 0.028, FDR 0.9
Positive Regulation Of Growth
r 0.68 (VEH 0.44, PAS 0.72)
p 0.029, FDR 0.9
Response To Abiotic Stimulus
r -0.83 (VEH -0.87, PAS -0.92)
p 0.03, FDR 0.9
Regulation Of Mitochondrion O...
r 0.77 (VEH 0.84, PAS 0.68)
p 0.03, FDR 0.9
Cell Chemotaxis
r 0.55 (VEH 0.11, PAS 0.61)
p 0.032, FDR 0.9
WNT Signaling Pathway
r -0.61 (VEH -0.84, PAS -0.30)
p 0.034, FDR 0.9
Calcium Homeostasis
r -0.51 (VEH -0.56, PAS -0.51)
p 0.036, FDR 0.24
Proteasome Mediated Ubiquitin...
r -0.63 (VEH -0.76, PAS -0.71)
p 0.038, FDR 0.9
Carbohydrate Metabolism
r -0.53 (VEH -0.47, PAS -0.69)
p 0.039, FDR 0.24
Cellular Response To Oxygen L...
r -0.65 (VEH -0.80, PAS -0.48)
p 0.043, FDR 0.9
Multicellular Organismal Move...
r -0.62 (VEH -0.90, PAS -0.38)
p 0.043, FDR 0.9
Regulation Of Extrinsic Apopt...
r 0.56 (VEH 0.40, PAS 0.74)
p 0.046, FDR 0.9
Regulation Of Phosphorylation
r 0.55 (VEH -0.18, PAS 0.68)
p 0.048, FDR 0.9
Cell Cell Signaling
r 0.59 (VEH 0.12, PAS 0.74)
p 0.048, FDR 0.9
Bone Development
r -0.67 (VEH -0.90, PAS -0.33)
p 0.048, FDR 0.9
Apoptosis
r 0.63 (VEH 0.67, PAS 0.69)
p 0.049, FDR 0.25
Feature value
Phenotype
VEH_M
PAS_M


Male: GO:BP / MitoCarta moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 14)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ryr1
r 0.41 (VEH 0.91, PAS -0.06)
p 0.011, FDR 0.13
Trap1
r 0.27 (VEH 0.43, PAS -0.10)
p 0.011, FDR 0.13
Pitpna
r 0.36 (VEH 0.26, PAS 0.90)
p 0.011, FDR 0.13
Mcl1 (mito)
r -0.40 (VEH -0.47, PAS -0.10)
p 0.011, FDR 0.077
Sgpp1
r -0.41 (VEH -0.81, PAS 0.44)
p 0.011, FDR 0.13
Atp5mg
r 0.33 (VEH 0.47, PAS 0.03)
p 0.011, FDR 0.13
Pa2g4
r -0.24 (VEH -0.32, PAS -0.10)
p 0.011, FDR 0.13
Atp5mg (mito)
r 0.28 (VEH 0.41, PAS 0.00)
p 0.012, FDR 0.078
Slc25a4 (mito)
r 0.23 (VEH 0.38, PAS -0.21)
p 0.012, FDR 0.078
Txnrd2
r -0.32 (VEH -0.32, PAS -0.55)
p 0.012, FDR 0.13
Tmem11
r 0.31 (VEH 0.62, PAS -0.22)
p 0.012, FDR 0.13
Chchd6
r -0.32 (VEH -0.54, PAS 0.02)
p 0.012, FDR 0.13
Rdh14
r 0.49 (VEH 0.57, PAS 0.49)
p 0.012, FDR 0.13
Crip1
r -0.49 (VEH -0.88, PAS 0.21)
p 0.012, FDR 0.13
Dnm1l (mito)
r -0.67 (VEH -0.91, PAS -0.37)
p 0.012, FDR 0.079
Rab1b
r 0.27 (VEH 0.47, PAS -0.25)
p 0.012, FDR 0.13
Tmem177
r 0.49 (VEH 0.48, PAS 0.48)
p 0.012, FDR 0.13
Coq8a
r 0.27 (VEH 0.48, PAS -0.26)
p 0.012, FDR 0.13
Acad12 (mito)
r 0.65 (VEH 0.71, PAS 0.42)
p 0.012, FDR 0.079
Ociad1 (mito)
r -0.63 (VEH -0.74, PAS -0.57)
p 0.013, FDR 0.079
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)
PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Mtfr1l
r -0.25 (VEH -0.54, PAS 0.33)
p 0.036, FDR 0.2
Stx4
r -0.68 (VEH -0.73, PAS -0.50)
p 0.036, FDR 0.2
Myh13
r 0.32 (VEH 0.40, PAS 0.15)
p 0.036, FDR 0.2
Stard7 (mito)
r 0.37 (VEH 0.60, PAS 0.22)
p 0.036, FDR 0.13
Map4
r -0.34 (VEH -0.86, PAS 0.23)
p 0.036, FDR 0.2
Ndufa6 (mito)
r -0.59 (VEH -0.85, PAS 0.20)
p 0.036, FDR 0.13
Rab18
r 0.37 (VEH 0.54, PAS 0.68)
p 0.037, FDR 0.21
Ndufs2 (mito)
r 0.27 (VEH 0.46, PAS -0.09)
p 0.037, FDR 0.13
Mecr (mito)
r -0.21 (VEH -0.53, PAS 0.51)
p 0.037, FDR 0.13
Dglucy
r -0.13 (VEH -0.22, PAS 0.45)
p 0.037, FDR 0.21
Cpt2
r 0.31 (VEH 0.56, PAS 0.04)
p 0.037, FDR 0.21
Uqcc4 (mito)
r -0.24 (VEH -0.51, PAS 0.14)
p 0.037, FDR 0.13
Pym1
r -0.16 (VEH -0.35, PAS 0.28)
p 0.038, FDR 0.21
Mavs (mito)
r -0.51 (VEH -0.95, PAS -0.33)
p 0.038, FDR 0.13
Mtx2
r 0.32 (VEH 0.61, PAS -0.48)
p 0.038, FDR 0.21
Rpl35
r -0.60 (VEH -0.54, PAS -0.82)
p 0.038, FDR 0.21
Isoc2a (mito)
r -0.45 (VEH -0.85, PAS 0.77)
p 0.038, FDR 0.13
Cavin4
r -0.49 (VEH -0.91, PAS -0.27)
p 0.038, FDR 0.21
Psmb2
r -0.57 (VEH -0.73, PAS 0.16)
p 0.039, FDR 0.21
Perm1
r -0.18 (VEH -0.60, PAS 0.43)
p 0.039, FDR 0.21
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)

PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 570)


PAS changed Capillary density by -18% in this sex (p 0.54), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)


PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Gnb1
r 0.76 (VEH 0.86, PAS 0.72)
p 0.00049, FDR 0.044
Pon2
r -0.65 (VEH -0.64, PAS -0.75)
p 0.00051, FDR 0.044
Fundc2 (mito)
r -0.55 (VEH -0.48, PAS -0.63)
p 0.00058, FDR 0.083
Abcb7 (mito)
r -0.37 (VEH -0.39, PAS -0.65)
p 0.00059, FDR 0.083
Cyp27a1
r -0.62 (VEH -0.64, PAS -0.67)
p 0.0006, FDR 0.044
Sars2
r -0.64 (VEH -0.86, PAS 0.32)
p 0.00061, FDR 0.044
Abcb7
r -0.39 (VEH -0.43, PAS -0.63)
p 0.00066, FDR 0.044
Dhodh
r -0.52 (VEH -0.45, PAS -0.48)
p 0.00066, FDR 0.044
Hsd17b10
r 0.65 (VEH 0.84, PAS 0.16)
p 0.00073, FDR 0.044
Tubb2a
r 0.56 (VEH 0.84, PAS 0.94)
p 0.00075, FDR 0.044
Fabp4
r 0.64 (VEH 0.80, PAS -0.33)
p 0.00075, FDR 0.044
Mospd1
r -0.44 (VEH -0.44, PAS -0.53)
p 0.00076, FDR 0.044
Lama2
r 0.58 (VEH 0.56, PAS 0.50)
p 0.00079, FDR 0.044
Tpm3
r 0.69 (VEH 0.89, PAS 0.30)
p 0.00079, FDR 0.044
Rtn4
r -0.49 (VEH -0.37, PAS -0.68)
p 0.00081, FDR 0.044
Txnl1
r 0.67 (VEH 0.78, PAS 0.55)
p 0.00086, FDR 0.044
Dpysl2
r 0.71 (VEH 0.71, PAS 0.69)
p 0.00087, FDR 0.044
Mpz
r 0.67 (VEH 0.78, PAS 0.61)
p 0.00089, FDR 0.044
Cct3
r 0.73 (VEH 0.83, PAS 0.73)
p 0.00089, FDR 0.044
Tmem43
r -0.46 (VEH -0.41, PAS -0.94)
p 0.00089, FDR 0.044
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)


PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)

PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Timm29 (mito)
r 0.21 (VEH 0.04, PAS 0.75)
p 0.044, FDR 0.22
Ywhae
r 0.49 (VEH 0.14, PAS 0.78)
p 0.044, FDR 0.21
Tor1aip2
r -0.42 (VEH -0.04, PAS -0.98)
p 0.044, FDR 0.21
Hpx
r 0.40 (VEH 0.79, PAS 0.25)
p 0.044, FDR 0.21
Prph
r 0.52 (VEH 0.51, PAS 0.35)
p 0.044, FDR 0.21
Hspa8
r -0.09 (VEH 0.18, PAS -0.80)
p 0.045, FDR 0.21
Ptms
r 0.59 (VEH 0.71, PAS 0.54)
p 0.045, FDR 0.21
Hmgcl
r -0.67 (VEH -0.90, PAS -0.79)
p 0.046, FDR 0.22
Rps9
r -0.19 (VEH 0.03, PAS -0.57)
p 0.047, FDR 0.22
Hhatl
r -0.36 (VEH -0.11, PAS -0.62)
p 0.047, FDR 0.22
Casq2
r -0.34 (VEH -0.08, PAS -0.55)
p 0.047, FDR 0.22
Mtch2
r -0.20 (VEH -0.19, PAS -0.52)
p 0.047, FDR 0.22
Apoa2
r 0.56 (VEH 0.75, PAS 0.08)
p 0.047, FDR 0.22
Atp5mj
r -0.08 (VEH -0.07, PAS -0.43)
p 0.047, FDR 0.22
Ppa2 (mito)
r 0.33 (VEH 0.57, PAS -0.06)
p 0.047, FDR 0.23
Naca
r 0.32 (VEH 0.13, PAS 0.53)
p 0.048, FDR 0.22
RhoA
r 0.68 (VEH 0.82, PAS 0.67)
p 0.048, FDR 0.22
Ndufa9
r -0.23 (VEH -0.06, PAS -0.53)
p 0.048, FDR 0.22
Abcc9
r -0.16 (VEH -0.08, PAS -0.60)
p 0.048, FDR 0.22
Serpina1b
r -0.28 (VEH -0.16, PAS -0.96)
p 0.048, FDR 0.22
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 528)
PAS changed Plantaris pyruvate by -23% in this sex (p 0.46), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Hnrnpab
r 0.41 (VEH 0.42, PAS 0.21)
p 0.049, FDR 0.22
Prkaa2
r -0.06 (VEH 0.10, PAS -0.20)
p 0.049, FDR 0.22
Mmgt1
r -0.39 (VEH -0.28, PAS -0.47)
p 0.049, FDR 0.22
Ndufb4
r -0.19 (VEH -0.04, PAS -0.38)
p 0.049, FDR 0.22
Tuba8
r 0.30 (VEH 0.31, PAS 0.35)
p 0.049, FDR 0.22
Trabd
r 0.41 (VEH -0.31, PAS 0.93)
p 0.05, FDR 0.22
Vwa8 (mito)
r -0.21 (VEH -0.06, PAS -0.33)
p 0.05, FDR 0.24
Grsf1
r 0.23 (VEH 0.63, PAS 0.03)
p 0.05, FDR 0.22
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 39)

PAS changed Soleus octanoyl by -16% in this sex (p 0.57), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 39)

PAS changed Soleus octanoyl by -16% in this sex (p 0.57), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)


PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)


PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)
PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Canx
r -0.54 (VEH -0.82, PAS 0.43)
p 0.0023, FDR 0.05
Eif4g1
r 0.60 (VEH 0.89, PAS -0.26)
p 0.0023, FDR 0.05
Cavin2
r 0.57 (VEH 0.94, PAS 0.18)
p 0.0023, FDR 0.05
Coro1b
r 0.60 (VEH 0.58, PAS 0.71)
p 0.0025, FDR 0.05
Addc1
r -0.52 (VEH -0.91, PAS 0.37)
p 0.0025, FDR 0.05
Bphl
r -0.51 (VEH -0.60, PAS -0.36)
p 0.0025, FDR 0.05
Yif1a
r 0.57 (VEH 0.90, PAS -0.04)
p 0.0025, FDR 0.05
Bckdhb
r -0.50 (VEH -0.85, PAS 0.13)
p 0.0025, FDR 0.05
Glrx2
r 0.52 (VEH 0.69, PAS -0.36)
p 0.0025, FDR 0.05
Scpdh
r -0.58 (VEH -0.85, PAS 0.27)
p 0.0025, FDR 0.05
Mecr (mito)
r 0.63 (VEH 0.91, PAS -0.18)
p 0.0025, FDR 0.073
Ttc1
r 0.66 (VEH 0.80, PAS -0.01)
p 0.0027, FDR 0.052
Cyc1
r -0.63 (VEH -0.88, PAS 0.27)
p 0.0027, FDR 0.052
Lcp1
r 0.73 (VEH 0.88, PAS 0.16)
p 0.0027, FDR 0.052
Mrpl9
r -0.56 (VEH -0.95, PAS 0.19)
p 0.0028, FDR 0.052
Vdac3 (mito)
r -0.60 (VEH -0.84, PAS 0.09)
p 0.0028, FDR 0.073
Ak3
r 0.62 (VEH 0.83, PAS 0.07)
p 0.0028, FDR 0.052
Rab14
r -0.47 (VEH -0.94, PAS 0.69)
p 0.0028, FDR 0.052
Rtn4ip1
r -0.40 (VEH -0.91, PAS 0.62)
p 0.0028, FDR 0.052
Atp5mg
r -0.58 (VEH -0.90, PAS 0.35)
p 0.0029, FDR 0.053
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 594)

PAS changed Soleus pyruvate by +9% in this sex (p 0.77), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)


PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link





Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Pdia4
r -0.11 (VEH 0.02, PAS -0.20)
p 0.043, FDR 0.18
Tsg101
r -0.43 (VEH -0.88, PAS 0.00)
p 0.043, FDR 0.18
Kars1
r -0.54 (VEH -0.36, PAS -0.68)
p 0.043, FDR 0.18
Tnnc1
r 0.51 (VEH 0.37, PAS 0.59)
p 0.044, FDR 0.18
Acsl6 (mito)
r -0.48 (VEH 0.07, PAS -0.81)
p 0.044, FDR 0.12
Mrpl13
r 0.23 (VEH 0.53, PAS 0.14)
p 0.044, FDR 0.18
Uba1
r -0.01 (VEH 0.54, PAS -0.22)
p 0.044, FDR 0.18
Sec61g
r -0.15 (VEH 0.12, PAS -0.30)
p 0.044, FDR 0.18
Tbl2
r -0.59 (VEH -0.38, PAS -0.71)
p 0.044, FDR 0.19
Mtln
r -0.49 (VEH -0.24, PAS -0.98)
p 0.045, FDR 0.19
Ndufb5
r -0.54 (VEH -0.69, PAS -0.67)
p 0.045, FDR 0.19
Grsf1
r 0.15 (VEH -0.08, PAS 0.04)
p 0.045, FDR 0.19
Eif2s3x
r -0.23 (VEH 0.02, PAS -0.54)
p 0.045, FDR 0.19
Letm1
r -0.25 (VEH -0.31, PAS -0.39)
p 0.045, FDR 0.19
Mybpc2
r -0.68 (VEH -0.53, PAS -0.66)
p 0.045, FDR 0.19
Mrps5 (mito)
r -0.03 (VEH 0.22, PAS -0.15)
p 0.045, FDR 0.12
Coq5 (mito)
r -0.60 (VEH 0.25, PAS -0.75)
p 0.045, FDR 0.12
Stxbp3
r 0.43 (VEH 0.04, PAS 0.63)
p 0.045, FDR 0.19
Ywhag
r -0.53 (VEH -0.40, PAS -0.92)
p 0.046, FDR 0.19
Tnnc2
r -0.71 (VEH -0.70, PAS -0.67)
p 0.046, FDR 0.19
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)
PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Nol3
r 0.60 (VEH 0.60, PAS 0.68)
p 0.046, FDR 0.19
Arfgap1
r 0.62 (VEH -0.08, PAS 0.92)
p 0.046, FDR 0.19
Mrpl11 (mito)
r 0.55 (VEH 0.53, PAS 0.87)
p 0.046, FDR 0.12
Pdhx (mito)
r 0.27 (VEH 0.76, PAS 0.06)
p 0.046, FDR 0.12
Cox7c
r -0.68 (VEH -0.63, PAS -0.73)
p 0.046, FDR 0.19
Ehd2
r -0.72 (VEH -0.99, PAS -0.37)
p 0.046, FDR 0.19
Acsl1 (mito)
r -0.33 (VEH -0.58, PAS -0.21)
p 0.047, FDR 0.12
Ddrgk1
r 0.78 (VEH 0.91, PAS 0.62)
p 0.048, FDR 0.19
Rala
r -0.48 (VEH -0.79, PAS -0.52)
p 0.048, FDR 0.19
Thy1
r 0.21 (VEH -0.38, PAS 0.82)
p 0.048, FDR 0.19
Pitpna
r 0.23 (VEH -0.41, PAS 0.47)
p 0.048, FDR 0.19
Rpl36
r -0.61 (VEH 0.17, PAS -0.70)
p 0.048, FDR 0.19
Pdlim3
r 0.19 (VEH -0.57, PAS 0.74)
p 0.048, FDR 0.19
Nomo1
r -0.12 (VEH -0.06, PAS -0.64)
p 0.049, FDR 0.19
Acadvl (mito)
r -0.64 (VEH -0.68, PAS -0.76)
p 0.049, FDR 0.13
Msrb2
r 0.77 (VEH 0.61, PAS 0.97)
p 0.049, FDR 0.19
Dhrs7b (mito)
r 0.67 (VEH 0.63, PAS 0.76)
p 0.049, FDR 0.13
Ndufa10
r -0.26 (VEH -0.44, PAS -0.34)
p 0.05, FDR 0.2
Cox20
r 0.49 (VEH 0.45, PAS 0.77)
p 0.05, FDR 0.2
Yme1l1
r 0.66 (VEH 0.84, PAS 0.74)
p 0.05, FDR 0.2
Feature value
Phenotype
VEH_M
PAS_M

Male: Proteins moving with CSA, every link at p ≤ 0.05 (n = 681)

PAS changed CSA by +13% in this sex (p 0.25), so these links follow variation between mice, not a PAS response. Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_M PAS_M


Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)


PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)
PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Timm8b
r -0.61 (VEH -0.85, PAS -0.45)
p 0.0025, FDR 0.043
Pon3
r 0.51 (VEH 0.37, PAS 0.21)
p 0.0025, FDR 0.043
Rpl38
r 0.43 (VEH 0.78, PAS 0.23)
p 0.0025, FDR 0.043
Srl
r 0.45 (VEH 0.72, PAS 0.11)
p 0.0025, FDR 0.043
Tapt1
r 0.52 (VEH 0.67, PAS -0.39)
p 0.0026, FDR 0.043
Rtn4ip1
r 0.27 (VEH 0.92, PAS -0.05)
p 0.0026, FDR 0.043
Atp5f1c
r 0.32 (VEH 0.90, PAS 0.01)
p 0.0026, FDR 0.043
Vdac1
r 0.36 (VEH 0.96, PAS -0.19)
p 0.0027, FDR 0.043
Nono
r -0.29 (VEH -0.83, PAS 0.34)
p 0.0027, FDR 0.043
Ndufa11 (mito)
r 0.43 (VEH 0.89, PAS -0.01)
p 0.0027, FDR 0.041
Mlip
r -0.47 (VEH -0.87, PAS 0.26)
p 0.0027, FDR 0.044
Coa6 (mito)
r -0.33 (VEH -0.99, PAS 0.03)
p 0.0027, FDR 0.041
Mrps7
r 0.30 (VEH 0.96, PAS 0.21)
p 0.0028, FDR 0.044
Ano10
r 0.16 (VEH 0.93, PAS -0.11)
p 0.0028, FDR 0.044
Slc25a3 (mito)
r 0.28 (VEH 0.92, PAS -0.09)
p 0.0028, FDR 0.041
Hdlbp
r -0.39 (VEH -0.93, PAS -0.13)
p 0.0028, FDR 0.044
Crip1
r -0.39 (VEH -0.70, PAS -0.15)
p 0.0028, FDR 0.044
Vapa
r 0.32 (VEH 0.96, PAS 0.00)
p 0.0029, FDR 0.045
Sgta
r -0.32 (VEH -0.97, PAS -0.11)
p 0.0029, FDR 0.045
Etfdh (mito)
r 0.37 (VEH 0.87, PAS -0.08)
p 0.0029, FDR 0.042
Feature value
Phenotype
VEH_M
PAS_M


Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Male: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 631)

PAS changed Satellite cells / fibre by +43% in this sex (p 0.086), so these links follow variation between mice, not a PAS response.
Lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link

