


Sex difference: AUC of every feature
Proteins
GO:BP / MitoCarta
Modules
Complexes
Clusters
Features
AUC (1: larger PAS change in males)
0.00
0.25
0.50
0.75
1.00


Sex difference: Complexes, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 1)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: Modules, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 2)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: GO:BP / MitoCarta, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 38)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: GO:BP / MitoCarta, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 38)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: Proteins, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 135)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: Proteins, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 135)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: Proteins, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 135)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: Proteins, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 135)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level




Sex difference: Proteins, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 135)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level



Sex difference: Proteins, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 135)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level



Sex difference: Proteins, every feature whose PAS change separates the sexes at p ≤ 0.05 (n = 135)

Each PAS mouse minus the vehicle mean of its own sex; AUC 1 = larger change in males; shuffle p, BH within level

