


Female: PAS vs VEH, female, every protein

limpa dpcDE, BH within universe; labelled: FDR ≤ 0.05 and the 10 smallest p





Proteins per tier
Dashed: proteins at p ≤ 0.05 expected by chance in each direction; Π can include p > 0.05
Full proteome
Mitochondrial universe
FDR ≤ 0.05
Π ≤ 0.05
p ≤ 0.05
2
2
0
60
49
8
10
87
65
23
24
down
up
100
50
0
50
20
0
20
Proteins (down | up)


All 152 proteins at p ≤ 0.05, per mouse
Rows z-scored across these mice, clustered on 1 - Pearson r (display only)
VEH_F
PAS_F
z
2
1
0
-1
-2
VEH_F1
VEH_F2
VEH_F3
VEH_F4
VEH_F5
PAS_F1
PAS_F2
PAS_F3
PAS_F4
PAS_F5


Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)




Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)



Female: every protein at p ≤ 0.05, in order of p

log2 abundance per mouse, bar at the group median; r: Pearson r with PAS (PAS = 1)

