





Female: GO:BP
12 strongest terms after the EnrichmentMap collapse; * FDR≤0.05
Myofibril Assembly *
Neuromuscular Process
Muscle Cell Development
Skeletal Muscle Contraction
Cellular Component Assembly Involved In Morphogenesis
Growth
Monosaccharide Catabolic Process
Striated Muscle Cell Differentiation
Chromosome Organization
Regulation Of Cell Cycle
Cell Cycle *
Carbohydrate Catabolic Process *
-log10 p
down
up
log2 FC
NES
3
2
1
0
-1
-2
-3



Female: MitoCarta
12 strongest terms after the EnrichmentMap collapse; * FDR≤0.05
Protein Homeostasis
Metabolism
ROS And Glutathione Metabolism
Amino Acid Metabolism
Carbohydrate Metabolism
Lipid Metabolism
Phospholipid Metabolism
Proteases
Xenobiotic Metabolism
Translation
Protein Import And Sorting
Detoxification
-log10 p
down
up
log2 FC
NES
3
2
1
0
-1
-2
-3


Female: signal by GO Slim family
fgsea; a term counts in every family it belongs to; every family with a term at p ≤ 0.05
Anatomical structure development
Signaling
Muscle system process
Cytoskeleton organization
Nucleobase-containing small molecule metabolic process
Cell differentiation
Carbohydrate metabolic process
Programmed cell death
Nervous system process
Mitotic cell cycle
Telomere organization
Protein-containing complex assembly
Detoxification
Cell adhesion
Carbohydrate derivative metabolic process
Protein catabolic process
Mitochondrion organization
Generation of precursor metabolites and energy
Chromosome segregation
4
0
4
8
GO:BP terms at p ≤ 0.05 (down | up)
down
up



20 strongest GO:BP terms, ordered by shared genes
EnrichmentMap similarity, average linkage; black ring FDR ≤ 0.05
Regulation Of Growth
Growth
Regulation Of Chemotaxis
Regulation Of Cell Cycle
Cell Cycle
Chromosome Organization
Skeletal Muscle Contraction
Multicellular Organismal Movement
Neuromuscular Process
Muscle Contraction
Striated Muscle Cell Differentiation
Muscle Cell Development
Sarcomere Organization
Myofibril Assembly
Cellular Component Assembly Involved In Morphogenesis
Cellular Oxidant Detoxification
Response To Toxic Substance
Monosaccharide Catabolic Process
Carbohydrate Catabolic Process
Pyridine Containing Compound Metabolic Process
-2
-1
0
1
2
NES
NES
3
2
1
0
-1
-2
-3
-log10(p)
2.50
2.75
3.00
3.25
3.50
3.75


GO Slim cellular compartments
fgsea, full proteome
Endoplasmic Reticulum
Extracellular Region
Extracellular Matrix
External Encapsulating Structure
Vacuole
Lysosome
Golgi Apparatus
Nuclear Envelope
Peroxisome
Lipid Droplet
Mitochondrion
Organelle
Cytoplasmic Vesicle
Plasma Membrane
Cytoskeleton
Chromosome
Nucleolus
Endosome
Cytosol
Nucleus
Cilium
Ribosome
Microtubule Organizing Center
Nucleoplasm
p 1.2e-07
p 0.00032
p 0.0041
p 0.019
p 0.061
p 0.17
p 0.44
p 0.51
p 0.63
p 0.69
p 1
p 0.76
p 0.54
p 0.49
p 0.38
p 0.31
p 0.1
p 0.037
p 0.00067
p 0.00018
p 0.014
p 0.004
p 0.0038
p 1.1e-06
-2
-1
0
1
2
NES
FDR > 0.05
FDR ≤ 0.05


Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)




Female: every term at p ≤ 0.05, in order of p (fgsea running score)



Female: every term at p ≤ 0.05, in order of p (fgsea running score)



Female: every term at p ≤ 0.05, in order of p (fgsea running score)



Female: every term at p ≤ 0.05, in order of p (fgsea running score)

