


Female: PAS effect on each phenotype
% change against vehicle, Welch t on log values, n = 5 v 5
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
p > 0.05
p ≤ 0.05
Female
-50%
+0%
+100%
+300%
+700%
PAS vs vehicle, % change (95% CI, log scale)


Female: features moving with each phenotype


Across PAS and vehicle mice of this sex (n = 10); p ≤ 0.05 of tests; BH within level and phenotype



Check: protein links with and without pellet mitochondrial share


Share centred within group, added to the link model





Female: Clusters against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
String 13 Ion Transport By P Type Atpases
String 12 Coagulation
String 11 Unannotated
String 10 Translation
String 09 Extracellular Matrix Organization
String 08 Myogenesis
String 07 Protein Secretion
String 06 Unannotated
String 05 Phospholipid Metabolism
String 04 mRNA Splicing
String 03 Rho GTPase Effectors
String 02 Unannotated
String 01 Oxidative Phosphorylation
-0.12 -0.14 0.12 -0.05 -0.57 -0.18 0.14
0.35 0.28 0.44 -0.00 -0.32 0.00 0.19
0.10 0.07 0.07 0.01 0.29 -0.08 0.49
-0.10 0.12 0.11 0.04 -0.28 -0.25 0.18
0.42 0.48 0.13 0.55 0.26 0.37 -0.54
0.26 0.28 -0.07 0.33 0.62 0.38 -0.45
-0.16 -0.15 0.16 -0.33 -0.51 -0.39 0.46
0.84 0.71 0.67 0.49 0.20 0.34 0.42
-0.00 -0.06 0.25 -0.06 -0.08 -0.38 0.73
-0.61 -0.40 -0.10 -0.51 -0.37 -0.58 0.47
-0.24 -0.38 -0.09 -0.43 -0.44 -0.15 -0.16
0.26 0.52 0.16 0.55 0.07 0.15 0.30
0.22 0.16 0.02 0.35 0.20 0.25 0.33
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0

Female: Complexes against PAS and the phenotypes


Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)




Female: Modules against PAS and the phenotypes
Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)
Group
Phenotype links
Yellow 0.37 0.26 0.33 0.29 0.13 -0.08 0.48
Turquoise 0.20 0.07 0.12 0.28 -0.03 -0.09 -0.22
Tan -0.06 0.00 0.19 0.00 -0.47 -0.34 0.00
Salmon 0.13 -0.10 0.16 0.01 0.08 -0.17 0.50
Red 0.26 0.30 -0.07 0.38 0.58 0.39 -0.46
Purple 0.29 0.34 0.19 0.13 0.20 0.27 0.27
Pink -0.82 -0.70 -0.62 -0.65 -0.10 -0.35 -0.42
Midnightblue -0.57 -0.55 -0.40 -0.45 -0.22 -0.30 0.05
Magenta 0.48 0.34 0.24 0.53 0.20 0.12 -0.12
Lightgreen -0.07 0.14 0.15 0.13 -0.56 -0.18 -0.08
Lightcyan -0.19 -0.17 -0.31 -0.10 -0.01 0.19 -0.73
Grey60 -0.30 -0.39 -0.09 -0.34 -0.54 -0.24 -0.00
Greenyellow -0.12 0.07 -0.00 -0.08 -0.20 0.02 -0.26
Green 0.39 0.47 0.38 0.30 0.12 0.17 0.70
Cyan -0.00 -0.07 0.20 -0.07 -0.36 -0.26 0.34
Brown -0.11 -0.23 0.18 -0.35 -0.53 -0.26 0.32
Blue -0.41 -0.30 -0.25 -0.50 -0.06 -0.03 0.41
Black -0.00 0.23 -0.22 0.16 0.49 0.37 -0.11
PAS vs vehicle
CSA
Capillary density
Satellite cells / fibre
Soleus pyruvate
Plantaris pyruvate
Soleus octanoyl
r
1.0
0.5
0.0
-0.5
-1.0


Female: Complexes against PAS and the phenotypes

Pearson r across this sex's mice (group: PAS = 1); box: FDR ≤ 0.05 (limma, BH within level)




Female: strongest robust protein per phenotype

Smallest link p that keeps its sign and p ≤ 0.05 with any one mouse left out



Female: Clusters moving with Capillary density, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Clusters moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Clusters moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Clusters moving with CSA, every link at p ≤ 0.05 (n = 1)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Clusters moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 1)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with Capillary density, every link at p ≤ 0.05 (n = 4)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Ddb2 Complex 726
r -0.79 (VEH 0.09, PAS -0.49)
p 8.6e-05, FDR 0.069
H2ax Complex II 1227
r 0.70 (VEH 0.42, PAS 0.69)
p 0.0018, FDR 0.59
Er Localized Multiprotein Com...
r 0.73 (VEH 0.44, PAS 0.39)
p 0.023, FDR 1
Er Localized Multiprotein Com...
r 0.77 (VEH 0.73, PAS 0.42)
p 0.035, FDR 1
Feature value
Phenotype
VEH_F
PAS_F


Female: Complexes moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 13)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 2)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with CSA, every link at p ≤ 0.05 (n = 12)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Complexes moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 9)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with Capillary density, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 2)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with CSA, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Modules moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 2)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Capillary density, every link at p ≤ 0.05 (n = 27)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Capillary density, every link at p ≤ 0.05 (n = 27)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: GO:BP / MitoCarta moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 1)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Feature value

Phenotype

VEH_F PAS_F


Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 98)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 32)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 32)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 30)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with CSA, every link at p ≤ 0.05 (n = 30)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 28)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: GO:BP / MitoCarta moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 28)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Capillary density, every link at p ≤ 0.05 (n = 170)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Plantaris pyruvate, every link at p ≤ 0.05 (n = 65)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus octanoyl, every link at p ≤ 0.05 (n = 220)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Soleus pyruvate, every link at p ≤ 0.05 (n = 68)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Dnm1l
r -0.71 (VEH -0.73, PAS 0.11)
p 0.017, FDR 0.64
Htra2
r 0.84 (VEH 0.73, PAS 0.27)
p 0.017, FDR 0.64
Prune1
r -0.79 (VEH -0.57, PAS 0.34)
p 0.017, FDR 0.64
Cul5
r -0.70 (VEH -0.92, PAS 0.53)
p 0.018, FDR 0.66
Osbp
r -0.58 (VEH -0.30, PAS -0.26)
p 0.018, FDR 0.66
Dnajc28
r -0.44 (VEH 0.25, PAS -0.15)
p 0.019, FDR 0.67
Glrx5 (mito)
r 0.68 (VEH 0.69, PAS 0.22)
p 0.019, FDR 0.68
Gpx1 (mito)
r 0.58 (VEH 0.21, PAS 0.12)
p 0.019, FDR 0.68
Ptgr3
r -0.73 (VEH 0.56, PAS -0.65)
p 0.019, FDR 0.67
Hspa4
r 0.61 (VEH 0.14, PAS 0.63)
p 0.02, FDR 0.67
Cops3
r -0.65 (VEH 0.25, PAS 0.53)
p 0.021, FDR 0.67
Chpt1
r -0.55 (VEH 0.45, PAS -0.83)
p 0.021, FDR 0.67
Ctnnb1
r -0.58 (VEH -0.79, PAS -0.07)
p 0.021, FDR 0.67
Cpt1a
r -0.74 (VEH -0.65, PAS -0.75)
p 0.021, FDR 0.67
Stx8
r 0.68 (VEH -0.23, PAS 0.58)
p 0.022, FDR 0.67
Atp5pf
r 0.62 (VEH 0.62, PAS 0.14)
p 0.024, FDR 0.67
Yars1
r 0.81 (VEH 0.68, PAS 0.45)
p 0.024, FDR 0.67
Mrpl47
r -0.63 (VEH -0.22, PAS -0.74)
p 0.024, FDR 0.67
Slc25a22
r 0.56 (VEH 0.34, PAS 0.53)
p 0.024, FDR 0.67
Ipo5
r -0.67 (VEH -0.72, PAS 0.81)
p 0.025, FDR 0.67
Feature value
Phenotype
VEH_F
PAS_F


Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with CSA, every link at p ≤ 0.05 (n = 148)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)


Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)
Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link
Mb
r 0.86 (VEH 0.47, PAS 0.73)
p 0.0087, FDR 0.14
Ufc1
r -0.73 (VEH -0.15, PAS -0.50)
p 0.0087, FDR 0.14
Cox17 (mito)
r 0.32 (VEH -0.33, PAS 0.88)
p 0.0087, FDR 0.2
Alg5
r 0.55 (VEH 0.47, PAS 0.18)
p 0.0091, FDR 0.14
Plp2
r -0.28 (VEH 0.21, PAS -0.64)
p 0.0092, FDR 0.14
Fahd2a
r -0.52 (VEH -0.39, PAS -0.91)
p 0.0092, FDR 0.14
Ppif
r -0.64 (VEH -0.28, PAS -0.89)
p 0.0093, FDR 0.14
Ccdc167
r 0.77 (VEH 0.82, PAS 0.88)
p 0.0093, FDR 0.14
Ldhd (mito)
r -0.68 (VEH -0.29, PAS -0.65)
p 0.0095, FDR 0.21
Cops4
r -0.61 (VEH -0.13, PAS -0.62)
p 0.0097, FDR 0.14
Kars1 (mito)
r -0.80 (VEH -0.72, PAS -0.59)
p 0.0098, FDR 0.21
Vamp3
r -0.70 (VEH -0.46, PAS -0.79)
p 0.0098, FDR 0.14
Myh13
r 0.70 (VEH 0.35, PAS 0.67)
p 0.0099, FDR 0.14
Htra2
r 0.91 (VEH 0.87, PAS 0.88)
p 0.01, FDR 0.14
Mrpl47
r -0.65 (VEH -0.43, PAS -0.64)
p 0.01, FDR 0.15
Mrps22
r -0.75 (VEH 0.02, PAS -0.76)
p 0.01, FDR 0.15
Ppif (mito)
r -0.62 (VEH -0.31, PAS -0.77)
p 0.01, FDR 0.21
Bsg
r -0.53 (VEH 0.09, PAS -0.52)
p 0.011, FDR 0.15
Gpt2 (mito)
r -0.72 (VEH -0.34, PAS -0.89)
p 0.011, FDR 0.21
Ugp2
r -0.76 (VEH -0.91, PAS 0.04)
p 0.011, FDR 0.15
Feature value
Phenotype
VEH_F
PAS_F


Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link




Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link



Female: Proteins moving with Satellite cells / fibre, every link at p ≤ 0.05 (n = 352)

Coloured lines within vehicle and within PAS (5 mice each); dashed: all 10 mice, the tested link

