

Female: perfect separations against chance

Dot: observed; grey: median and 95th percentile over all 252 relabellings of the same mice




Female: AUC of every feature




Female: Clusters, PAS vs vehicle, every feature at p ≤ 0.05 (n = 1)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Female: Complexes, PAS vs vehicle, every feature at p ≤ 0.05 (n = 6)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Female: Modules, PAS vs vehicle, every feature at p ≤ 0.05 (n = 1)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Female: GO:BP / MitoCarta, PAS vs vehicle, every feature at p ≤ 0.05 (n = 41)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Female: GO:BP / MitoCarta, PAS vs vehicle, every feature at p ≤ 0.05 (n = 41)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group





Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Itgb1
1.00 (higher), p 0.008, FDR
Snx12
0.00 (lower), p 0.008, FDR(
Cops3
0.00 (lower), p 0.008, FDR(
Mb
1.00 (higher), p 0.008, FDR
Ctsb
1.00 (higher), p 0.008, FDR
Hsp90ab1
0.00 (lower), p 0.008, FDR(
Map4
1.00 (higher), p 0.008, FDR
Tagln
0.00 (lower), p 0.008, FDR(
Stat5b
0.00 (lower), p 0.008, FDR(
Rab2a
1.00 (higher), p 0.008, FDR
Pcbp1
0.00 (lower), p 0.008, FDR(
Ube2n
0.00 (lower), p 0.008, FDR(
Cycs
1.00 (higher), p 0.008, FDR
Abcc9
1.00 (higher), p 0.008, FDR
Tom1l2
0.00 (lower), p 0.008, FDR(
Cdc37
0.00 (lower), p 0.008, FDR(
Bcap31
1.00 (higher), p 0.008, FDR
Ddx5
0.00 (lower), p 0.008, FDR(
Mff
0.00 (lower), p 0.008, FDR(
Cand2
0.00 (lower), p 0.008, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Ppp2r1a
0.00 (lower), p 0.008, FDR(
Lnpk
1.00 (higher), p 0.008, FDR
Prune1
0.00 (lower), p 0.008, FDR(
Ipo5
0.00 (lower), p 0.008, FDR(
Me3
1.00 (higher), p 0.008, FDR
Hook3
0.00 (lower), p 0.008, FDR(
Slc44a2
1.00 (higher), p 0.008, FDR
Appl1
0.00 (lower), p 0.008, FDR(
Arl6ip5
1.00 (higher), p 0.008, FDR
Cops8
0.00 (lower), p 0.008, FDR(
Ttc1
0.00 (lower), p 0.008, FDR(
Ugp2
0.00 (lower), p 0.008, FDR(
Uqcrb
0.00 (lower), p 0.008, FDR(
Sugt1
0.00 (lower), p 0.008, FDR(
Manf
1.00 (higher), p 0.008, FDR
Dynll2
1.00 (higher), p 0.008, FDR
Dusp3
0.00 (lower), p 0.008, FDR(
Jph1
1.00 (higher), p 0.008, FDR
Htra2
1.00 (higher), p 0.008, FDR
Rnf7
0.00 (lower), p 0.008, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)


Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)

Exact Wilcoxon p, BH within level; higher or lower in the first-named group




Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Hsp90aa1
0.08 (lower), p 0.032, FDR(
Ppib
.92 (higher), p 0.032, FDR
Fkbp1a
.92 (higher), p 0.032, FDR
S100a9
.92 (higher), p 0.032, FDR
Dbi
.92 (higher), p 0.032, FDR
Canx
.92 (higher), p 0.032, FDR
Hmgcl
.92 (higher), p 0.032, FDR
Acyp2
.92 (higher), p 0.032, FDR
Hnrnpk
0.08 (lower), p 0.032, FDR(
Timm13
.92 (higher), p 0.032, FDR
Eef1a2
.92 (higher), p 0.032, FDR
Rps10
.92 (higher), p 0.032, FDR
Gaa
.92 (higher), p 0.032, FDR
Eepd1
0.08 (lower), p 0.032, FDR(
Ei24
.92 (higher), p 0.032, FDR
Psap
.92 (higher), p 0.032, FDR
Pcbp2
0.08 (lower), p 0.032, FDR(
Fkbp3
.92 (higher), p 0.032, FDR
Eif4g1
0.08 (lower), p 0.032, FDR(
Ptgr3
0.08 (lower), p 0.032, FDR(
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00


Female: Proteins, PAS vs vehicle, every feature at p ≤ 0.05 (n = 117)
Exact Wilcoxon p, BH within level; higher or lower in the first-named group
Dnm1l
0.08 (lower), p 0.032, FDR(
Stxn3
0.08 (lower), p 0.032, FDR(
Cavin3
0.08 (lower), p 0.032, FDR(
Acaa1a
0.92 (higher), p 0.032, FDR
Psmd6
0.08 (lower), p 0.032, FDR(
Lap3
0.92 (higher), p 0.032, FDR
Mrpl52
0.08 (lower), p 0.032, FDR(
Ube2v2
0.08 (lower), p 0.032, FDR(
Igtp
0.92 (higher), p 0.032, FDR
Paics
0.08 (lower), p 0.032, FDR(
Dync1h1
0.08 (lower), p 0.032, FDR(
Mrpl39
0.92 (higher), p 0.032, FDR
Acot2
0.08 (lower), p 0.032, FDR(
Uso1
0.08 (lower), p 0.032, FDR(
Lamp1
0.92 (higher), p 0.032, FDR
Mthfd1
0.12 (lower), p 0.048, FDR
Mlycd
0.12 (lower), p 0.048, FDR
Sensitivity
1 - specificity
0.00
0.25
0.50
0.75
1.00