
a Modules against contrasts and phenotypes
r-equivalent of each t; bold |r| ≥ 0.4; J: subsample stability
Contrasts
Female traits
Male traits
Female
Male
F − M
CSA
Capillaries
Sat. cells
Sol. pyr
Pla. pyr
Sol. oct
84% turquoise (J 0.58) · OXPHOS
3% blue (J 0.49)
7% brown (J 0.46)
22% yellow (J 0.46) · Selenoamino Acid Metabolism
4% green (J 0.53) · Platelet Activation Signali…
13% red (J 0.67) · Myogenesis
37% black (J 0.50) · Selenoamino Acid Metabolism
10% pink (J 0.29)
125 100 75 50 25 0
proteins (% MitoCarta)
-0.28 0.44 -0.48 -0.31 -0.22 -0.12 -0.05 -0.04 0.20 0.63 0.37 -0.09 -0.13 -0.41 0.29
0.48 0.28 0.18 0.56 0.43 0.57 0.07 0.16 0.23 -0.08 0.15 0.53 -0.25 -0.13 -0.17
0.19 0.50 -0.26 0.15 0.19 0.18 0.03 -0.02 0.38 0.41 0.31 0.26 -0.04 -0.37 -0.04
-0.10 -0.20 0.07 -0.00 -0.01 -0.06 -0.45 -0.12 0.01 -0.43 -0.24 0.07 -0.15 0.04 0.04
-0.00 -0.17 0.12 -0.05 0.11 -0.13 -0.30 -0.11 -0.05 0.06 -0.20 -0.25 0.17 0.45 0.17
0.18 -0.33 0.35 0.22 -0.12 0.31 0.47 0.39 -0.41 -0.28 0.09 -0.17 0.04 0.25 0.05
-0.30 0.09 -0.27 -0.24 -0.09 -0.29 -0.49 -0.31 0.27 0.26 -0.17 -0.24 0.12 -0.12 0.25
0.00 -0.17 0.12 0.14 0.08 0.06 -0.22 -0.00 -0.14 0.04 -0.31 -0.19 0.06 0.17 0.08
p ≤ 0.05
r-equivalent
-1
0
1
b Modules that separate PAS from vehicle
Eigengene alone, within sex; Wilcoxon p ≤ 0.05
Female, blue
Male, red
sensitivity
1 – specificity
AUC 1.00
higher in PAS
p = 0.008
AUC 0.92
lower in PAS
p = 0.032
c Strongest module–trait pairs
One point per mouse; slope p adjusted for SV1
turquoise ~ CSA, male
Pearson r = 0.25
slope p = 0.0093
blue ~ Sat. cells, female
Pearson r = 0.70
slope p = 0.02
blue ~ CSA, female
Pearson r = 0.87
slope p = 0.025
blue ~ Sat. cells, male
Pearson r = 0.55
slope p = 0.033
eigengene
trait value
Female VEH
Female PAS
Male VEH
Male PAS