


A F07 Supplementary — Per-module ROC grid: signal decomposition across outcomes


Each cell = univariate AUC from one module eigengene.
Border: solid black = BH q<0.05; dashed = nominal p<0.05; grey = ns. 1000 permutations (Phispon-Smyth adjusted); paired within subject for Pre vs Post rows.



Row 1 (Age): Combined ME = (Pre+Post)/2 per subject, n=10. Row 2 (Δ VL responder): median-opt of age-residualized Δ VL, predictor = Pre ME. Rows 4-5 (age-specific Pre vs Post): paired within subject; Young n=15, Old n=15, n=2. Row 6 (LBM): median-opt of age-residualized baseline LBM, predictor = Pre ME. Row 7 (Pre vs Post): raw ME values selected across 30 subjects.

B F07 Supplementary — Panel B full sweep: module eigengenes vs Δ phenotype, age-stratified

Each cell = per-age Pearson r (Young solid / Old dashed OLS).
Border: solid black = BH q<0.05; dashed = nominal p<0.05 in Young; grey = ns. Screen: 200 tests; 6 raw-sig, 0 BH-sig.



Y/O raw = Pearson r per outcome (Y: O). Data: O4_Figures/F07_02_deprecated_8_raw_screen_01-03-2019. Phenotypes: 8 (MEgreen = Δ VL, MEturquoise = Δ VL base, MELbrown = Δ LBM, MELgreen = Δ T1, MELyellow = Δ T2 base, MELyellow = Δ T2).