


A F07 Supplementary — Per-module ROC grid: signal decomposition across outcomes


Each cell = univariate AUC from one module eigengene.
Border: solid black = BH $q < 0.05$; dashed = nominal $p < 0.05$; grey = ns. 1000 permutations (Phiscon-Smyth adjusted); paired within subject for Pre vs Post rows.



Row 1 (Age): Combined ME = (Phi-Prost)2 per subject, ns. Row 2 (VL responder): median-odds of age-residualized LVL, predictor = Pre ME. Rows 4-5 (age-specific Pre vs Post): paired within subject; Young vs O, Old vs Y vs 2. Row 6 (LBM): median-odds of age-residualized baseline LBM, predictor = Pre ME. Row 7 (Pre vs Post): raw ME values scaled across 30 subjects.

B F07 Supplementary — Panel B full sweep: module eigengenes vs Δ phenotype, age-stratified

Each cell = per-age Pearson r (Young solid / Old dashed OLS).
Border: solid black = BH $q < 0.05$; dashed = nominal $p < 0.05$ in Young; grey = ns. Screen: 200 tests; 6 raw-avg, 0 BH-avg.



Y/O raw = Pearson r per subject (Y: O: Data: OLS: F07; baseline: 0 raw-screen; 0 raw-avg; 0 BH-avg). Rows 1-5: F07; baseline: 0 raw-screen; 0 raw-avg; 0 BH-avg. Rows 6-10: F07; baseline: 0 raw-screen; 0 raw-avg; 0 BH-avg.