


Microsoft Agent 365 Security



Derk van der Woude
CTO Cybersecurity
Microsoft Security MVP

Microsoft Partner

Thank you sponsors



INSPARK

Microsoft Partner

Rubicon

Microsoft Agent 365 Security for AI Agents


- ✓ **Entra** [dedicated]
- X Defender** [dedicated]
- X Purview** [shared]



Microsoft Partner

Preview

Disclaimer



Microsoft Partner

Rubicon

Agent Identity Platform

Inhoudsopgave


Agent Introduction

Agent ID Security - Basics


Agent ID Security - Microsoft Entra [Agent 365]

Agent Security Portals

Type of AI Agents



An AI agent is an artificial intelligence entity that can autonomously perceive its environment, make decisions, learn overtime and take actions to achieve specific goals without constant human intervention.




Statement AI Agents



Govern AI Agents the same as **human employees** from a **Technical** and **Business** perspective (*although they work 24/7*)

Why

AI Agents Identity



The fundamental principles of Responsible AI

- **Accountability;** People should be accountable for AI Agents (*'unpredictable' / learn*)
- **Transparency;** AI Agents should be understandable (*interaction with humans*)
- **Security;** *Audit and Sign-in Logs (permissions and usage)*



Entra Identities




User



Service principal

Workload
Non-human



Agent

Microsoft Entra 3 types of identities


- **User Identity**
- **Workload Identity** [service principal]
- **Agent Identity**



**Entra
Agent ID**

Classic Agent [< Ignite '25]

AGENTS PLATFORMS



High Privileged Access [HPA] Graph API permissions are allowed

Microsoft Partner



Directory.ReadWrite.All ⓘ
Read and write directory data



Rubicon

Modern Agent [> Ignite '25]



Entra
Agent ID

AGENTS PLATFORMS



Modern Agent Identity [Blueprint]

- Copilot Studio
- Azure AI Foundry
- Security Copilot [✓ default]
- Agent 365 CLI/SDK [✓ default]

Because of the autonomous nature of agents and the potential risks they pose, high-risk Microsoft Graph API permissions are explicitly blocked for agents to prevent misuse or unintended access to sensitive data.

Restricted Graph API permissions

Rubicon

How to see? Modern Agent



Entra Agent ID

Disable Refresh Choose Columns View agent blueprints

Search by agent name or object ID

Add filters

42 agent identities found

☐	Name ↑↓	Created on ↑↓	Status	Object ID
☐	Agent 2 (Microsoft Copilot Studio)	01/18/26	Disabled	03c6264a-edd2-4bfc-b063-ab63ebded47d
☐	Defender Agent (Microsoft Copilot Studio)	12/10/25	Active	185e720e-7b54-40da-beb3-7dab315df8b7
☐	Agent 4 (Microsoft Copilot Studio)	03/04/26	Active	271e43e7-2050-428e-b126-207e3a70bedc
☐	Agent DERK (Microsoft Copilot Studio)	12/11/25	Active	2baaaba5-aca1-4fa7-8f3a-acb82ffaeb84
☐	Tennis Racket Finder (Microsoft Copilot St...	01/25/26	Active	2daad8b6-a95b-4771-aba3-677e90cdd12d
☐	AGENT01	01/22/26	Active	401e9d4b-c0b0-4782-a5c0-101af1ce7166
☐	Anonymous Agent (Microsoft Copilot Stu...	11/11/25	Active	408c09e8-f86b-489e-9059-e41d6b382e5e
☐	Agent 2 (Microsoft Copilot Studio)	01/25/26	Active	41014193-4097-4e7d-8b24-df1e2f5d2895
☐	Agent 4 (Microsoft Copilot Studio)	02/18/26	Active	599b3ad6-40b8-4784-a0f9-4b2cc3e3d8ec
☐	Agent 2 (Microsoft Copilot Studio)	01/18/26	Active	5b4f28db-fd4c-4764-abd5-b91bd246280b
☐	Agent (Microsoft Copilot Studio)	11/26/25	Active	5d47ec71-c8ca-4420-bd9a-c0704cd5657c


Entra Security

Why? -> Security



Entra Agent ID

AGENTS PLATFORMS



Microsoft Partner


Rubicon

Power Platform Admin center -> Copilot -> Settings -> Entra Agent Identity for Copilot Studio

Copilot Studio [per Environment]



**Entra
Agent ID**



Microsoft Partner


Rubicon

Power Platform Admin center -> Copilot -> Settings -> Entra Agent Identity for Copilot Studio

Copilot Studio [per Environment]



**Entra
Agent ID**



Microsoft Partner


Rubicon

<https://ai.azure.com/>

Azure AI Foundry [per User]



**Entra
Agent ID**



<https://ai.azure.com/>

Migration classic to modern?



**Entra
Agent ID**

There is **no migration tool** from **Microsoft** (and imho there never will be due to complexity).



Microsoft Partner

Rubicon

<https://blue16.nl/classic-agent-audit.html>

Migration classic to modern?



**Entra
Agent ID**

I created (*vibe-coded*) a 'migration' tool to view usage [80/20 rule]:

- Disable or delete not used agents
- Create new modern agent, verify and disable the classic agent

Classic Agent Usage Audit							
Derk@blue16.nl Sign out							
TOTAL AGENTS 19 19 discovered HIGH USAGE 1 active · high-privilege MEDIUM USAGE 14 moderate activity LOW USAGE 4 candidates for decommission COPILLOT STUDIO 15 origin: Copilot Studio AZURE AI FOUNDRY 4 origin: AI Foundry CUSTOM / OTHER 0 origin: custom-built							
Search agents... All High Medium Low Copilot Studio AI Foundry Custom Select Low Usage Deselect All Export All CSV Export Selected Refresh							
☐	AGENT NAME	ORIGIN	USAGE	LAST ACTIVITY	OWNERS	PERMISSIONS	CREATED
☐	ClassicAgent01 (Microsoft Copilot Studio) c2f58c97-3415-4b99-909c-a23d1a6fea63	Copilot Studio	High	—	2	0	1mo ago
☐	Defender Agent (Microsoft Copilot Studio) 97a2e920-f41a-4d1b-8b73-0001fb51c1e6	Copilot Studio	Medium	—	2	0	6mo ago
☐	Files Access Agent (Microsoft Copilot Studio) 32879e01-41c1-45d9-82e8-5d044909ea4f	Copilot Studio	Medium	3w ago	2	0	3w ago
☐	Agent DERK (Microsoft Copilot Studio) ed4efcaa-249b-481d-82c8-1e64fbbc5101	Copilot Studio	Medium	—	2	0	6mo ago
☐	Anonymous Agent (Microsoft Copilot Studio) 023c2781-fe48-4c1d-ba23-181d10ee3313	Copilot Studio	Medium	—	2	0	7mo ago
☐	Agent (Microsoft Copilot Studio) 9548a7d8-7370-4d69-a966-357290d32fdc	Copilot Studio	Medium	3w ago	2	0	6mo ago
☐	Computer-using Agent 01 (Microsoft Copilot Studio) ece15f58-c7a3-4168-9ec7-3b4632cfbfa8	Copilot Studio	Medium	—	2	0	1mo ago
☐	Agent (Microsoft Copilot Studio) 071d4688-32f0-4740-90af-c7691dfba28c	Copilot Studio	Medium	—	1	0	8mo ago
☐	Agent (Microsoft Copilot Studio) 4a2f532b-59a6-4332-873a-2949c479c437	Copilot Studio	Medium	—	2	0	5mo ago

Rubicon




01

Entra


Agent Identity Platform

INNOVATE
EXPERT
AMBITIOUS
CO-CREATE
CUSTOMER SUCCESS

Rubicon



Agent Identity Blueprint




The **Agent Identity Blueprint** is

- **Template** for **Agent Identities** [*parent / child relation*]
- **Container** for **IT management** [*Owner*]
- **Client Credentials**
 - Federated Identity Credential, Certificate or Client Secret




**Entra
Agent ID**



Microsoft Partner



Rubicon



Agent Identity Blueprint Principal



Entra
Agent ID



The Agent Identity Blueprint [Service] **Principal** adds the Agent Identity Blueprint to the **Tenant(s)** and makes it **visible** in Entra -> **Agent ID portal**

Principal Roles:

- **Token Issuance T1 obj-Id**
- **Audit Logging**

Agent blueprints

Blueprints are parent templates that power agent identities in your tenant.

Agent blueprints ⓘ

23  2200%


[View all](#)

Recently created blueprints

The newest agent blueprints created in your tenant.


A0	agent365cli Blueprint 04	0 agents
A0	Agent365CLI Blueprint 02	0 agents
A0	Agent365CLI Blueprint 01	0 agents

traceability



Microsoft Partner

Rubicon






Agent Identity Blueprint Principal




**Entra
Agent ID**

Comparison with multi-tenant Service Principals



Microsoft Partner


Rubicon



Agent Identity




**Entra
Agent ID**



The Agent Identity

- **Created from the Agent Identity Blueprint**
- Blueprint can contain up to **250 Agent Identities**
- **Inherit**
 - **Protocol properties**
 - **OAuth 2.0 scopes** (e.g. "User.Read", "Mail.Read")
 - ~~Sponsor~~




Microsoft Partner

Rubicon

Agent User




Entra Agent ID



An Entra Agent **User** is a special type of Agent Identity designed specifically for AI agents to **interact with human systems** and services like Microsoft Teams, Outlook and OneDrive

- Always **linked 1:1 to Agent Identity**
- **UserPrincipalName & mailNickname**
- **License**
- **Group Membership**
- Etc.



Agent Collections



**Entra
Agent
ID**

Agents *with* an agent identity can query the registry and discover other agents.

Agents *without* an agent identity can be part of a collection and be discovered by other agents, but they can't perform discovery themselves.

In other words, agents without an agent identity can act only as target agents in collaboration scenarios

Query Query
Discovery



Global Collection




Custom Collection




Quarantined

Discovery



Microsoft Partner

Rubicon



Agent Registry [no license required]



**Entra
Agent
ID**

Microsoft Agent 365 Agent Registry is the **centralized inventory** that **discovers, identifies, and governs AI agents** across **Microsoft** and **third-party platforms** in your organization.

| Overview

All agents

Shadow AI


Tools

Agent registry

270

Total agents in your org

[Explore all agents →](#)



Microsoft Partner

Rubicon

02

Entra

Agent ID Security Basics




CUSTOMER SUCCESS
CO-CREATE
AMBITIOUS
EXPERT
INNOVATE

Rubicon



Entra Agent ID

Owner vs. Sponsor



Microsoft Partner

- **Agent Blueprint requires an Owner > technical responsible for IT-management. The Blueprint is a container for Agent Identities (inherit permissions and roles).**


Name	Type
☐  Derk van der Wo...	Full owner

- **The Agent Identity requires a Sponsor > business accountable and inherit from [Parent] Blueprint or configured on the Agent Identity**

Name ↑	Type
☐  Derk van der W...	Sponsor

- **Manager role is set on the Agent User (e.g. Access Packages)**


Manager	Derk van der Woude Blue16
---------	-----------------------------




Owner issue?





Entra Agent ID



1:N



1:1



Microsoft Partner

Each Microsoft Copilot Studio Agent created as 'classic' agent has the owner Power Virtual Agents Service

☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/25/26	✓ Active	33a486fa-45f8-4566-a6cb-e1ff3b14258f
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	02/01/26	✓ Active	98e21450-7578-4c5d-aed9-d9a6162b8abc
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/24/26	✓ Active	a50ddc5e-550f-4933-846a-9d779dae8de9
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/24/26	✓ Active	a8c96b9c-d149-4d79-af6a-5b07ed248a8b
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/25/26	✓ Active	ca4fc847-3ad2-48a5-a995-d10aae7e2177
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/24/26	✓ Active	eea3c8e8-3d76-4551-b13a-c154431264b5




	Display Name	Role assigned
☐	Power Virtual Agents Service	Configuration Owner


Owner issue?





Entra Agent ID



1:N



1:1



Microsoft Partner

Dynamic 365 includes out-of-the-box AI agents.

When an agent is created, Copilot Studio automatically generates an app registration in Microsoft Entra (without owner).



The total number of app registrations depends on the number of organizations (orgs) in the tenant and the number of agents each org uses. For example, if a tenant has 6 Dynamics 365 Sales orgs and each org uses 10 agents, Copilot Studio will create 160 app registrations (10 orgs × 10 agents each = 60 registrations) in Microsoft Entra.



**Entra
Agent
ID**


Graph API Permissions

- **Inherit from Agent Blueprint (Indirect; base permissions)**
-> OAuth2PermissionScopes/Grants included in the Token **
- **Set on Agent Identity (Direct)**



Microsoft Partner

Rubicon



**Inheritance I




**Entra
Agent
ID**

Protocol properties (always inherited)

Agent Blueprint [OAuth 2.0 app configuration]


- Identifier URIs → defines the resource audience (the "aud" claim)
- Supported grant types → client_credentials, authorization_code, etc.
- Scope definitions → what OAuth2 permission scopes exist on this resource



Microsoft Partner

[** From Blueprint to Token: How Entra Agent Identity Inheritance Really Works | by Derk van der Woude | Mar, 2026 | Medium](#)

Rubicon



**Inheritance II



Entra
Agent
ID

Delegated permissions (conditionally inherited)

Agent Blueprint

—— **inheritablePermissions:** [User.Read, Mail.Read]

↓ filters what **can** flow


Agent Blueprint Principal

—— **OAuth2PermissionGrants:** [User.Read, Mail.Read, Mail.Send]

↓ only intersection **passes** through

Agent Identity

—— **Effective** grants: [User.Read, Mail.Read] ← Mail.Send **blocked**




Microsoft Partner

The agent identity itself does not store these permissions , they are applied **at runtime during token issuance.**

** From Blueprint to Token: How Entra Agent Identity Inheritance Really Works | by Derk van der Woude | Mar, 2026 | Medium

Rubicon




****Inheritance III - level 400**

- **What is NOT inherited** (direct-only)
 - **Direct permissions assignment**
 - **Owner** and/or **Sponsor**



**Entra
Agent
ID**



Microsoft Partner

Rubicon




Entra Agent ID

Client Permissions

- Federated Identity Credential is a trust relationship that allows external identity providers to authenticate to Entra ID

most secure




- Certificate is a public (*registered in Entra*) & private (*registered in the App*) key pair

Thumbprint	Description
C9CB6ADBBD99F118FA39E37C0E42E87499358C3F	CN=TestCertBlue16

- Client Secret is a client secret (*complex password*), often used in lab or demo environments

Description	Expires	Value ⓘ
Secret	8/1/2026	OYw8Q~HR_0RRPatrvWxMRbwPTjZAXZikhadtFc5Q


least secure




Microsoft Partner

Rubicon

Authentication



1. The **blueprint authenticates** using its
2. **credentials** (*secret, certificate, or FIC*) to get an
3. Exchange Token [T1] from Microsoft Entra ID. The
4. **agent identity** presents the **Token [T1]** to prove "I'm an instance created from this blueprint" &
5. requests its Access Token [T2] to
6. **access resources** / Microsoft Graph or custom API.



Microsoft Partner

04

Entra ID

Agent ID Security Advanced Products



CUSTOMER SUCCESS

CO-CREATE


AMBITIOUS

EXPERT

INNOVATE

Rubicon

Microsoft 365 E7 / Agent 365






ID Protection for Agents

ID Protection for Agents detect anomalous activities

- [Critical] Confirmed compromised
 - [Critical] Entra Threat Intelligence
 - [High] Unfamiliar resource access
 - [High] Sign-in by risky user
 - [Medium] Sign-in spike
 - [Medium] Failed access attempt
-
- Set Risk
- ... High
 - ... Medium
 - ... Low



Only Modern [Blueprint] Agents are in-scope of ID Protection



ID Protection for Agents

Set Agent Identity status to ■ ■ ■ High Risk via Graph API [BETA]

POST

beta

https://graph.microsoft.com/beta//identityProtection/riskyAgents/microsoft.graph.confirmCompromised

Run query

Request Body

Request Headers

Modify Permissions

Access token

```
{
  "agentIds": [
    "03c6264a-edd2-4bfc-b063-ab63ebded47d"
  ]
}
```

Method Not Allowed - 405 - 64 ms

Response preview

Response headers


Code snippets

Toolkit component

Adaptive cards

```
{
  "client-request-id": "00d2521d-30e3-ed51-9a33-67d7aa635afc",
  "content-type": "application/json",
  "request-id": "32d05c2b-99c2-42f7-b242-7be96b68d8e6"
}
```


ID Protection for Agents





ID Protection for Agents


ID Protection Risk is shared with Conditional Access





Conditional Access


Conditional Access for Agents evaluates risk (& context) before granting access to enterprise resources are part of the Zero Trust principles.





Conditional Access

Conditional Access for Agents **evaluates** risk (& context) before granting access to enterprise resources are part of the Zero Trust principles.





Conditional Access scope

Conditional Access for Agent only applies when Agent Identity or Agent User -> request Token [T2]

✓ Applies


Agent Identity > Resource [Token Request]

Agent User > Resource [Token Request]

X Does NOT apply

Blueprint > Graph [Create Agent]

Blueprint > Agent [Token Exchange]



Policy name ↓	Created by	State
_Block users signing into agents	USER	Report-only
_Block Agent User	USER	Report-only
_Block Agent Identity	USER	Report-only



Conditional Access Policy #1

Block access policy for Risky Agents [■ ■ ■ High Risk]

Assign Agent Identity and/or **Agent User** [Agent **Blueprint** for **grouping**]

Block High Risk Agents

Conditional Access policy

[Delete](#) [View policy information](#)

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Assignments

Users or agents (Preview)

All agent identities (Preview)

Target resources ⓘ
[All resources \(formerly 'All cloud apps'\)](#)

Conditions ⓘ
[1 condition selected](#)

Access controls

Grant ⓘ
[Block access](#)

Control access based on who the policy will apply to, such as users and groups, agents, workload identities, directory roles, or external guests. [Learn more](#)

What does this policy apply to?

Include Exclude

☐ None

☒ All agent identities (Preview) ⓘ



☐ Select agents



Conditional Access Policy #2

Allow Access to HR Approved Agents

- Create and assign custom attributes [filter] or enhanced object picker
 - Attribute Definition Administrator role ➡
- Create Conditional Access Policy
- Agent Identity – Custom attributes ↓
 - Attribute Assignment Administrator role



COMPLEX

Conditional Access demo ✓



**Entra
Agent
ID**

No Risk Agent sign-in [T2]

PS C:\>



Conditional Access demo X

High Risk Agent sign-in [T2]

Block High Risk Agents ...

Conditional Access policy

 Delete  View policy information

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#) 

Name *

Block High Risk Agents

Assignments

Users or agents (Preview) ⓘ

[All agent identities \(Preview\)](#)

Target resources ⓘ

[All resources \(formerly 'All cloud apps'\)](#)

Conditions ⓘ

[1 condition selected](#)

Access controls

Grant ⓘ

[Block access](#)


Microsoft Partner

Rubicon



Identity Governance

Microsoft Entra Identity Governance for Agents provides **lifecycle management** and **governance capabilities** for **Agent identities** and **Agent users**.





Identity Governance

Demo Lifecycle Workflow

Maintain Sponsor of an Agent ID as they move to a different job or leave the company

Sponsor change | Overview

Workflow

Overview

Manage

Properties

Tasks

Execution conditions

Version

Administration scope (Preview)

Activity

Workflow history

Enable schedule

Run on demand

Delete

Got feedback?

Overview

Basic Information

Workflow name	Sponsor change	Workflow Id	f2a76a9c-4416-4c4a-8ef6-987b12a92fbf
Workflow description	Configure mover tasks for employees once their job profile changes	Schedule	No
Category	Mover	Last run date	2/19/2026, 1:38 PM
Date created	2/13/2026, 12:56 PM	Last modified	2/18/2026, 9:01 PM

My Feed

Total processed users
4
View users

Processed users with failures
3
View failures

Processed tasks with failures
1
View tasks

Configured tasks
3
View tasks

Current version
3
View versions

Administration scope (Preview)
0
View administration scope

Quick Action

Run on demand

Edit tasks

View workflow history



Secure Access for Agents

Microsoft Entra Internet Access provides network controls that help protect **Entra Agent Identities** (including those created in Copilot Studio) by enforcing policy through **Secure Web** and **AI Gateway**.



Security Controls

- **Web content and URL filtering;** control access to web content based on categories and URLs.
- **Threat intelligence filtering;** block access to known malicious sites and services.
- **Network file filtering;** control file uploads and downloads.
- **Traffic logs;** view network traffic for agents



Secure Access for Agents

#1 - Enable Global Secure Access for Copilot Studio

The screenshot displays the Microsoft Entra Security Center interface. On the left is a navigation pane with icons for Home, Actions, Manage, Security (highlighted with a tooltip), Copilot, Monitor, Deploy..., Licensing, and Support. The main content area is titled 'Security' and includes a sub-menu with 'Overview' (selected), 'Settings', 'Data and privacy', 'Threat detection', 'Compliance', 'Products', and 'Power Pages'. The 'Overview' section shows a 'Security score' that refreshes every 24 hours. A 'Score (preview)' card displays a gauge with a needle pointing to 38%, labeled 'Low' and '13 of 31 points'. To the right of the gauge is a large graphic of a shield with a green and blue gradient.

Security

- Overview
- Settings
- Data and privacy
- Threat detection
- Compliance
- Products
- Power Pages

Overview

Keep an eye on the security of your organization, and see ways to take action to improve it. [Learn more](#)

Security score

This refreshes every 24 hours.

Score (preview)

0 38% 100

Low

13 of 31 points



Secure Access for Agents

DEMO: create Threat Intelligence Policy and access entratestthreat.com via HTTP Request and output the response var {1}

Threat Intelligence policies (Preview) ...

Secure Web and AI Gateway for agents, now in preview, is part of Microsoft Agent 365, the control plane for agents. Get early access to Agent 365 via the Frontier program. [Learn more.](#)

[+ Create policy](#) [Refresh](#) | [Got feedback?](#)

Manage and store saved threat intelligence policies [Learn more](#)

[Add filter](#)

Name	Description	Last modified date	
Threat Intelligence Policy	Threat Intelligence Policy	2026-01-20T15:17:47	...



Secure Access for Agents

Link policy to the **baseline profile** to apply them for Copilot Studio agent traffic

Traffic logs

Created date time	Traffic type	Destination FQDN	User principal name	Action	Source IP	AI Agent ID	AI Agent name
02/19/2026, 01:01:38.000 PM	Internet	entratestthreat.com	copilots_header_82530	Block	57.153.222.200	599b3ad6-40b8-4784-a0f9-4b2cc3e3d8ec	copilots_header_82530
02/19/2026, 01:01:36.000 PM	Internet	learn.microsoft.com	copilots_header_82530	Block	20.86.93.33	599b3ad6-40b8-4784-a0f9-4b2cc3e3d8ec	copilots_header_82530

Policies attached to the baseline profile apply to **ALL** users and agents




Secure Access for Agents

69

05


Microsoft

Dashboard(s) for AI Agents




INNOVATE
EXPERT
AMBITIOUS
CO-CREATE
CUSTOMER SUCCESS

Rubicon



Security Dashboard for AI | CISO



<https://ai.security.microsoft.com>



Microsoft Entra

- ID Protection ✓
- Conditional Access ✓



Microsoft Purview

Policies

- Audit ✓
- Data Loss Prevention ✓
- Communication Compliance ✓
- Insider Risk Management ✓
- Data Lifecycle Management ✓




Microsoft Defender

- Defender for AI Services ✓
- App Discovery ✓
- M365 Data Connector ✓
- App Governance ✓
- AI Agent Inventory ✓

Microsoft Partner


Rubicon



Security Dashboard for AI | CISO



<https://ai.security.microsoft.com>



- ID Protection ✓
- Conditional Access ✓



Policies

- Audit ✓
- Data Loss Prevention ✓
- Communication Compliance ✓
- Insider Risk Management ✓
- Data Lifecycle Management ✓



- Defender for AI Services ✓
- App Discovery ✓
- M365 Data Connector ✓
- App Governance ✓
- AI Agent Inventory ✓

Microsoft Partner

Rubicon

Security Dashboard for AI



 Prevent agent sprawl and unauthorized access Microsoft Entra

 Prevent data leaks and oversharing Microsoft Purview

 Enable Microsoft Purview Audit

 Turn on Data Loss Prevention (DLP)

 Turn on Communication Compliance, Insider Risk Management, and Data Lifecycle Management

 Address AI risk and vulnerabilities Microsoft Defender



- 1. Navigate to Data Loss Prevention.** In the Microsoft Purview compliance center, go to Solutions → Data Loss Prevention.
- 2. Create a new policy.** Select 'Create policy' and choose from templates or create a custom policy based on your needs.
- 3. Configure policy settings.** Define what sensitive information to protect, where to apply the policy, and what actions to take when violations occur.



Security Dashboard for AI

Overview

AI inventory

AI risk

✔ Prevent agent sprawl and unauthorized access

Microsoft Entra

ⓘ Prevent data leaks and oversharing

Microsoft Purview

✔ Enable Microsoft Purview Audit

✔ Turn on Data Loss Prevention (DLP)

○ Turn on Communication Compliance, Insider Risk Management, and Data Lifecycle Management

ⓘ Address AI risk and vulnerabilities

Microsoft Defender

✔ Enable Defender for AI Services


○ Configure cloud apps discovery

✔ Enable Microsoft 365 Connector

✔ Enable App Governance


✔ Enable Copilot Studio AI agents

Rubicon



Agent 365 | IT Control Plane

<https://admin.microsoft.com/>




Agent-To-Agent communication

Rubicon



Agent 365 | IT Control Plane

<https://admin.microsoft.com/>



All agents

Agent 365

Monitor and control all the agents in your organization powered by Microsoft Entra. [Manage in Entra](#) | [Learn more about managing agents](#)


Map **Frontier** Registry Requests Catalog

Total agents **173** Missing an owner **0** Blocked agents **0**

Filters: Publisher Availability Channel Platform

Search

Manage [Write]




Help & support

Give Feedback

MICROSOFT PARTNER

Agent-To-Agent communication

Rubicon



Entra | Agents

Agents | Overview

Manage and monitor agent identities

Search

«

Overview

Agent blueprints

Agent identities

Activity

Sign-in logs

Search for agent identities by name or object ID

Agent identities in your tenant

86

1%

Gain full visibility into all agent identities in your tenant, and secure them by default with policies and lifecycle controls. [Learn more](#)

View all agent identities

Recently created

Created in last 30 days

1

↑ 1%

Unmanaged

No owners or sponsors

9

Active

Enabled for access

85

Agents' user accounts

Agents with user accounts

2

View

Agent blueprints

Blueprints are parent templates that power agent identities in your tenant.

34

Created in this tenant

30

Added from another tenant

4

View all

Recently created blueprints


The newest agent blueprints created in your tenant.

AB	Agent Blueprint	1 agent	View
B	blueprint-fic-lab	1 agent	View
B	bp-fic-lab	1 agent	View

Microsoft Partner

Rubicon

77



Defender | AI Assets

AI Assets (preview)

Agents Local agents

Agents insights

Total monitored agents
Last 7 days

10  ↑ 12%


View as: Default  Refresh

10 items  Customize columns

Filter set:

Agent name: Any  Version: Any  OS platform: Any  Device type: Any  Account domain: Any  Device name: Any  Account name: Any  Last updated: Any   Add filter

Agent name 	Version	Device name	OS platform	Device type	Account name	Account domain	MCP servers (count)	Local MCPs (count)	First seen
 ChatGPT Desktop	1.2026.133	blue16-atomman	Windows11	Workstation	DerkvanderWoudeBlue1	AzureAD	0	0	14 juni 2026
 ChatGPT Desktop	1.2026.133	blue16-i9-64gb-2tbssd	Windows11	Workstation	DerkvanderWoude	AzureAD	0	0	21 juni 2026
 Claude Code	2.1.185.0	blue16-i9-64gb-2tbssd	Windows11	Workstation	DerkvanderWoude	AzureAD	0	0	22 juni 2026
 Claude Desktop	1.1.185.0	blue16-i9-64gb-2tbssd	Windows11	Workstation	DerkvanderWoude	AzureAD	0	0	13 juni 2026
 Claude Desktop	1.1.4173	blue16-atomman	Windows11	Workstation	DerkvanderWoudeBlue1	AzureAD	0	0	13 juni 2026
 Claude Desktop	1.1.4173	blue16-mstlpt02	Windows11	Workstation	DerkvanderWoude	AzureAD	0	0	14 juni 2026
 Ollama Desktop	1.0	blue16-i9-64gb-2tbssd	Windows11	Workstation	DerkvanderWoude	AzureAD	0	0	21 juni 2026
 OpenClaw	22.17.1	blue16-i9-64gb-2tbssd	Windows11	Workstation	SYSTEM	NT AUTHORITY	0	0	13 juni 2026
 VSCode GitHub Copilot Extension	0.31.2	blue16-atomman	Windows11	Workstation	—	—	0	0	22 juni 2026



AI Agent Portals 😊

Agent registry

270



Agent identities in your tenant

86



1%



Agents insights



Total monitored agents

Last 7 days

278



↑ 3%

Security Dashboard for AI

244 total agents in your organization

Active ⓘ

244

↘ 0%

Inactive ⓘ

0

↘ 0%

<https://derkvanderwoude.medium.com>

My blog (if you want to know more)


Derk van der Woude

[Home](#) [About](#)

Copilot Studio Agent Security misconfigurations — part II


In my previous blog I explain different security misconfigurations in Microsoft Copilot Studio agents including ⚠️ risk and...

2h ago



Copilot Studio Agent Security misconfigurations

While May 1st marks the GA of the Microsoft 365 E7 license, which includes the Agent 365 license (advanced Entra, Defende...




Derk van der Woude

561 followers

Microsoft Security MVP

Follow

Solutions built on and born in the cloud



Q&A