




Microsoft Agent 365 Security

Derk van der Woude

CTO Cybersecurity @ Rubicon #BBTG

Thank you sponsors



Microsoft Partner



Rubicon

Partner voor digitale transformatie, cloud adoptie en AI implementatie.



InSpark

Jouw #1 Microsoft partner voor digitale innovatie



Valid

Jouw IT-partner. Betrouwbaar en futureproof.



Inforcer

Standardize 365 policies across multiple tenants.



Intercept

Meer succes door krachtige cloudoplossingen



Innvolve

Wij zijn Innvolve. Microsoft Solutions Partner.



Microsoft Agent 365 Security for AI Agents


- ✓ **Entra** [dedicated]
- ✓ **Defender** [dedicated]
- ✗ **Purview** [shared]



Microsoft Partner

Preview

Disclaimer



Microsoft Partner

Rubicon

Agent Identity Platform

Inhoudsopgave

Agent Introduction


Agent ID Security - Basics

Agent ID Security - Microsoft Defender [Agent 365]


Agent ID Security - Microsoft Entra [Agent 365]

Agent Security Portals

Type of AI Agents



An AI agent is an artificial intelligence entity that can autonomously perceive its environment, make decisions, learn overtime and take actions to achieve specific goals without constant human intervention.




Statement AI Agents



Govern AI Agents the same as **human employees** from a **Technical** and **Business** perspective (*although they work 24/7*)

Why

AI Agents Identity




The fundamental principles of Responsible AI

- **Accountability;** People should be accountable for AI Agents (*'unpredictable' / learn*)
- **Transparency;** AI Agents should be understandable (*interaction with humans*)
- **Security;** *Audit and Sign-in Logs (permissions and usage)*



Entra Identities




User



Service principal

Workload
Non-human



Agent

Microsoft Entra 3 types of identities


- **User Identity**
- **Workload Identity** [service principal]
- **Agent Identity**



**Entra
Agent ID**

Classic Agent [< Ignite '25]

AGENTS PLATFORMS



High Privileged Access [HPA] Graph API permissions are allowed

Microsoft Partner



Directory.ReadWrite.All ⓘ
Read and write directory data



Rubicon

Modern Agent [> Ignite '25]



Entra
Agent ID

AGENTS PLATFORMS



Modern Agent Identity [Blueprint]

- Copilot Studio
- Azure AI Foundry
- Security Copilot [✓ default]
- Agent 365 CLI/SDK [✓ default]

Because of the autonomous nature of agents and the potential risks they pose, high-risk Microsoft Graph API permissions are explicitly blocked for agents to prevent misuse or unintended access to sensitive data.

Restricted Graph API permissions

Rubicon

How to see? Modern Agent



Entra Agent ID

Disable Refresh Choose Columns View agent blueprints

Search by agent name or object ID

Add filters

42 agent identities found

☐	Name ↑↓	Created on ↑↓	Status	Object ID
☐	Agent 2 (Microsoft Copilot Studio)	01/18/26	Disabled	03c6264a-edd2-4bfc-b063-ab63ebded47d
☐	Defender Agent (Microsoft Copilot Studio)	12/10/25	Active	185e720e-7b54-40da-beb3-7dab315df8b7
☐	Agent 4 (Microsoft Copilot Studio)	03/04/26	Active	271e43e7-2050-428e-b126-207e3a70bedc
☐	Agent DERK (Microsoft Copilot Studio)	12/11/25	Active	2baaaba5-aca1-4fa7-8f3a-acb82ffaeb84
☐	Tennis Racket Finder (Microsoft Copilot St...	01/25/26	Active	2daad8b6-a95b-4771-aba3-677e90cdd12d
☐	AGENT01	01/22/26	Active	401e9d4b-c0b0-4782-a5c0-101af1ce7166
☐	Anonymous Agent (Microsoft Copilot Stu...	11/11/25	Active	408c09e8-f86b-489e-9059-e41d6b382e5e
☐	Agent 2 (Microsoft Copilot Studio)	01/25/26	Active	41014193-4097-4e7d-8b24-df1e2f5d2895
☐	Agent 4 (Microsoft Copilot Studio)	02/18/26	Active	599b3ad6-40b8-4784-a0f9-4b2cc3e3d8ec
☐	Agent 2 (Microsoft Copilot Studio)	01/18/26	Active	5b4f28db-fd4c-4764-abd5-b91bd246280b
☐	Agent (Microsoft Copilot Studio)	11/26/25	Active	5d47ec71-c8ca-4420-bd9a-c0704cd5657c


Entra Security

Why? -> Security



Entra Agent ID

AGENTS PLATFORMS



Microsoft Partner


Rubicon

Power Platform Admin center -> Copilot -> Settings -> Entra Agent Identity for Copilot Studio

Copilot Studio [per Environment]



**Entra
Agent ID**



Microsoft Partner


Rubicon

Power Platform Admin center -> Copilot -> Settings -> Entra Agent Identity for Copilot Studio

Copilot Studio [per Environment]



**Entra
Agent ID**



Microsoft Partner


Rubicon

<https://ai.azure.com/>

Azure AI Foundry [per User]



**Entra
Agent ID**






01

Entra


Agent Identity Platform

INNOVATE
EXPERT
AMBITIOUS
CO-CREATE
CUSTOMER SUCCESS

Rubicon



Agent Identity Blueprint




The **Agent Identity Blueprint** is

- **Template** for **Agent Identities** [*parent / child relation*]
- **Container** for **IT management** [*Owner*]
- **Client Credentials**
 - Federated Identity Credential, Certificate or Client Secret




**Entra
Agent ID**





Microsoft Partner

Rubicon



Entra Agent ID

Agent Identity Blueprint Principal



The Agent Identity Blueprint [Service] **Principal** adds the Agent Identity Blueprint to the **Tenant(s)** and makes it **visible** in Entra -> **Agent ID portal**

traceability

Principal Roles:

- **Token Issuance T1 obj-Id**
- **Audit Logging**

Agent blueprints

Blueprints are parent templates that power agent identities in your tenant.

Agent blueprints ⓘ


23  2200%

[View all](#)

Recently created blueprints


The newest agent blueprints created in your tenant.

A0	agent365cli Blueprint 04	0 agents
A0	Agent365CLI Blueprint 02	0 agents
A0	Agent365CLI Blueprint 01	0 agents



Microsoft Partner

Rubicon






Agent Identity Blueprint Principal




**Entra
Agent ID**

Comparison with multi-tenant Service Principals



Microsoft Partner


Rubicon



Agent Identity




**Entra
Agent ID**



The Agent Identity

- **Created from the Agent Identity Blueprint**
- Blueprint can contain up to **250 Agent Identities**
- **Inherit**
 - **Protocol properties**
 - **OAuth 2.0 scopes** (e.g. "User.Read", "Mail.Read")
 - ~~Sponsor~~




Microsoft Partner

Rubicon

Agent User




Entra Agent ID



An Entra Agent **User** is a special type of Agent Identity designed specifically for AI agents to **interact with human systems** and services like Microsoft Teams, Outlook and OneDrive

- Always **linked 1:1 to Agent Identity**
- **UserPrincipalName & mailNickname**
- **License**
- **Group Membership**
- Etc.



Agent Collections



**Entra
Agent
ID**

Agents *with* an agent identity can query the registry and discover other agents.

Agents *without* an agent identity can be part of a collection and be discovered by other agents, but they can't perform discovery themselves.

In other words, agents without an agent identity can act only as target agents in collaboration scenarios

Query Query
Discovery



Global Collection




Custom Collection



Quarantined

Discovery



Microsoft Partner

Rubicon

Agent Registry [no license required]

Central registration / repository of all AI Agents

Entra ID

Agent 365



Entra
Agent
ID

Agent ID | Agent registry (Preview) Manage and monitor agent identities

Search Refresh

Overview (Preview)
All agent identities (Preview)
Agent registry (Preview)
Agent collections (Preview)

Activity
Sign-in logs (Preview)

Review all agents and their data in your tenant. See how they connect to your identity and security setup.

Search by name or ID Add filters

31 agents found

Name	Registry ID	Created i
A1 Agent 1	MicrosoftCopilotStudio_Default-82d2b6a0-71	Microsoft
CS Copilot Studio Agent with Tool 01	MicrosoftCopilotStudio_Default-82d2b6a0-71	Microsoft
BA Blue16 Agent 16	MicrosoftCopilotStudio_Default-82d2b6a0-71	Microsoft
FT Finance Ticket Assistant Agent	MicrosoftCopilotStudio_Default-82d2b6a0-71	Microsoft
SH Secure Helpdesk Copilot	MicrosoftCopilotStudio_Default-82d2b6a0-71	Microsoft
MS Microsoft Sentinel MCP Server Agent	MicrosoftCopilotStudio_Default-82d2b6a0-71	Microsoft
TR Tennis Racket Finder	MicrosoftCopilotStudio_Default-82d2b6a0-71	Microsoft

Home / All agents Enable Dark mode

All agents Agent 365

Monitor and control all the agents in your organization powered by Microsoft Entra. [Manage in Entra](#) | [Learn more about managing agents](#)


Map **Frontier** **Registry** Requests Catalog

Total agents 230 Missing an owner 0 Blocked agents 0

Refresh Export to Excel Search

Filters: Publisher Availability Channel Platform

Name	Availability ⓘ	Risks ⓘ	Active users
Skills (Frontier) Microsoft	⋮	🟢 All users	



Agent Registry



**Entra
Agent
ID**

March 2026

Plan for change – Agent Registry consolidation into Microsoft Agent 365

Type: Plan for change

Service category: Other

Product capability: Directory

We're consolidating agent management experiences to make it easier to observe, govern, and secure all agents in your tenant. Agent 365 will be the single source of truth, offering a unified catalog, consistent visibility, and simplified management.

What's changing

Agent 365 release May 1st

- The Agent registry and Agent collections blades in the [Entra admin center](#) will be retired on May 1, 2026.

02

Entra


Agent ID Security Basics



CUSTOMER SUCCESS
CO-CREATE
AMBITIOUS
EXPERT
INNOVATE

Rubicon

Owner



Microsoft Partner



Entra Agent ID

- **Agent Blueprint requires an Owner > technical responsible for IT-management. The Blueprint is a container for Agent Identities (inherit permissions and roles).**


Name	Type
☐  Derk van der Wo...	Full owner

- **The Agent Identity requires a Sponsor > business accountable and inherit from [Parent] Blueprint or configured on the Agent Identity**

Name ↑	Type
☐  Derk van der W...	Sponsor

- **Manager role is set on the Agent User (e.g. Access Packages)**


Manager	Derk van der Woude Blue16
---------	-----------------------------




Owner issue?





Entra Agent ID



1:N



1:1




Microsoft Partner

Each Microsoft Copilot Studio Agent created as 'classic' agent has the owner Power Virtual Agents Service



☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/25/26	Active	33a486fa-45f8-4566-a6cb-e1ff3b14258f
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	02/01/26	Active	98e21450-7578-4c5d-aed9-d9a6162b8abc
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/24/26	Active	a50ddc5e-550f-4933-846a-9d779dae8de9
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/24/26	Active	a8c96b9c-d149-4d79-af6a-5b07ed248a8b
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/25/26	Active	ca4fc847-3ad2-48a5-a995-d10aae7e2177
☐	SC	Sales Close Agent - Custom Research (Microsoft Copilot Studio)	01/24/26	Active	eea3c8e8-3d76-4551-b13a-c154431264b5



	Display Name	Role assigned
☐	Power Virtual Agents Service	Configuration Owner



Owner issue?



Microsoft Partner

Dynamic 365 includes out-of-the-box AI agents.

When an agent is created, Copilot Studio automatically generates an app registration in Microsoft Entra (without owner).

The total number of app registrations depends on the number of organizations (orgs) in the tenant and the number of agents each org uses. For example, if a tenant has 6 Dynamics 365 Sales orgs and each org uses 10 agents, Copilot Studio will create 160 app registrations (10 orgs × 10 agents each = 60 registrations) in Microsoft Entra.





Entra Agent ID



Graph API Permissions

- **Inherit from Agent Blueprint (Indirect; base permissions)**
-> OAuth2PermissionScopes/Grants included in the Token **
- **Set on Agent Identity (Direct)**






Client Permissions

- Federated Identity Credential is a trust relationship that allows external identity providers to authenticate to Entra ID

most secure




- Certificate is a public (*registered in Entra*) & private (*registered in the App*) key pair

Thumbprint	Description
C9CB6ADBBD99F118FA39E37C0E42E87499358C3F	CN=TestCertBlue16

- Client Secret is a client secret (*complex password*), often used in lab or demo environments


Description	Expires	Value ⓘ
Secret	8/1/2026	OYw8Q~HR_0RRPatrvWxMRbwPTjZAXZikhadtFc5Q

least secure




Microsoft Partner

Authentication



**Entra
Agent
ID**


1. The **blueprint authenticates** using its
2. **credentials** (*secret, certificate, or FIC*) to get an
3. Exchange Token [T1] from Microsoft Entra ID. The
4. **agent identity** presents the **Token [T1]** to prove "I'm an instance created from this blueprint" &
5. requests its Access Token [T2] to
6. **access resources** / Microsoft Graph or custom API.



Microsoft Partner

Rubicon

Microsoft 365 E7 / Agent 365



03

Defender

**Agent ID Security
Advanced Products**




INNOVATE
EXPERT
AMBITIOUS
CO-CREATE
CUSTOMER SUCCESS

Rubicon



AI Agent Inventory

The AI Agent Inventory is a Microsoft Defender **Security Posture** feature for AI Agents in Microsoft Studio Copilot (*AI Foundry is on the roadmap*) leveraging Advanced Hunting and the new **AIAgentsInfo** table.




AgentDescription	string	Description of the agent as displayed in the agent's source
AgentStatus	string	Status of the agent; possible values: Created, Published, Deleted
UserAuthenticationType	string	The agent's configured authentication type for users interacting with the agent; possible values: None, Microsoft, Custom
AgentUsers	string	List of user principal names (UPNs) or group IDs that can use the agent
KnowledgeDetails	string	Details about the knowledge sources added to the agent
AgentActionTriggers	string	List of triggers that makes an autonomous agent take action
RawAgentInfo	string	Contents of the raw JSON that describes the agent and contains configuration details, as received from the provider
AuthenticationTrigger	string	Indicates when authentication is triggered for the agent; possible values: As Needed, Always
AccessControlPolicy	string	Users that can interact with the agent; possible values: Any, Copilot readers, Group membership, Any (multitenant)
AuthorizedSecurityGroupIds	dynamic	List of Azure Active Directory Group IDs that are allowed to interact with the agent

Microsoft Partner



Agent Security Risk(s) examples

	Misconfiguration & Risk	Security Impact
Critical	Sending email to AI controlled input values	The AI agent itself decides who receives the email and what data is included , based on prompts or context (can be manipulated via prompt injection to redirect the email or leak data.
Critical	Agents containing hard-coded credentials	AI agents contain credentials directly embedded inside Topics or Actions.
Critical	Agents that do not require authentication	AI agent is configured without user authentication and (if configured) authenticates via the creator's identity to access resources





Agent Security Risk(s) examples

Finance Forecast

Overview

Knowledge

Tools

Agents

Topics

Activity

Evaluation

Analytics

Channels

Published 3/5/2026

Publish

Settings

Test

Details

Edit

Name

Finance Forecast

Description

None provided

13/1024

Select your agent's model

Your agent will primarily use the model for reasoning and responding. Experimental models are subject to [preview terms](#). [Learn more](#)

GPT-5 Chat

Analytics

Open Analytics

Check your agent's key performance info from the last 7 days.

Conversation sessions

0

Engagement

0%

Satisfaction score

--

Instructions

Edit

Describe what you want this agent to do, its tone, and rules.

Knowledge

+ Add knowledge

Add data, files, and other resources to inform and improve AI-generated responses.

Add knowledge

Web Search

Enable your agent to search all public websites. [Learn more](#)

Enabled

Tools

+ Add tool

Add tools to empower the AI to complete specific tasks for improved engagement. [Learn more](#).

Get items

...

Triggers

+ Add trigger

Test your agent

Test

Hello, I'm Finance Forecast. How can I help?

Just now

Ask a question or describe what you need

0/2000

You're testing your agent's real responses and capabilities. [Find troubleshooting help here](#). Make sure AI-generated content is accurate and appropriate before using. [See terms](#)



AI Agent Inventory | No Auth risk

Authentication

Advanced hunting – `UserAuthenticationType`

Teams and Microsoft 365 Copilot ×

Because you chose no authentication, Microsoft 365 isn't available. To turn it on, open [authentication settings](#) and choose to authenticate with Microsoft. ×

Choose an option

☒ No authentication ⚠
Publicly available in any channel

☐ Authenticate with Microsoft ← Default M365
Entra ID authentication in Microsoft Teams, SharePoint, Power Apps, or Microsoft 365 Copilot

☐ Authenticate manually
Set up authentication for any channel

Maker Credentials (same as Application Permissions)

Advanced hunting – `detail.action.connectionProperties`

Application permissions

Your application runs as a background service or daemon without a signed-in user.

Credentials to use ⚠

Control whether this action uses credentials you provide, or those of the end user.

Maker-provided credentials ▾

Inputs

Example

Policy | Block Maker Credentials



Defender
Agent ID

Home

Actions

Manage

Security

Copilot

Monitor

Deploym...

Licensing

Support

Welcome, Derk

Welcome to the new Power Platform admin center
It includes everything from the original, plus exclusive new deployment and monitoring features, enhanced search, and so much more.

+ Add cards

Share feedback

Service health

...

✓

0 incidents or advisories.

Message center

...

34 unread messages

Power Platform - Alerts for Microsoft Power Automate work queues is now available for public preview

Power Apps - Enable online mode to access Dataverse for Canvas apps

Power Apps - Configure offline profile using FetchXML editor

Dynamics 365 Customer Service - Generate long-term forecasts up to three years

Show all


on

Real-time protection during Agent runtime



Defender Agent ID

Real-time protection during Agent runtime is a security feature designed to protect AI agents built with Microsoft Copilot Studio from threats like prompt injection attacks before tool invocations.



Real-time protection during Agent runtime



Defender Agent ID

ie

agents

rites

a ID

rotection

overnance

ied ID

issions Management

al Secure Access

's new

g

nose & solve problems

support request

Home

Defender4AIAgent

Search

Delete Endpoints Preview features

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication (Preview)

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

New support request

Essentials

Display name : Defender4AIAgent

Application (client) ID : ca07d2f8-6fcd-433a-a015-b809353d8033

Object ID : 0773dfc4-6384-4a02-9938-fd14a3cbaa6c

Directory (tenant) ID : 82d2b6a0-7115-44c1-a787-4e01392b852a

Supported account types : My organization only

Client credentials : Add a certificate or secret

Redirect URIs : Add a Redirect URI

Application ID URI : Add an Application ID URI

Managed application in L... : Defender4AIAgent

Starting June 30th, 2020 we will no longer add any new features to Azure Active Directory Authentication Library (ADAL) and Azure Active Directory Graph. We will continue to provide technical support and security updates but we will no longer provide feature updates. Applications will need to be upgraded to Microsoft Authentication Library (MSAL) and Microsoft Graph. Learn more

Get Started Documentation

Build your application with the Microsoft identity platform

The Microsoft identity platform is an authentication service, open-source libraries, and application management tools. You can create modern, standards-based authentication solutions, access and protect APIs, and add sign-in for your users and customers. Learn more

Call APIs

Build more powerful apps with rich user and business data from Microsoft services and your own company's data sources.

View API permissions

Sign in users in 5 minutes

Use our SDKs to sign in users and call APIs in a few steps. Use the quickstarts to start a web app, mobile app, SPA, or daemon app.

View all quickstart guides

Configure for your organization

Assign users and groups, apply conditional access policies, configure single sign-on, and more in Enterprise applications.

Go to Enterprise applications

icon



ZeroLeak Protection


Indirect Prompt Injection via Image or URL [Ctrl + U]





ZeroLeak Protection

EchoLeak (CVE-2025-32711) was first zero-click AI vulnerability to exfiltrate data from Microsoft 365 Copilot via a multi-stage direct prompt injection attack.



ZeroLeak Protection



Defender Agent ID

Block image and URL Test

Overview

Knowledge

Tools

Agents

Topics

Activity

Evaluation

Analytics

Channels

Published 1/25/2026

Publish

Settings

...

Test

Details

Edit

Name

Block image and URL Test

Description

None provided

13/1024

Select your agent's model

Your agent will primarily use the model for reasoning and responding. Experimental models are subject to [preview terms](#). [Learn more](#)

GPT-4.1 (Default)

Analytics

Open Analytics

Check your agent's key performance info from the last 7 days.

Conversation sessions

Engagement

Satisfaction score

0

0%

--

Instructions

Edit

Describe what you want this agent to do, its tone, and rules.

Knowledge

+ Add knowledge

Add data, files, and other resources to inform and improve AI-generated responses.

https://microsoft.com

Ready

[See all](#)

Test your agent

...

Hello, I'm Block image and URL Test. How can I help?

Just now

Ask a question or describe what you need

0/2000

You're testing your agent's real responses and capabilities. [Find troubleshooting help here](#). Make sure AI-generated content is accurate and appropriate before using. [See terms](#)

Microsoft Partner



04

Entra ID

**Agent ID Security
Advanced Products**



INNOVATE
EXPERT
AMBITIOUS
CO-CREATE
CUSTOMER SUCCESS


Rubicon



ID Protection for Agents

ID Protection for Agents detect anomalous activities

- [Critical] Confirmed compromised
- [Critical] Entra Threat Intelligence
- [High] Unfamiliar resource access
- [High] Sign-in by risky user
- [Medium] Sign-in spike
- [Medium] Failed access attempt



Set Risk

- ... High
- ... Medium
- ... Low

Total agents protect...
31

High risk
7

Medium risk
1

Low risk
0

No risk
0

Only Modern [Blueprint] Agents are in-scope of ID Protection



ID Protection for Agents

Set Agent Identity status to ■ ■ ■ High Risk via Graph API [BETA]

POST

beta

https://graph.microsoft.com/beta//identityProtection/riskyAgents/microsoft.graph.confirmCompromised

Run query

Request Body

Request Headers

Modify Permissions

Access token

```
{
  "agentIds": [
    "03c6264a-edd2-4bfc-b063-ab63ebded47d"
  ]
}
```

Method Not Allowed - 405 - 64 ms

Response preview

Response headers


Code snippets

Toolkit component

Adaptive cards

```
{
  "client-request-id": "00d2521d-30e3-ed51-9a33-67d7aa635afc",
  "content-type": "application/json",
  "request-id": "32d05c2b-99c2-42f7-b242-7be96b68d8e6"
}
```



ID Protection for Agents





ID Protection for Agents


ID Protection Risk is shared with Conditional Access





Conditional Access


Conditional Access for Agents evaluates risk (& context) before granting access to enterprise resources are part of the Zero Trust principles.





Conditional Access

Conditional Access for Agents **evaluates** risk (& context) before granting access to enterprise resources are part of the Zero Trust principles.





Conditional Access scope

Conditional Access for Agent only applies when Agent Identity or Agent User -> request Token [T2]

✓ Applies


Agent Identity > Resource [Token Request]

Agent User > Resource [Token Request]

X Does NOT apply

Blueprint > Graph [Create Agent]

Blueprint > Agent [Token Exchange]



Policy name ↓	Created by	State
_Block users signing into agents	USER	Report-only
_Block Agent User	USER	Report-only
_Block Agent Identity	USER	Report-only



Conditional Access Policy #1

Block access policy for Risky Agents [■ ■ ■ High Risk]

Assign Agent Identity and/or **Agent User** [Agent **Blueprint** for **grouping**]

Block High Risk Agents

Conditional Access policy

[Delete](#) [View policy information](#)

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Assignments

[Users or agents \(Preview\)](#)
[All agent identities \(Preview\)](#)

Target resources ⓘ
[All resources \(formerly 'All cloud apps'\)](#)

Conditions ⓘ
[1 condition selected](#)

Access controls
Grant ⓘ
[Block access](#)

Control access based on who the policy will apply to, such as users and groups, agents, workload identities, directory roles, or external guests. [Learn more](#)

What does this policy apply to?

Include Exclude

☐ None

☒ All agent identities (Preview) ⓘ



☐ Select agents



Conditional Access Policy #2

Allow Access to HR Approved Agents

- Create and assign custom attributes [filter] or enhanced object picker
 - **Attribute Definition Administrator** role ➡
- Create Conditional Access Policy
- Agent Identity – Custom attributes ↓
 - **Attribute Assignment Administrator** role



COMPLEX

Conditional Access demo ✓



**Entra
Agent
ID**

No Risk Agent sign-in [T2]

PS C:\>



Conditional Access demo X

High Risk Agent sign-in [T2]

Block High Risk Agents ...

Conditional Access policy

 Delete  View policy information

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#) 

Name *

Block High Risk Agents

Assignments

Users or agents (Preview) ⓘ

[All agent identities \(Preview\)](#)

Target resources ⓘ

[All resources \(formerly 'All cloud apps'\)](#)

Conditions ⓘ

[1 condition selected](#)

Access controls

Grant ⓘ

[Block access](#)


Microsoft Partner

Rubicon



Identity Governance

Microsoft Entra Identity Governance for Agents provides **lifecycle management** and **governance capabilities** for **Agent identities** and **Agent users**.





Identity Governance

Microsoft Entra Identity Governance for Agents provides **lifecycle management** and **governance capabilities** for **Agent identities** and **Agent users**.

- **Security Group memberships**
- **Application roles and (Graph) API permissions**
- **Microsoft Entra roles**



Identity Governance

Demo Lifecycle Workflow

Maintain Sponsor of an Agent ID as they move to a different job or leave the company

Sponsor change | Overview

Workflow

Overview

Manage

Properties

Tasks

Execution conditions

Version

Administration scope (Preview)

Activity

Workflow history

Enable schedule

Run on demand

Delete

Got feedback?

Overview

Basic Information

Workflow name	Sponsor change	Workflow Id	f2a76a9c-4416-4c4a-8ef6-987b12a92fbf
Workflow description	Configure mover tasks for employees once their job profile changes	Schedule	No
Category	Mover	Last run date	2/19/2026, 1:38 PM
Date created	2/13/2026, 12:56 PM	Last modified	2/18/2026, 9:01 PM

My Feed

Total processed users
4
View users

Processed users with failures
3
View failures

Processed tasks with failures
1
View tasks

Configured tasks
3
View tasks

Current version
3
View versions

Administration scope (Preview)
0
View administration scope

Quick Action

Run on demand

Edit tasks

View workflow history



Secure Access for Agents

Microsoft Entra Internet Access provides network controls that help protect **Entra Agent Identities** (including those created in Copilot Studio) by enforcing policy through **Secure Web** and **AI Gateway**.



Security Controls

- **Web content and URL filtering;** control access to web content based on categories and URLs.
- **Threat intelligence filtering;** block access to known malicious sites and services.
- **Network file filtering;** control file uploads and downloads.
- **Traffic logs;** view network traffic for agents



Secure Access for Agents

#1 - Enable Global Secure Access for Copilot Studio

The screenshot displays the Microsoft Entra Security Center interface. On the left is a navigation pane with icons for Home, Actions, Manage, Security (highlighted with a tooltip), Copilot, Monitor, Deploy..., Licensing, and Support. The main content area is titled 'Security' and includes a sub-menu with 'Overview' (selected), 'Settings', 'Data and privacy', 'Threat detection', 'Compliance', 'Products', and 'Power Pages'. The 'Overview' section is titled 'Overview' and contains the text: 'Keep an eye on the security of your organization, and see ways to take action to improve it. [Learn more](#)'. Below this is the 'Security score' section, which states 'This refreshes every 24 hours.' and shows a 'Score (preview)' of 38% (Low) with 13 of 31 points. A large shield icon is visible on the right side of the interface.

Security

- Overview
- Settings
- Data and privacy
- Threat detection
- Compliance
- Products
- Power Pages

Overview

Keep an eye on the security of your organization, and see ways to take action to improve it. [Learn more](#)

Security score

This refreshes every 24 hours.

Score (preview)

38%
Low
13 of 31 points



Secure Access for Agents

DEMO: create Threat Intelligence Policy and access entratestthreat.com via HTTP Request and output the response var {1}

Threat Intelligence policies (Preview) ...

Secure Web and AI Gateway for agents, now in preview, is part of Microsoft Agent 365, the control plane for agents. Get early access to Agent 365 via the Frontier program. [Learn more.](#)

[+ Create policy](#) [Refresh](#) | [Got feedback?](#)

Manage and store saved threat intelligence policies [Learn more](#)

[Add filter](#)

Name	Description	Last modified date	
Threat Intelligence Policy	Threat Intelligence Policy	2026-01-20T15:17:47	...



Secure Access for Agents

Link policy to the **baseline profile** to apply them for Copilot Studio agent traffic

Traffic logs

Created date time	Traffic type	Destination FQDN	User principal name	Action	Source IP	AI Agent ID	AI Agent name
02/19/2026, 01:01:38.000 PM	Internet	entratestthreat.com	copilots_header_82530	Block	57.153.222.200	599b3ad6-40b8-4784-a0f9-4b2cc3e3d8ec	copilots_header_82530
02/19/2026, 01:01:36.000 PM	Internet	learn.microsoft.com	copilots_header_82530	Block	20.86.93.33	599b3ad6-40b8-4784-a0f9-4b2cc3e3d8ec	copilots_header_82530

Policies attached to the baseline profile apply to **ALL** users and agents

Secure Access for Agents



Entra
Agent ID

Home

Agents

Flows

Tools

...

Microsoft Learn

Overview

Knowledge

Tools

Agents

Topics

Activity

Evaluation

Analytics

Channels

Published 2/19/2026

Publish

Settings

...

Test

Details

Edit

Name

Microsoft Learn

Description

None provided

13/1024

Select your agent's model

Your agent will primarily use the model for reasoning and responding. Experimental models are subject to [preview terms](#). [Learn more](#)

Analytics

Open Analytics

Check your agent's key performance info from the last 7 days.

Instructions

Edit

Describe what you want this agent to do, its tone, and rules.

Knowledge

Add knowledge

Add data, files, and other resources to inform and improve AI-generated responses.

Test your agent

+

...

×

Hello, I'm Microsoft Learn. How can I help?

👍

👎

Just now

Ask a question or describe what you need


0/2000

You're testing your agent's real responses and capabilities. [Find troubleshooting help here](#). Make sure AI-

05


Microsoft

Dashboard(s) for AI Agents




INNOVATE
EXPERT
AMBITIOUS
CO-CREATE
CUSTOMER SUCCESS

Rubicon



Security Dashboard for AI | CISO



<https://ai.security.microsoft.com>



Microsoft Entra

- ID Protection ✓
- Conditional Access ✓



Microsoft Purview

Policies

- Audit ✓
- Data Loss Prevention ✓
- Communication Compliance ✓
- Insider Risk Management ✓
- Data Lifecycle Management ✓




Microsoft Defender

- Defender for AI Services ✓
- App Discovery ✓
- M365 Data Connector ✓
- App Governance ✓
- AI Agent Inventory ✓

Microsoft Partner


Rubicon



Security Dashboard for AI | CISO



<https://ai.security.microsoft.com>



Microsoft Entra

- ID Protection ✓
- Conditional Access ✓



Microsoft Purview

Policies

- Audit ✓
- Data Loss Prevention ✓
- Communication Compliance ✓
- Insider Risk Management ✓
- Data Lifecycle Management ✓



Microsoft Defender

- Defender for AI Services ✓
- App Discovery ✓
- M365 Data Connector ✓
- App Governance ✓
- AI Agent Inventory ✓

Microsoft Partner

Rubicon

Security Dashboard for AI



Prevent agent sprawl and unauthorized access Microsoft Entra

Prevent data leaks and oversharing Microsoft Purview

Enable Microsoft Purview Audit

Turn on Data Loss Prevention (DLP)

Turn on Communication Compliance, Insider Risk Management, and Data Lifecycle Management

Address AI risk and vulnerabilities Microsoft Defender



- 1. Navigate to Data Loss Prevention.** In the Microsoft Purview compliance center, go to Solutions → Data Loss Prevention.
- 2. Create a new policy.** Select 'Create policy' and choose from templates or create a custom policy based on your needs.
- 3. Configure policy settings.** Define what sensitive information to protect, where to apply the policy, and what actions to take when violations occur.



Security Dashboard for AI

Overview

AI inventory

AI risk

✔ Prevent agent sprawl and unauthorized access

Microsoft Entra

ⓘ Prevent data leaks and oversharing

Microsoft Purview

✔ Enable Microsoft Purview Audit

✔ Turn on Data Loss Prevention (DLP)

○ Turn on Communication Compliance, Insider Risk Management, and Data Lifecycle Management

ⓘ Address AI risk and vulnerabilities

Microsoft Defender


✔ Enable Defender for AI Services

○ Configure cloud apps discovery

✔ Enable Microsoft 365 Connector


✔ Enable App Governance

✔ Enable Copilot Studio AI agents



Agent 365 | IT Control Plane

<https://admin.microsoft.com/>




Agent-To-Agent communication

Rubicon



Agent 365 | IT Control Plane

<https://admin.microsoft.com/>



All agents

Agent 365

Monitor and control all the agents in your organization powered by Microsoft Entra. [Manage in Entra](#) | [Learn more about managing agents](#)


Map **Frontier** Registry Requests Catalog

Total agents **173** Missing an owner **0** Blocked agents **0**

Filters: Publisher Availability Channel Platform

Search

Manage [Write]



Help & support

Give Feedback

MICROSOFT PARTNER

Agent-To-Agent communication

Rubicon

<https://derkvanderwoude.medium.com>

My blog (if you want to know more)

Derk van der Woude

[Home](#) [About](#)

Copilot Studio Agent Security misconfigurations — part II

In my previous blog I explain different security misconfigurations in Microsoft Copilot Studio agents including ⚠️ risk and...

2h ago



Copilot Studio Agent Security misconfigurations

While May 1st marks the GA of the Microsoft 365 E7 license, which includes the Agent 365 license (advanced Entra, Defende...




Derk van der Woude

561 followers

Microsoft Security MVP

Follow

Solutions built on and born in the cloud



Q&A