



SaaS Security



Gain superpowers with Defender for Cloud apps



About me



Erik Stiphout


Lead product architect | Microsoft security



: -



: -



Microsoft Defender for Cloud Apps (MDA)

Launched in 2013 as Adallom and acquired by Microsoft in 2015 then integrated and published as Microsoft Cloud App Security (MCAS) going GA in April of 2016

A Cloud App Security Broker (CASB) that finds shadow-IT and protects cloud-based applications by monitoring for threats, controlling access, and ensuring data security across different Microsoft Cloud services.



MDA components



Discover SaaS applications



App Governance

Discover and remediate third-party integrations

SaaS security posture management (SSPM)


Misconfigurations | Best practices
Remediate risky configurations

Continuous threat protection


Information protection:

Sensitive data exposure
Governance file violation

MDA components



Shadow IT discovery & SSPM



Discovery benefits



Cloud discovery with Defender for Endpoint

Discover and control the use of Generative AI apps

Discover over 400 GenAI apps, understand the risks they might bring, and set up controls accordingly.

Native, endpoint-based discovery of shadow IT

Connect your Defender for Endpoint system and gain visibility to your shadow IT from endpoints across your environment

Discovery of SaaS apps beyond the corporate network from any managed device

Discover cloud app usage from any managed device anytime, anywhere, by anyone

Block unsanctioned apps directly on your endpoint

Seamlessly block unsanctioned apps directly on Windows 10/11 devices



Integrate with a Secure Web Gateway

Enhanced visibility into shadow IT and risk

Connect your existing Zscaler, iboss, or Menlo Security deployment to Defender for Cloud Apps for Discovery of shadow IT, or to Corrata for mobile endpoint security

Control access to discovered cloud apps, automatic log discovery



Automatically sync apps that you tag as unsanctioned within Defender for Cloud Apps to your SWG and control user access

Removes the need to deploy a separate log collector


Stream data directly from SWG to Defender for Cloud Apps with no additional deployments

MDA - cloud discovery options



Option 1 – Snapshot Report (e.g. a one-time assessment or a PoC)




Option 2 – Microsoft Defender for Endpoint




Option 3 – Secure Web Gateway (SWG)



Option 4 – Cloud Discovery API (REST API)



Option 5 – Automatic Log Upload for Continuous Reports (aka "Log Collector")



MDA - Behind the scenes

Settings > Endpoints

Endpoints

General

Advanced features

Licenses

Email notifications

Auto remediation

Permissions

Roles

Device groups

Rules

☒ On

Microsoft Defender for Cloud Apps
Forwards Microsoft Defender for Endpoint signals to [Defender for Cloud Apps](#), giving administrators deeper visibility into both sanctioned cloud apps and shadow IT. It also gives them the ability to block unauthorized applications when the custom network indicators setting is turned on. Forwarded data is stored and processed in the same location as your Cloud App Security data. This feature is available with an E5 license for [Enterprise Mobility + Security](#) on devices running Windows 10 version 1709 (OS Build 16299.1085 with KB4493441), Windows 10 version 1803 (OS Build 17134.704 with KB4493464), Windows 10 version 1809 (OS Build 17763.379 with KB4489899) or later Windows 10 versions.

☐ Off

Web content filtering
Block access to websites containing unwanted content and track web activity across all domains. To specify the web content categories you want to block, create a [web content filtering policy](#). Ensure you have network protection in block mode when deploying the [Microsoft Defender for Endpoint security baseline](#).

☐ Off

Device discovery
Allows onboarded devices to discover unmanaged devices in your network and assess vulnerabilities and risks. For more information, see [Device discovery settings](#) to configure discovery settings.

MDA - Behind the scenes

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *
CA007-Global-DataProtection-AnyApp-Non...

Assignments

Users
All users included and specific users excluded

Target resources
All resources (formerly 'All cloud apps')

Network **NEW**
Not configured

Conditions
1 condition selected

Access controls

Grant
0 controls selected

Session
Use Conditional Access App Control

Control access based on all or specific apps, internet resources, actions, or authentication context. [Learn more](#)

Select what this policy applies to
Resources (formerly cloud apps)

Include Exclude

☐ None

☐ All internet resources with Global Secure Access

☒ All resources (formerly 'All cloud apps')

☐ Select resources

⚠ Don't lock yourself out! This policy impacts the Azure portal. Before you continue, ensure that you or someone else will be able to get back into the portal. Disregard this warning if you are configuring persistent browser session policy that works correctly only if "All resources" are selected. [Learn more](#)

i To create a Conditional Access policy targeting members in your tenant with Global Secure Access (GSA) as a resource, make sure GSA is deployed in your tenant. [Learn more](#)

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *
CA007-Global-DataProtection-AnyApp-Non...

Assignments

Users
All users included and specific users excluded

Target resources
All resources (formerly 'All cloud apps')

Network **NEW**
Not configured

Conditions
1 condition selected

Access controls

Grant
0 controls selected

Session
Use Conditional Access App Control

Control access based on signals from conditions like risk, device platform, location, client apps, or device state. [Learn more](#)

User risk
User risk level is the likelihood that the user account is compromised.
Not configured

Sign-in risk
Sign-in risk level is the likelihood that the sign-in session is compromised.
Not configured

Insider risk
Insider risk assesses the user's risky data-related activity in Microsoft Purview Insider Risk Management.
Not configured

Device platforms
Not configured

Locations
Not configured

Client apps
Not configured

Filter for devices
Exclude filtered devices

Authentication flows
Not configured

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *
CA007-Global-DataProtection-AnyApp-Non...

Assignments

Users
All users included and specific users excluded

Target resources
All resources (formerly 'All cloud apps')

Network **NEW**
Not configured

Conditions
1 condition selected

Access controls

Grant
0 controls selected

Session
Use Conditional Access App Control

Context loss limitations

In the following applications, we encountered scenarios where browsing to a link might result in loss of the link's full path. Typically, the user lands on the home page of the app.

- ArcGIS
- GitHub
- Microsoft Power Automate
- Microsoft Power Apps
- Workplace from Meta
- ServiceNow
- Workday
- Box

Filter for devices

Configure a filter to apply policy to specific devices. [Learn more](#)

Configure
☒ Yes ☐ No

i Microsoft recommends using at least one system-defined or admin-configured device attribute when creating filter rules. [Learn more](#)

Devices matching the rule:
☐ Include filtered devices in policy
☒ Exclude filtered devices from policy

You can use the rule builder or rule syntax text box to create or edit the filter rule.

And/Or	Property	Operator	Value
Or	trustType	Equals	Microsoft Entra joined
Or	trustType	Equals	Microsoft Entra hybrid joined

+ Add expression

Rule syntax
device:trustType -eq "AzureAD" -or device:trustType -eq "ServerAD"

<https://learn.microsoft.com/en-us/defender-cloud-apps/caac-known-issues>

MDA - Behind the scenes

Settings > Cloud apps

Mail settings

Scoped deployment and privacy

IP address ranges

User groups

API tokens

SIEM agents

Playbooks

My account

My email notifications

Cloud Discovery

Score metrics

Snapshot reports

Automatic log upload

Data sources

Log collectors

Create and manage your organization's data sources.
[Terms](#) | [Privacy statement](#)



+ Add data source...

1 - 2 of 2 data sources [Table settings](#)

Name	Source	Receiver type	Uploaded lo...	Last data received	Modified d...
Defender-managed endpoints	Microsoft Defender for Endpoint	Built-in	888	Nov 6, 2025	Nov 6, 2025
Defender for Cloud Apps Proxy	Defender for Cloud Apps Conditional Access App ...	Built-in	6.5K	Nov 6, 2025	Nov 6, 2025

MDA - Behind the scenes

Settings > Cloud apps

App Tags

Exclude entities

Microsoft Defender for Endpoint

User enrichment

Anonymization

Delete data

Connected apps

App Connectors

Conditional Access App Control apps

App Connectors

App connectors provide you with greater visibility and control over your cloud apps.

Basic filter

Filters: App: Any App category: Any Connected by: Any

+ Connect an app

2 items

Customize columns

App	Category	Status	Was connected on	Last activity
☐ Microsoft 365	Collaboration	Connected	Apr 23, 2025 2:09 PM	Nov 6, 2025 10:09 AM
☐ Microsoft Azure	Cloud computing platform	Connected	Mar 19, 2025 9:47 AM	Nov 6, 2025 10:06 AM

App Connectors

App connectors provide you with greater visibility and control over your cloud apps.

Basic filter

Filters: App: Any App category: Any Connected by: Any

+ Connect an app

2 items

Customize columns

App	Category	Status	Was connected on	Last activity
☐ Microsoft 365	Collaboration	Connected	Jul 24, 2023 10:4 PM	Nov 6, 2025 10:07 AM
☐ Microsoft Azure	Cloud computing platform	Connected	Jul 17, 2024 10:32 AM	Nov 6, 2025 10:03 AM

Amazon Web Services

Asana

Atlassian

Box

Cisco Webex

Clitix ShareFile

DocuSign

Dropbox

Egnyte

GitHub

Google Cloud Platform

Google Workspace

MURAL

MURAL

Miro

NetDocuments

Okta

OneLogin

Salesforce

ServiceNow

Slack

Smartsheet

Workday

Zendesk

Zoom

Suggest more apps...

App Connectors

App connectors provide you with greater visibility and control over your cloud apps.

Basic filter

Filters: App: Any App category: Any Connected by: Any

+ Connect an app

Edit settings

Disable App connector

Edit instance name

Connect Microsoft Azure instance

App	Category	Status	Was connected on	Last activity
☒ Microsoft 365	Collaboration			
☐ Microsoft Azure	Cloud computing platform			

App Connectors > Microsoft 365

Select Microsoft 365 components

Great, Microsoft 365 is connected

Select Microsoft 365 components

Connect as Microsoft 365 administrator to gain full visibility and control.

To connect this app, provide your access credentials. We secure your data as described in the [privacy statement](#) | [Terms](#)

☒ Microsoft Entra Users and groups

☒ Microsoft Entra ID Management events

☒ Microsoft Entra ID Sign-in events

☒ Microsoft Entra ID Apps

☒ Microsoft 365 activities

☒ Microsoft 365 files

Enable file monitoring before enabling Office 365 files.

Settings > Cloud apps

Connected apps

App Connectors

Conditional Access App Control apps

Information Protection

Admin quarantine

Microsoft Information Protection

Files

Files


☒ Enable file monitoring

By enabling File Monitoring, Administrators grant MDA access to SaaS app files. [Learn more.](#)

Save

We secure your data as described in our [privacy statement](#) and [online service terms](#) .

MDA - Zscaler integration example



Discovery examples

Updated on Nov 6, 2025, 8:38 AM

Dashboard

Discovered apps

Discovered resources

IP addresses

Users

Devices

Queries: Select a query

Save as

Advanced filters

Apps: Search for apps...

App tag: Sanctioned Unsanctioned None

Risk score: 0 10

Compliance risk factor: Select factors

Security risk factor: Select factors

Browse by category:

Search for category

Productivity 36

Advertising 34

Security 31

IT services 22

Collaboration 18

Marketing 18

Hosting services 17

Content management 17

News and entertainment 15

Data analytics 14

Customer support 13

Development tools 13

E-commerce 13

Business management 13

Cloud computing platform 13

CRM 11

Cloud storage 9

Social network 8

Web analytics 7

Sanctioned Unsanctioned Other

Bulk selection New policy from search Export

1 - 6 of 6 discovered apps Table settings

App	Ri: 10	Tags	Traffic	Upload	Transact...	Users	IP addre...	Devices	Last see...	Actions
 Microsoft Copilot Studio Generative AI	10		2 MB	—	3	1	1	1	Nov 1, 2025	  
 Microsoft 365 Copilot Chat Generative AI	10		893 KB	300 KB	16	4	9	4	Nov 5, 2025	  
 GitHub Copilot Generative AI	10		948 KB	407 KB	4	1	2	1	Nov 3, 2025	  
 Google Gemini Generative AI	10		321 KB	135 KB	2	1	1	1	Oct 30, 2025	  
 Grammarly Generative AI	9		1 MB	65 KB	3	1	1	1	Oct 17, 2025	  
 ChatGPT Generative AI	9		57 MB	27 MB	151	2	4	2	Nov 3, 2025	  

Discovery examples

Microsoft Defender

Microsoft Copilot
Generative AI

10

1 conditional access app controlled instance

Microsoft Copilot helps you achieve things like never before using the power of AI.

Suggest an improvement

Disclaimer

GENERAL

8

Category: Generative AI

Headquarters: United States

Data center: Multiple locations

Hosting company: Microsoft Azure

Founded: 1975

Holding: Public

Domain: *.copilot.microsoft.com, *.copilo

Terms of service: microsoft.com/en-us/lega...

Domain registration: May 2, 1991

Consumer popularity: 0

Privacy policy: privacy.microsoft.com/en-us...

Logon URL: copilot.microsoft.com

Vendor: Microsoft Corporation

Data types: Documents, Media files, Data

Disaster Recovery Plan

SECURITY

10

Latest breach: —

Data-at-rest encryption method: AES

Multi-factor authentication

IP address restriction

User audit trail

Admin audit trail

Data audit trail

User can upload data

Data classification

Remember password

User-roles support

File sharing

Valid certificate name

Trusted certificate

Encryption protocol: TLS 1.2

Heartbleed patched

HTTP security headers

Supports SAML

Protected against DROWN

Penetration Testing

Requires user authentication

Password policy

COMPLIANCE

10

ISO 27001

ISO 27018

ISO 27017

ISO 27002

FINRA

FISMA

GAAP

HIPAA

ISAE 3402

ITAR

SOC 1

SOC 2

SOC 3

SOX

SP 800-53

SSAE 18

Safe Harbor

PCI DSS version: 4

GLBA

FedRAMP level: High


CSA STAR level: Certification

Privacy Shield


FFIEC

GAPP


Today's challenges



The number of applications in an organization's environment is growing at a rapid rate making it harder for to gain visibility across the apps that are used in an IT organization, especially apps that pose high risk



SaaS app misconfigurations can lead to a potential breach and have emerged as a common attack vector



Organizations need a way to manage their apps and implement controls to ensure users are only accessing approved and safe apps

SaaS discovery and posture phases

Safely adopting SaaS apps

Phase 1

Discover and Identify



Discover Shadow IT

Identify which apps are being used in your organization from an app catalog of over 31,000 cloud apps and custom apps.



Identify the risk levels of your apps

Understand the risk associated with discovered apps, based on more than 90 risk factors including, security factors, industry and legal regulations - with the ability to customize risk scoring.

Phase 2

Evaluate and Analyze



Evaluate compliance

Evaluate whether the discovered apps meet the compliance standards of your organization against factors like GDPR.



Analyze usage

Understand the usage patterns based on traffic data, top users and IP addresses, app categories and devices.



Govern your SaaS apps

Use governance actions such as sanction, unsanction, onboard to Entra ID for single sign-on (SSO), marking them for review or blocking them from your network.

Phase 3

Manage and Continuous monitoring



Assess security posture

Identify misconfigurations in your SaaS apps and take the recommended actions to ensure they follow best practices




Continuous monitoring

Be alerted when new, risky or high-volume apps are discovered in your environment for continuous monitoring and ongoing control.


Discover and control apps in your environment

How to manage newly discovered cloud app workflow



SSPM: identifying app misconfigurations


» Misconfigurations in apps are becoming one of the most prominent attack vectors that can often be easily prevented



SSPM is key to threat prevention

Automated and continuous monitoring of SaaS apps to reduce security vulnerabilities and increase compliance by detecting misconfigurations and providing remediation steps for risky configurations

- Visibility to misconfigurations in SaaS apps
- Alignment to best practices and benchmarks
- Remediation and drift prevention
- Custom checks and assessments



Supported apps

Atlassian | Citrix ShareFile | DocuSign | Dropbox | GitHub | Google Workspace | NetDocuments | Microsoft 365 | Okta | ServiceNow | Salesforce | Workspace by Meta | Zendesk | Zoom

Discovery policy example

Create app discovery policy

Cloud Discovery policies enable you to create alerts for new apps that are discovered in your organization.


Policy template *

New risky app

Policy name *

MCAS 008 - New low score app detected

Policy severity *



Category *

Cloud Discovery

Description

Alert when new apps are discovered with a risk score lower than 6, that are used by more than 50 users with a total daily use of more than 50 MB.

Apps matching all of the following [Edit and preview results](#) [Clear all](#)

Risk score equals 0-5

+ Add filter

Apply to:

All continuous reports

☒ Trigger a policy match if all the following occur on the same day:

apps matching all of the following

Filters:

Daily traffic greater than 50 MB

Number of users greater than 50

+ Add a filter

Alerts

☒ Create an alert for each matching event with the policy's severity

Save as default settings

Restore default settings

☐ Send alert as email ⓘ

Daily alert limit per policy 50

☐ Send alerts to Power Automate

[Create a playbook in Power Automate](#)

Governance actions

☐ Tag app as sanctioned

☐ Tag app as unsanctioned

☐ Tag app as monitored

☐ Tag app with custom tag

Select app tag

Getting started with discovery and SSPM

1 Discover all SaaS apps and services used in your organization

2 Govern discovered SaaS apps and explore like solutions within your environment

3 Assess the risk and compliance of all SaaS apps

Cloud Discovery

Updated on Sep 19, 2024, 7:45 AM

Dashboard Discovered apps Discovered resources IP addresses Users

Queries: Select a query Save as

Apps: App tag : Sanctioned Unsanctioned None Risk score: 0 5


Browse by category:

News and entertainment 2
Productivity 1
Content sharing 1

☐ Bulk selection + New policy from search Export


App	Risk sc...	Tags
Signature Hound Productivity	5	
DPG Media Nu nl News and entertainment	5	
DPG Media AD News and entertainment	5	
Postimage Content sharing	4	

Information Protection



Protect your files and data in the cloud

Data is ubiquitous and you need to make it accessible and collaborative, while safeguarding it



101010
010101
101010

Understand your data and exposure in the cloud

Connect your apps via available API-based App Connectors

Visibility into sharing level, collaborators and classification labels

Quantify over-sharing exposure, external and compliance risks



Classify and protect your data no matter where it's stored

Govern data in the cloud with granular data loss prevention (DLP) policies

Leverage Microsoft's IP capabilities for classification

Extend on-premises DLP solutions

Automatically protect and encrypt your data using Microsoft Purview Information Protection



Monitor, investigate and remediate violations

Create policies to generate alerts and trigger automatic governance actions


Identify policy violations

Investigate incidents and related activities

Quarantine files, remove permissions and notify users

Microsoft Purview integration

Protect your sensitive data—wherever it lives or travels



Purview configured sensitivity labels are surfaced directly in policy template for you to use

Choose from 300+ sensitive information types using the Data Classification Service

Configure your own custom information types and use directly in policy configuration

Apply labels to files in apps like **Google Workspace, Box, and more**

Microsoft Purview integration



Detect and remediate overexposed files and anomalies

Create policies to generate alerts and trigger automatic governance actions

Policy creation is simple via the available templates, or you can create your own custom policies which generate alerts, and trigger automatic governance over certain actions

Be notified to identify and investigate policy violations and related activities

Notifications and investigations into violations of policy and any other activities are easy to sort, filter and compile to elevate your security teams' execution of security plans

Automatically remediate with built-in actions

Automatic remediation with Defender for Cloud Apps baseline actions or with additional granularity in Power Automate allow notify admin, quarantine, make private, authenticate and other key actions



Microsoft Purview Information Protection approach

Unified labelling with Microsoft Purview

Leverage the powerful native integration of Purview with a streamlined experience across Office 365 Data Loss Prevention, Microsoft Purview and Defender for Cloud Apps

Over 300 built-in sensitive information types

Choose from 300+ built-in information types from credit card data, to data that triggers regulatory constraints such as GDPR or HIPAA

Custom sensitive information types using Regex, keywords and large dictionary


Ensure compliance and company policies are adhered to by further customizing your Defender for Cloud Apps information types

Custom and built-in classifiers as exact data match (EDM), fingerprint, and trainable classifiers


Powerful machine learning classifiers are put to work to help your Defender for Cloud Apps instance classify sensitive data types outside of the typical file types and data sources

Get alerted when data crosses boundaries


A file is downloaded from the cloud to a device



A sensitive file is printed from the cloud




A user is attempting to copy sensitive content from the cloud and paste it into an IM




Protecting sensitive files in the cloud

1. User uploads a sensitive file to a cloud app




2. A classification label is automatically applied to protect the file




3. User tries to share sensitive file with external users



4. External user is not able to access the file due to classification and protection




5. Admin receives event alerts



Extend policy enforcement into the session

Step up auth happens behind the scenes during policy enforcement



Real-time in-session app control

Context-aware session policies

Control access to cloud apps and sensitive data within those apps based on user, location, device, and the status of the application within the environment

SAML, Open ID Connect, and on-premises apps

Support for any web app onboarded via an enterprise-level identity provider


Enforce granular monitoring and control for risky user sessions

Data exfiltration:

- Block download, apply label on download
- Block print
- Block copy/cut
- Block custom activities: (e.g., IMs with sensitive content)

Data infiltration:

- Block upload
- Block paste



MDA – MIP integration setup

Settings > Cloud apps

App Tags

Exclude entities

Microsoft Defender for Endpoint

User enrichment

Anonymization

Delete data

Connected apps

App Connectors

Conditional Access App Control apps

Information Protection

Admin quarantine

Microsoft Information Protection

Files

Conditional Access App Control

Microsoft Information Protection

Microsoft Information Protection settings

☐ Automatically scan new files for Microsoft Information Protection sensitivity labels and content inspection warnings
When enabled, the App connector will scan new files, searching for sensitivity labels embedded by Microsoft Information Protection.

☐ Only scan files for Microsoft Information Protection sensitivity labels and content inspection warnings from this tenant
When enabled, all Microsoft Information Protection sensitivity labels that were set by external tenants will be disregarded.

Get more info in the [Microsoft Information Protection integration guide](#).

Save We secure your data as described in our [privacy statement](#) and [online service terms](#).

Inspect protected files

File policies can inspect content and/or read labels in Microsoft Information Protection protected files.
To inspect protected files, read labels from protected files, grant Defender for Cloud Apps permission in Microsoft Entra ID.

Grant permission

Information Protection example

Create file policy

Matched policies filter is no longer available.

Policy template *
No template

Policy name *
MCA5003-File-Scanner-NL-DataClassification

Policy severity *
Category *
DLP

Description

Files matching all of the following

Access level equals Public (Internet), External, Public

Last modified after (date) 11/06/2025 12:00 AM

Add a filter

Apply to:
all files

Select user groups:
all file owners

Inspection method
Data Classification Service

Match if Any of the following occur:

- Netherlands Citizen's Service (BSN) Number
- Netherlands Driver's License Number
- Netherlands Passport Number
- Netherlands Tax Identification Number
- Netherlands Value Added Tax Number

Advanced settings

Inspect protected files

Unmask the last 4 characters of a match

Alerts

Create an alert for each matching file

Save as default settings Restore default settings

Send alert as email

Daily alert limit per policy 5

Send alerts to Power Automate
Create a playbook in Power Automate

Governance actions

Microsoft OneDrive for Business

Apply sensitivity label

Send policy-match digest to file owner

Notify specific users

Make private

Remove external users

Inherit parent permissions

Put in user quarantine

Put in admin quarantine

Trash

Remove a collaborator

Apply sensitivity label

Select an Microsoft Information Protection sensitivity label to apply to matching files:

Highly Confidential-Highly Confidential - ...

Override user-defined labels

Label will be applied to any supported file.

Governance

G Suite

Box

Microsoft OneDrive for Business - 1 selected

Send policy-match digest to file owner

CC additional users

Make private

Remove external users

Inherit parent permissions

Put in user quarantine

Put in admin quarantine

Remove a collaborator

Apply classification label

Select an Azure Information Protection classification label to apply to matching files:

None

Confidential-All Employees

Confidential-Anyone (not protected)

Highly Confidential-All Employees

Highly Confidential-Anyone (not protected)

Confidential Credit Card Information

Company Confidential

Secret-All Company

Confidential classmate


Amazon Web Services

Getting started with information protection



1 Connect your apps to gain an understanding of the files in your environment

2 Identify a classification strategy based off your current file exposure

3 Create policies that enforce controls to protect sensitive data inside your apps



Continuous threat protection



Threat protection value



Key threat alerts and mitigation actions

Respond quickly using governance actions

Take advantage of using the most critical entities: user, app, IP address and file information for your apps to determine the mitigation action

Identify high-risk and anomalous usage

Ensure visibility to any anomalous activities where a high-risk app or session has been identified

Exfiltration of data to unsanctioned apps

Be alerted when your users attempt to exfiltrate data to applications that have been "unsanctioned" in your environment

Indicators of compromise

Easily identify suspicious behavior that do not fall within normal patterns of activity such as activity from an infrequent country or a suspicious IP address



Continuous threat protection for your SaaS apps

Advanced Hunting across all your security workloads with Microsoft 365 Defender

Combat against threats by using SaaS signals in combination with data across endpoints, identities, and email to provide integrated protection against sophisticated attacks

Build custom detections

Easily transform hunting queries into your own custom detections to stay alerted on future suspicious activities

Deep dive into the data

Leverage the activity log and advanced filtering capabilities which allows you to investigate activities within the last 180 days for all connected apps.


Built-in threat protection policies

Policies alert you on some of the most common cloud threats such as suspicious inbox manipulation rule, activity from risky IP addresses and more

Prioritized investigation of alerts

Overview of users who likely pose the greatest risk to the organization and are recommended for immediate review with a unified view of identity threat across on-premises and cloud

The challenge of securing your environment



MDA - Microsoft Defender XDR integration

Settings > Cloud apps

SIEM agents

Playbooks

My account

My email notifications

Cloud Discovery

Score metrics

Snapshot reports

Continuous reports

Automatic log upload

App Tags

Exclude entities

Microsoft Defender for Endpoint

User enrichment

Anonymization

Delete data

Connected apps

App Connectors

Conditional Access App Control apps

Information Protection

Microsoft Defender for Endpoint

Microsoft Defender for Endpoint Integration

☒ Enforce app access
Enabling this will Block access to apps that were marked as Unsanctioned and will deliver a Warning on access and allow bypass to apps marked as Monitored.

Alerts ⓘ

Medium

User notifications

Notification URL

Enter the redirect URL for warned users

Bypass duration ⓘ

5 hours

Notification URL for blocked apps

Enter the Custom/Informational URL for blocked users

Save We secure your data as described in our [privacy statement](#) and [online service terms](#).

Settings > Cloud apps

SIEM agents

Playbooks

My account

My email notifications

Cloud Discovery

Score metrics

Snapshot reports

Continuous reports

Automatic log upload

App Tags

Exclude entities

Microsoft Defender for Endpoint

User enrichment

User enrichment automatically matches, enriches and replaces discovered user identifiers with their Microsoft Entra ID username.

☒ Enrich discovered user identifiers with Microsoft Entra ID usernames.
Enabling this after you uploaded data might result in user duplication.

Save We secure your data as described in our [privacy statement](#) and [online service terms](#).

Suspicious activities across SaaS apps

- » Malware in
- » Malicious
- » Multiple fa
- to app
- » Suspicious
- (delete, fo
- » Unusual ac
- to an OAU



Threat and per

Activity log						
Investigate 6 months back ?						
Queries: Select a query Save as						
Advanced filters						
App: Select apps User name: Select users Raw IP address: Enter IP address Activity type: Select value Location: Select countries/regions						
+ New policy from search Export 1 - 20 of 5,000+ activities Hide filters Table settings						
Activity	User	App	IP address	Location	Device	Date
Single sign-on log on		Microsoft SharePoint Online - General	178	Denmark		Nov 6, 2025 1:45 PM
Single sign-on log on		Microsoft SharePoint Online - General	178	Denmark		Nov 6, 2025 1:44 PM
Single sign-on log on		Microsoft OneDrive for Business - General	178	Denmark		Nov 6, 2025 1:44 PM
Single sign-on log on		Microsoft OneDrive for Business - General	178	Denmark		Nov 6, 2025 1:44 PM
Send message using Send As permissions (impersonated); email Meng		Microsoft Exchange Online	141	United ...		Nov 6, 2025 1:43 PM
Single sign-on log on		Microsoft OneDrive for Business - General	.114	Germany		Nov 6, 2025 1:43 PM
Log on		Microsoft 365	70	France		Nov 6, 2025 1:43 PM
Purge messages from the mailbox; email folder email		Microsoft Exchange Online	87	Germany		Nov 6, 2025 1:43 PM
Log on		Microsoft SharePoint Online	6	France		Nov 6, 2025 1:42 PM
Run command: task MailItemsAccessed; Parameters: Session ID, property Iv		Microsoft Exchange Online	.215	France		Nov 6, 2025 1:42 PM
Update message: email Jana Urlaub; Parameters: Session ID, alias Siemen d	70-b22a-34c7ea72d73d	Microsoft Exchange Online		Ireland	Other	Nov 6, 2025 1:42 PM
Run command: task MailItemsAccessed; Parameters: Session ID, property Iv	.1cd-a2c3-d671a3162bc1	Microsoft Exchange Online	.72	Germany		Nov 6, 2025 1:42 PM
Run command: task MailItemsAccessed; Parameters: Session ID, property Iv	.1cd-a2c3-d671a3162bc1	Microsoft Exchange Online	.72	Germany		Nov 6, 2025 1:42 PM
Run command: task MailItemsAccessed; Parameters: Session ID, property Iv	cd-a2c3-d671a3162bc1	Microsoft Exchange Online	.72	Germany		Nov 6, 2025 1:42 PM
Download file: file .jpg		Microsoft Exchange Online - General	.77	Germany		Nov 6, 2025 1:42 PM
Access file: file https; :sharepoint.com/personal/		Microsoft OneDrive for Business	6	France	Other	Nov 6, 2025 1:42 PM
Log on		Microsoft 365		France		Nov 6, 2025 1:42 PM

s use of
ed user



sonated activity
istrative activity
le delete

Threat Detection example

Policies > Break the glass - Log on success

Edit activity policy

Policy template *
No template

Policy name *
Break the glass - Log on success

Policy severity *
High High High Privileged accounts

Category *
Privileged accounts

Description
Activity by BIG account successful login

Create filters for the policy

Act on:
☒ Single activity
Every activity that matches the filters
☐ Repeated activity:
Repeated activity by a single user

Activities matching all of the following [Edit and preview results](#)

☒ User ☐ Name ☐ equals ☐ ☐ Actor only ☐

☒ Activity type ☐ equals ☐ Log on ☐

[Add a filter](#)

Alerts

☒ Create an alert for each matching event with the policy's severity
[Save as default settings](#) [Restore default settings](#)

☒ Send alert as email ☐
wrik.stiphout@sysfest.com

Daily alert limit per policy 500

☐ Send alerts to Power Automate
[Create a playbook in Power Automate](#)

Policies > Break the glass - Log on failed

Edit activity policy

Policy template *
No template

Policy name *
Break the glass - Log on failed

Policy severity *
High High High Privileged accounts

Category *
Privileged accounts

Description

Create filters for the policy

Act on:
☒ Single activity
Every activity that matches the filters
☐ Repeated activity:
Repeated activity by a single user

Activities matching all of the following [Edit and preview results](#)

☒ User ☐ Name ☐ equals ☐ ☐ Actor only ☐

☒ Activity type ☐ equals ☐ Failed log on ☐

[Add a filter](#)

Alerts

☒ Create an alert for each matching event with the policy's severity
[Save as default settings](#) [Restore default settings](#)

☒ Send alert as email ☐
wrik.stiphout@sysfest.com

Daily alert limit per policy 5

☐ Send alerts to Power Automate
[Create a playbook in Power Automate](#)

Threat detection Information protection Conditional access Shadow IT All policies

Starting June 15th, 2025, Microsoft Defender for Cloud Apps will adopt a dynamic threat detection model to enhance accuracy and responsiveness, policies that migrated will be disabled. For more information, visit our documentation.

Filters: Policy name Type: Select type Status: Severity: Category: Select risk category [Advanced filters](#)

[+ Create policy](#) [+ Export](#)

Policy	Count	Se...	Category	Action	Modified	
Malicious OAuth app consent This policy uses Microsoft Threat Intelligence to scan OAuth apps connected to your environment and triggers an alert when it detects a potentially malicious app that has been authorized. Malicious OAuth...	0 active incidents	High	Threat detection		Feb 5, 2025	
Activity performed by terminated user This policy profiles your environment and alerts when a terminated user performs an activity in a sanctioned corporate application. This may indicate malicious activity by a terminated employee who still has...	0 active incidents	High	Threat detection		Feb 5, 2025	
Ransomware activity This policy profiles your environment and triggers alerts when an activity pattern is detected that is typical of a ransomware attack.	0 active incidents	High	Threat detection		Feb 5, 2025	
Suspicious inbox forwarding [Disabled] This policy profiles your environment and triggers alerts when suspicious inbox forwarding rules are set on a user's inbox. This may indicate that the user account is compromised, and that the mailbox is being...	0 active incidents	High	Threat detection		Jun 28, 2025	
Suspicious inbox manipulation rule [Disabled] This policy profiles your environment and triggers alerts when suspicious inbox manipulation rules are set on a user's inbox. This may indicate that the user account is compromised, and that the mailbox is being...	0 active incidents	High	Threat detection		Jun 28, 2025	
Multiple delete VM activities [Disabled] This policy profiles your environment and triggers alerts when users perform multiple delete VM activities in a single session with respect to the baseline learned, which could indicate an attempted breach.	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Impossible travel [Disabled] This policy profiles your environment and triggers alerts when activities are detected from the same user in different locations within a time period that is shorter than the expected travel time between the l...	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Suspicious email deletion activity (by user) [Disabled] This policy profiles your environment and triggers alerts when a user performs suspicious email deletion activities in a single session, which could indicate an attempted breach.	0 active incidents	Med...	Threat detection		Jun 5, 2025	
Unusual addition of credentials to an OAuth app [Disabled] This detection policy profiles your environment and triggers alerts when users perform unusual addition of credentials to an OAuth app activities, which could indicate an attempted breach.	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Suspicious creation activity for cloud region This policy profiles your environment and triggers alerts when a user performs suspicious creation activities in a cloud region that was not recently, or was never, accessed. This may indicate that an attacker is...	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Unusual file deletion activity (by user) [Disabled] This policy profiles your environment and triggers alerts when users perform multiple file deletion activities in a single session with respect to the baseline learned, which could indicate an attempted breach.	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Unusual file share activity (by user) [Disabled] This policy profiles your environment and triggers alerts when users perform multiple file sharing activities in a single session with respect to the baseline learned, which could indicate an attempted breach.	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Multiple storage deletion activities This policy profiles your environment and triggers alerts when users perform multiple storage deletion or D3 deletion activities in a single session with respect to the baseline learned, which could indicate an...	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Suspicious change of CloudTrail logging service This policy profiles your environment and triggers alerts when users perform suspicious changes to the CloudTrail logging service, which could indicate an attempted breach.	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Activity from suspicious IP addresses [Disabled] This policy profiles your environment and triggers alerts when activity is detected from an IP address that has been identified as risky by Microsoft Threat Intelligence. These IP are involved in malicious activi...	0 active incidents	Med...	Threat detection		Jun 28, 2025	
Activity from anonymous IP addresses [Disabled] This policy profiles your environment and triggers alerts when it identifies activity from an IP address that has been identified as an anonymous proxy IP address. These proxies are used by people who want t...	0 active incidents	Med...	Threat detection		Jun 28, 2025	
Malware detection [Disabled] This detection scans files in your cloud apps and runs suspicious files through Microsoft's threat intelligence engine to determine whether they are associated with known malware.	0 activities	Med...	Threat detection		Jun 30, 2025	
Unusual administrative activity (by user) [Disabled] This policy profiles your environment and triggers alerts when users perform multiple administrative activities in a single session with respect to the baseline learned, which could indicate an attempted breach.	0 active incidents	Med...	Threat detection		Feb 5, 2025	
Suspicious file access activity (by user) This detection policy profiles your environment and triggers alerts when users access suspicious files from Microsoft SharePoint or Microsoft OneDrive. An alert is triggered only if the number of accessed files is...	0 active incidents	Med...	Threat detection		Feb 5, 2025	

[Edit policy](#)
[View all incidents](#)
[Enable](#)

Getting started with threat protection

1

Gain an initial understanding of how your users and apps behave in your environment

2

Record an audit trail for all user and privileged account activities across hybrid environments

3

Combine SaaS app signals with identity and device data to create custom detections in Microsoft 365 Defender

Policies

Threat detection Information protection Conditional access Shadow IT All policies

Starting June 15th, 2025, Microsoft Defender for Cloud Apps will adopt a dynamic threat detection model to enhance accuracy and responsiveness, policies that migrated will be disabled - For more information, [visit our documentation](#).

Filters:

Name: Policy name Type: Select type Status: ACTIVE DISABLED Severity: Low Medium High Category: Select risk category



Advanced filters

+ Create policy Export


1 - 10 of 10 Policies Hide filters Table settings

Policy	Count	Severity	Category	Action	Modified
 Ransomware activity This policy profiles your environment and triggers alerts when an activity pattern is detected that is typical of a ransomware attack.	0 active incidents	High	Threat detection		Feb 5, 2025
 Activity performed by terminated user This policy profiles your environment and alerts when a terminated user performs an activity in a sanctioned corporate application.	0 active incidents	High	Threat detection		Feb 5, 2025
 Malicious OAuth app consent This policy uses Microsoft Threat Intelligence to scan OAuth apps connected to your environment and triggers an alert when it detects...	0 active incidents	High	Threat detection		Feb 5, 2025
 Multiple storage deletion activities This policy profiles your environment and triggers alerts when users perform multiple storage deletion or DB deletion activities in a sin...	0 active incidents	Medium	Threat detection		Feb 5, 2025
 Suspicious change of CloudTrail logging service This policy profiles your environment and triggers alerts when users perform suspicious changes to the CloudTrail logging service, whic...	0 active incidents	Medium	Threat detection		Feb 5, 2025
 Suspicious creation activity for cloud region This policy profiles your environment and triggers alerts when a user performs suspicious creation activities in a cloud region that was ...	0 active incidents	Medium	Threat detection		Feb 5, 2025
 Suspicious file access activity (by user) This detection policy profiles your environment and triggers alerts when users access multiple files from Microsoft SharePoint or Micros...	0 active incidents	Medium	Threat detection		Feb 5, 2025
 Unusual ISP for an OAuth App This detection policy profiles your environment and triggers alerts when OAuth apps perform activities from an unusual ISP, which coul...	0 active incidents	Low	Threat detection		Feb 5, 2025
 Misleading OAuth app name This policy scans the OAuth apps connected to your environment and triggers an alert when an app with a misleading name is detecte...	0 active incidents	Low	Threat detection		Feb 5, 2025
 Misleading publisher name for an OAuth app This policy scans the OAuth apps connected to your environment and triggers an alert when an app with a misleading publisher name L...	0 active incidents	Low	Threat detection		Feb 5, 2025

App Governance




App-based attacks are on the rise in recent years




App approval grants unlimited access to emails and documents

In 2019, unsuspecting users and administrators are phished and grant an app OAuth proxy privileges to all their emails and documents, eliminating the need for the app to enter username/password to access



Trusted app becomes attack vector in critical environments


In 2020, source code for a well trusted app is compromised with a backdoor that attackers use as a staging point to compromise critical environments



OAuth apps used in consent phishing attack

In 2022, a consent phishing campaign used OAuth request links to trick users into granting consent to an app and allowed attackers to create inbox rules, read and write emails and calendar items, and read contacts

App Governance in Defender for Cloud Apps



Deep visibility and insights into app configuration and high-risk behaviors



Policy-driven governance for Entra-connected apps to meet security and compliance mandates for data access




Comprehensive machine learning based detection and remediation of unusual app activity



App Governance automatically shuts down apps determined to be malicious – integration with Microsoft 365 Defender



App Governance enables Zero Trust pillars



App Governance example

Settings > Cloud apps

Microsoft Information Protection

Files

Conditional Access App Control

Default behavior

User monitoring

Device identification

App onboarding/maintenance

Edge for Business protection

App governance

Service status

Service status

Secure OAuth app access to Microsoft 365 and more

Available with your Defender for Cloud Apps license, app governance detects and stops risky cloud apps registered on Azure Active Directory, Google, and Salesforce.

• Detects malicious and anomalous cloud app activity

• Regulate apps with risky attributes, including with excessive permissions, unverified publishers, and increased data use

• Deploy predefined policies or create your own custom policies

By default, the Microsoft Defender for Cloud Apps instance in the US Government environments cannot connect to resources in Azure commercial and is FedRAMP compliant. However, App Governance is not FedRAMP certified. App Governance will only store and process data in secure locations within the United States and the data will only be accessible by approved Microsoft employees.

Learn more about app governance

Turn on app governance

Learn more about our data security and privacy practices

App governance

Get in-depth visibility and control over OAuth apps integrated with Azure Active Directory, Google, and Salesforce.

OverviewMicrosoft 365GoogleSalesforceAlertsPolicies

Apps

132 apps found

72 overprivileged apps

79 unused apps

86 highly privileged apps

View all apps

Incidents

49 unresolved incidents

1 threat incidents

48 policy incidents

View all incidents

Latest incidents

Last Activity	Severity	Incident name	Source
7/14/2024	High	Suspicious activi...	Policy
7/14/2024	Low	Unused app	Policy
7/11/2024	High	Suspicious activi...	Policy
7/10/2024	High	Suspicious activi...	Policy
7/10/2024	Medium	Suspicious activi...	Policy
7/8/2024	Medium	Unused app	Policy
7/2/2024	Medium	Suspicious activi...	Policy
6/29/2024	Medium	Suspicious activi...	Policy
6/27/2024	Medium	Increase in data ...	Policy
6/27/2024	Medium	Suspicious activi...	Policy

View all incidents

Predefined policies

Your predefined policies are active

Watch out for alerts from default policies that identify risky apps, such as apps with excessive privileges, unusual characteristics, or suspicious activities.

Active predefined policies12 / 12

View predefined policies

Apps that accessed Microsoft 365 services

Last 30 days

OneDrive0 / 8

SharePoint0 / 1

Teams0 / 8

Exchange0 / 12

View apps

Data usage

Data usage for various services and resources that were accessed using Microsoft Graph and Office 365 Exchange Online APIs

Services

150 GB

100 GB

50 GB

0 GB

AprilMayJuneJuly

App categories

Settings > Cloud apps

Microsoft Information Protection

Files

Conditional Access App Control

Default behavior

User monitoring

Device identification

App onboarding/maintenance

Edge for Business protection

App governance

Service status

Service status

Secure OAuth app access to Microsoft 365 and more

Available with your Defender for Cloud Apps license, app governance detects and stops risky cloud apps registered on Microsoft Entra ID, Google, and Salesforce.

• Detects malicious and anomalous cloud app activity

• Regulate apps with risky attributes, including with excessive permissions, unverified publishers, and increased data use

• Deploy predefined policies or create your own custom policies

By default, the Microsoft Defender for Cloud Apps instance in the US Government environments cannot connect to resources in Azure commercial and is FedRAMP compliant. However, App Governance is not FedRAMP certified. App Governance will only store and process data in secure locations within the United States and the data will only be accessible by approved Microsoft employees.

Learn more about app governance

Go to app governance

Turn off app governance

Learn more about our data security and privacy practices

App Governance example

App governance

Get in-depth visibility and control over OAuth apps integrated with Microsoft 365, Google, and Salesforce.

With the new application inventory, you can discover and manage all SaaS and related OAuth apps from a single location. [View application inventory](#)

Overview

Microsoft 365

Policies

Microsoft 365

Other policies

Regulate app use

Monitor changes in app usage and ensure apps are used as expected.

Create policy

Secure app permissions

Find and stop apps that have unused permissions or permissions that might be too powerful.

Create policy

Create new policy

Export

12 items

Search

Filter set: None

Save

Add filter

Policy name	Status	Severity	Active alerts	Total alerts	Last alert
☐ Unusual activity from an app with prior...	Disabled	Medium	0	0	N/A
☐ New app with low consent rate	Active	Medium	0	0	N/A
☐ App created numerous inbox rules	Active	Medium	0	0	N/A
☐ Increase in data usage by an overprivil...	Disabled	Medium	0	0	N/A
☐ Increase in app API calls to EWS	Active	Medium	0	0	N/A
☐ Increase in app activity on SharePoint	Active	Medium	0	0	N/A
☐ Suspicious app with access to multiple ...	Active	Medium	0	0	N/A
☐ Access to sensitive data	Disabled	Medium	0	0	N/A
☐ Increase in app activity on Exchange	Active	Medium	1	1	9/20/2025
☐ App sent Exchange email numerous ti...	Active	Medium	0	0	N/A

App Governance > Create a new policy

Choose template

Name and description

Policy settings

Select apps

Select conditions

Actions

Status

Review your settings

Create rule

We will apply the policy to apps that match these conditions. [Learn more about policies](#)

App details

App registration age

Within the last 0 days

App certification

Choose options

Publisher verification

☐ Yes ☐ No

Application permission

Choose options

Delegated permission

Choose options

High privilege

☐ Yes ☐ No

Overprivileged

☐ Yes ☐ No

App data access

Greater than 0 GB of data access per day

App data access trend

0 % increase in data usage compared to previous day

App API access

Greater than 0 API calls per day

App API access trend

0 % increase in API calls compared to previous day


Users consented

Greater than 0 consented users

Save

Cancel

Getting started with App Governance



1

Enable App Governance in the Defender portal


2

Launch a proof of concept (POC) to understand your organizations use cases, App Governance capabilities and your OAuth app footprint

3

Enforce policies for app behavior and establish triage process for App governance alerts and insights

AI protection with Defender for Cloud Apps



Secure AI with an integrated approach

 Microsoft Defender

 Microsoft Purview

 Microsoft Entra

 Microsoft Intune



Discover risks associated with AI apps, access, and data



Protect AI apps and sensitive data throughout their lifecycle



Govern AI usage to comply with regulatory and compliance policies

Secure AI with an integrated approach


Prevention

Discover AI apps, understand the risks, and set controls accordingly



Protection


Detect and respond to threats from suspicious interactions with Copilot



Microsoft Defender for Cloud Apps


Prevention: Discover and control AI apps

Discover



Gain comprehensive visibility into 400+ GenAI apps with cloud discovery capabilities in Defender for Cloud Apps. The list of apps is continuously updated as new GenAI apps become popular.


Control



Save time with the ready-to-use risk assessments evaluating 40+ risk factors across security, legal, and compliance. Each app is scored 0-10 to provide an overall risk ranking, so you identify high-risk apps and decide which to sanction or block.

Protection: Detect and respond to threats to AI apps

Detect




Get out-of-the-box threat detections, receive alerts on suspicious interactions with Copilot for Microsoft 365, such as accessing the apps from comprised users or risky IPs, and quickly understand what happened with an incident summary.

Respond



Gain a comprehensive view of the attack, hunt for all the user's risky activities, and remediate threats in a unified, seamless experience with the native integration with Defender XDR informed by 78 trillion daily signals.

Now, go be the hero your organization needs!





Thank you !

Lets connect:

[linkedin.com/in/erikstiphout](https://www.linkedin.com/in/erikstiphout)

sessionize.com/erikstiphout

x.com/erikstip