

Tables DDL Details

Last updated by | Wadhwa, Chirag | 19 May 2026 at 11:20 BST

Contents

- [Table DDLS:](#)
- [Insert Statements :](#)
- [Select Statement:](#)

Table DDLS:

```
CREATE TABLE IF NOT EXISTS claims.tbl_ref_experts (  
  
  expert_id      SERIAL PRIMARY KEY,  
  
  expert_type    TEXT NOT NULL,  
  
  expert_firm_name TEXT NOT NULL,  
  
  is_active      BOOLEAN NOT NULL DEFAULT true,  
  
  date_created   TIMESTAMPTZ NOT NULL DEFAULT now(),  
  
  last_updated   TIMESTAMPTZ NOT NULL DEFAULT now(),  
  
  CONSTRAINT uq_expert_type_firm  
  
  UNIQUE (expert_type, expert_firm_name)  
  
);
```

-- Jurisdictions (Reference)

```
CREATE TABLE IF NOT EXISTS claims.tbl_ref_jurisdictions (  
  
  jurisdiction_id SERIAL PRIMARY KEY,  
  
  jurisdiction_name TEXT NOT NULL UNIQUE,  
  
  is_active        BOOLEAN NOT NULL DEFAULT TRUE,  
  
  last_updated     TIMESTAMPTZ NOT NULL DEFAULT now()  
  
);
```

-- Expert coverage by Jurisdiction and Line of Business

```
CREATE TABLE IF NOT EXISTS claims.tbl_expert_jdcn_dvsn (  
  
  expert_id INT NOT NULL,  
  
  jurisdiction_id INT NOT NULL,
```

```
claim_division_name TEXT NOT NULL, -- from tbl_hierarchy

is_active BOOLEAN NOT NULL DEFAULT TRUE,

date_created TIMESTAMPTZ NOT NULL DEFAULT now(),

last_updated TIMESTAMPTZ NOT NULL DEFAULT now(),

CONSTRAINT pk_expert_jurisdiction_lob

PRIMARY KEY (expert_id, jurisdiction_id, claim_division_name),

CONSTRAINT fk_ejl_expert

FOREIGN KEY (expert_id)

REFERENCES claims.tbl_ref_experts (expert_id)

ON DELETE CASCADE,

CONSTRAINT fk_ejl_jurisdiction

FOREIGN KEY (jurisdiction_id)

REFERENCES claims.tbl_ref_jurisdictions (jurisdiction_id)

ON DELETE RESTRICT

);
```

-- Expert Legal Appointment Instruction table

```
CREATE TABLE claims.tbl_legal_instr (

instr_id UUID PRIMARY KEY DEFAULT gen_random_uuid(),

client_name TEXT NOT NULL,

industry TEXT NOT NULL,

line_of_business TEXT NOT NULL,

est_exposure exposure_band NOT NULL,

coverage_issue yes_no_inc NOT NULL,

ror_status ror_status NOT NULL,

subrogation yes_no_inc NOT NULL,

litigation_risk yes_no_inc NOT NULL,

clm_intrst_issue yes_no_inc NOT NULL,

legal_appt_types claims.legal_appt_type[] NOT NULL,

jurisdictions TEXT NOT NULL,
```

```
third_party_exposure TEXT,  
  
nature_of_event    TEXT,  
  
date_created TIMESTAMPTZ NOT NULL DEFAULT now(),  
  
last_updated TIMESTAMPTZ NOT NULL DEFAULT now()  
  
);
```

Insert Statements :

```
-- =====  
  
-- INSERTS  
  
-- =====  
  
-- Experts  
  
INSERT INTO claims.tbl_ref_experts (expert_type, expert_firm_name)  
  
VALUES  
  
('Legal', 'ABC Law Associates'),  
  
('Legal', 'Global Legal LLP'),  
  
('Surveyor', 'Prime Survey Services'),  
  
('Adjuster', 'Elite Claims Adjusters');  
  
-- Jurisdictions  
  
INSERT INTO claims.tbl_ref_jurisdictions (jurisdiction_name)  
  
VALUES  
  
('United Kingdom'),  
  
('United States'),  
  
('India'),  
  
('Australia'),  
  
('Canada');  
  
-- Expert Coverage (ensure expert_id & jurisdiction_id exist)  
  
INSERT INTO claims.tbl_expert_jdcn_dvsn (  
  
expert_id,  
  
jurisdiction_id,  
  
claim_division_name
```

```
)
```

```
VALUES
```

```
(1, 1, 'Property'),
```

```
(1, 2, 'Casualty'),
```

```
(2, 1, 'Marine'),
```

```
(3, 3, 'Property'),
```

```
(4, 4, 'Energy');
```

```
-- Legal Instructions (enum values must exist in DB)
```

```
INSERT INTO claims.tbl_legal_instr (
```

```
client_name,
```

```
industry,
```

```
line_of_business,
```

```
est_exposure,
```

```
coverage_issue,
```

```
ror_status,
```

```
subrogation,
```

```
litigation_risk,
```

```
clm_intrst_issue,
```

```
legal_appt_types,
```

```
jurisdictions,
```

```
third_party_exposure,
```

```
nature_of_event
```

```
)
```

```
VALUES (
```

```
'ABC Corp',
```

```
'Manufacturing',
```

```
'Property',
```

```
'HIGH',
```

```
'YES',
```

```
'OPEN',  
  
'NO',  
  
'YES',  
  
'NO',  
  
ARRAY['DEFENCE', 'COVERAGE'],  
  
'United Kingdom, United States',  
  
'High third-party liability',  
  
'Fire damage at production unit'  
  
);
```

Select Statement:

```
-- =====  
  
-- SELECTS  
  
-- =====  
  
-- Experts  
  
SELECT *  
  
FROM claims.tbl_ref_experts  
  
WHERE is_active = TRUE;  
  
SELECT expert_id, expert_type, expert_firm_name  
  
FROM claims.tbl_ref_experts  
  
WHERE expert_type = 'Legal';  
  
-- Jurisdictions  
  
SELECT *  
  
FROM claims.tbl_ref_jurisdictions;  
  
SELECT jurisdiction_id, jurisdiction_name  
  
FROM claims.tbl_ref_jurisdictions  
  
WHERE is_active = TRUE;  
  
-- Expert Coverage with joins  
  
SELECT  
  
e.expert_id,
```

```
e.expert_firm_name,

e.expert_type,

j.jurisdiction_name,

ejd.claim_division_name

FROM claims.tbl_expert_jdcn_dvsn ejd

JOIN claims.tbl_ref_experts e

ON ejd.expert_id = e.expert_id

JOIN claims.tbl_ref_jurisdictions j

ON ejd.jurisdiction_id = j.jurisdiction_id

WHERE ejd.is_active = TRUE;

-- Filter by jurisdiction

SELECT *

FROM claims.tbl_expert_jdcn_dvsn

WHERE jurisdiction_id = 1;

-- Legal Instructions

SELECT *

FROM claims.tbl_legal_instr;

SELECT *

FROM claims.tbl_legal_instr

WHERE client_name = 'ABC Corp';

SELECT client_name, est_exposure, litigation_risk

FROM claims.tbl_legal_instr

WHERE est_exposure = 'HIGH';

SELECT *

FROM claims.tbl_legal_instr

WHERE jurisdictions ILIKE '%United Kingdom%';

SELECT *

FROM claims.tbl_legal_instr

WHERE 'DEFENCE' = ANY (legal_appt_types);
```

-- Combined query

SELECT

e.expert_firm_name,

e.expert_type,

j.jurisdiction_name,

ejd.claim_division_name

FROM claims.tbl_expert_jdcn_dvsn ejd

JOIN claims.tbl_ref_experts e ON e.expert_id = ejd.expert_id

JOIN claims.tbl_ref_jurisdictions j ON j.jurisdiction_id = ejd.jurisdiction_id

WHERE j.jurisdiction_name = 'United Kingdom'

AND ejd.claim_division_name = 'Property'

AND e.is_active = TRUE;

--