State the event before showing a probability

Research event: observed CGM rise ≥20 mg/dL at approximately +120 minutes

01

Current event contract

CGM rise ≥20 mg/dL
at approximately t + 120 min

Relative to the latest available current reading.

02

Observed ground truth

Nearest real CGM sample within ±150 seconds of the nominal horizon.

No interpolated outcomes. No future input.

Measured research results, with their denominator

1,859 final windows from 3 participants

Model	+120 MAE	Recall	Precision	FN / FP
CGM only	13.31	66.20%	22.14%	97 / 668
CGM + HR + RMSSD	13.70	84.67%	19.35%	44 / 1,013
Matched research fusion	14.73	82.93%	22.88%	49 / 802
Unmatched EHR only	14.80	100.00%	15.44%	0 / 1,572
Unmatched composite	13.76	76.66%	20.52%	67 / 852
Persistence	16.35	0.00%	0.00%	287 / 0

Same eligible final windows · events are overlapping windows, not unique episodes

Freeze first. Reveal later. Compare honestly.

A computation boundary the jury can inspect

01

Choose

Participant, cutoff
and input stress case

02

Freeze

Restrict the prefix
Preserve model output

03

Reveal

Original recorded future
No new prediction


04

Compare

Error, persistence, bands
Download receipt


Test the failure boundary

Sensor stress is distinct from clinical robustness



Keep the evidence beside the experience

Ablations, calibration, participant slices and an explicit model contract



Separate research evidence from simulator progress

Different data and different targets cannot be compared as one accuracy claim

01

Current research model

CGM history only · open recorded wearable data · small participant cohort.

02

Legacy synthetic V3

Preserved simulator benchmark. Its prior scores are explicitly historical.

03

Independent V4 experiment

Predeclared promotion gate failed; not promoted.