

Môn học: IT005 – Nhập môn mạng máy tính

Lớp: IT005.Q116.1

Họ tên: Đỗ Quang Duy


MSSV: 24520367

Báo cáo LAB 5

1.Task 1: Cấu hình thiết bị mạng không dây

File task 1: [Lab 5a_24520367.pka](#)

- **Kết quả kiểm tra tổng quát:**



- **Kết quả kiểm tra chi tiết:**

Cisco Packet Tracer - C:\Users\ADMIN\Downloads\Lab 5a_24520367.pka - 24520367 - 2025-12-04 14:09:59

File Edit Options View Tools Extensions Window Help

Activity Results

Time Elapsed: 00:14:11

Congratulations 24520367! You completed the activity.

Overall Feedback Assessment Items Connectivity Tests

Expand/Collapse All Show Incorrect Items

Assessment Items	Status	Points	Component(s)	Feedback
Network				
PC3				
Wireless				
Security Mode				
Authn Type	Correct	1	Wireless Client C...	
Pass Phrase	Correct	4	Wireless Client C...	
SSID	Correct	5	Wireless Client C...	
WRS2				
(deprecated) DHCP Server				
(deprecated) DHCP Enable	Correct	10	Wireless Router ...	
(deprecated) Pools		0	Ip	
(deprecated) Pool linkysPool		0	Ip	
(deprecated) Default Gateway	Correct	10	Wireless Router ...	
Default Gateway	Correct	10	Wireless Router ...	
Ports				
Internet				
IP Address	Correct	10	Wireless Router ...	
Link to S1				
Connects to FastEthernet0/7	Correct	5	Device Connection	
Type	Correct	5	Device Connection	
Wireless		0	Other	
Wireless				
Security Mode				
Authn Type	Correct	10	Wireless Router ...	
Pass Phrase	Correct	10	Wireless Router ...	
SSID	Correct	10	Wireless Router ...	
SSID Broadcast	Correct	10	Wireless Router ...	

Component	Items/Total	Score
Device Connection	2/2	10/10
Wireless Client Configuration	3/3	10/10
Wireless Router Configuration	8/8	80/80

Score : 100/100

Item Count : 13/13

Close

2.Task 2: Cấu hình địa chỉ IP trên router

File task 2: [Lab 5b_24520367.pka](#)

- **Show run:**

- **Show ip interface brief:**

- **Show ip route:**

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2, E - EGP
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
* - candidate default, U - per-user static route, o - ODR
P - periodic downloaded static route

```
D 10.0.0.0/8 [90/2170112] via 209.165.200.226, 00:20:28, Serial0/0/0
192.168.10.0/24 is variably subnetted, 2 subnets, 2 masks
C 192.168.10.0/24 is directly connected, GigabitEthernet0/0
L 192.168.10.1/32 is directly connected, GigabitEthernet0/0
192.168.11.0/24 is variably subnetted, 2 subnets, 2 masks
C 192.168.11.0/24 is directly connected, GigabitEthernet0/1
L 192.168.11.1/32 is directly connected, GigabitEthernet0/1
209.165.200.0/24 is variably subnetted, 3 subnets, 3 masks
D 209.165.200.0/24 is a summary, 00:20:37, Null0
C 209.165.200.224/30 is directly connected, Serial0/0/0
L 209.165.200.225/32 is directly connected, Serial0/0/0
```

- **Show run:**

- **Show ip interface brief:**

R2#show ip interface brief

Interface	IP-Address	OK?	Method	Status	Protocol
GigabitEthernet0/0	10.1.1.1	YES	manual	up	up
GigabitEthernet0/1	10.1.2.1	YES	manual	up	up
Serial0/0/0	209.165.200.226	YES	manual	up	up
Serial0/0/1	unassigned	YES	unset	administratively down	down
Vlan1	unassigned	YES	unset	administratively down	down

- **Show ip route:**

R2#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2, E - EGP
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
* - candidate default, U - per-user static route, o - ODR
P - periodic downloaded static route


Gateway of last resort is not set

```


    10.0.0.0/8 is variably subnetted, 5 subnets, 3 masks
D       10.0.0.0/8 is a summary, 00:26:07, Null0
C       10.1.1.0/24 is directly connected, GigabitEthernet0/0
L       10.1.1.1/32 is directly connected, GigabitEthernet0/0
C       10.1.2.0/24 is directly connected, GigabitEthernet0/1
L       10.1.2.1/32 is directly connected, GigabitEthernet0/1
D      192.168.10.0/24 [90/2170112] via 209.165.200.225, 00:26:07, Serial0/0/0
D      192.168.11.0/24 [90/2170112] via 209.165.200.225, 00:26:07, Serial0/0/0
    209.165.200.0/24 is variably subnetted, 3 subnets, 3 masks
D       209.165.200.0/24 is a summary, 00:26:07, Null0
C       209.165.200.224/30 is directly connected, Serial0/0/0
L       209.165.200.226/32 is directly connected, Serial0/0/0
```

Kết quả

- Kết quả tổng quát:**



- Kết quả chi tiết:**



3.Task 3: Áp dụng chia địa chỉ IP

File task 3: [Lab 5c_24520367.pka](#)

Chia địa chỉ IP

- Có 5 mạng con:
 - Kết nối giữa S1 và G0/0 của R1.
 - Kết nối giữa S2 và G0/1 của R1.
 - Kết nối giữa S3 và G0/0 của R2.
 - Kết nối giữa S4 và G0/1 của R2.
 - Kết nối giữa R1 và R2.
- Chia mạng con từ địa chỉ 192.168.100.0/24:


STT	Địa chỉ mạng	Địa chỉ đầu	Địa chỉ cuối	Địa chỉ Broadcast
0	192.168.100.0	192.168.100.1	192.168.100.30	192.168.100.31
1	192.168.100.32	192.168.100.33	192.168.100.62	192.168.100.63
2	192.168.100.64	192.168.100.65	192.168.100.94	192.168.100.95
3	192.168.100.96	192.168.100.97	192.168.100.126	192.168.100.127
4	192.168.100.128	192.168.100.129	192.168.100.158	192.168.100.159
5	192.168.100.160	192.168.100.161	192.168.100.190	192.168.100.191
6	192.168.100.192	192.168.100.193	192.168.100.222	192.168.100.223
7	192.168.100.224	192.168.100.225	192.168.100.254	192.168.100.255

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	G0/0	192.168.100.1	255.255.255.224	N/A
	G0/1	192.168.100.33	255.255.255.224	N/A
	S0/0/0	192.168.100.129	255.255.255.224	N/A
R2	G0/0	192.168.100.65	255.255.255.224	N/A
	G0/1	192.168.100.97	255.255.255.224	N/A

	S0/0/0	192.168.100.158	255.255.255.224	N/A
S1	VLAN1	192.168.100.2	255.255.255.224	192.168.100.1
S2	VLAN1	192.168.100.34	255.255.255.224	192.168.100.33
S3	VLAN1	192.168.100.66	255.255.255.224	192.168.100.65
S4	VLAN1	192.168.100.98	255.255.255.224	192.168.100.97
PC1	NIC	192.168.100.30	255.255.255.224	192.168.100.1
PC2	NIC	192.168.100.62	255.255.255.224	192.168.100.33
PC3	NIC	192.168.100.94	255.255.255.224	192.168.100.65
PC4	NIC	192.168.100.126	255.255.255.224	192.168.100.97

Kết quả

• Kết quả tổng quát:



• Kết quả chi tiết:

Cisco Packet Tracer - C:\Users\ADMIN\Desktop\24520367\Nám 2\HK1 25 - 26\NMMT\TH\Lab5\Lab 5c_24520367.pka - Guest - 2025-12-05 19:12:09

File Edit Options View Tools Extensions Window Help

Activity Results

Time Elapsed: 00:26:06

Congratulations Guest! You completed the activity.

Overall Feedback Assessment Items Connectivity Tests

Expand/Collapse All Show Incorrect Items

Assessment Items	Status	Points	Component(s)	Feedback
Network				
PC4				
Default Gateway	Correct	2	Default Gateway...	
Ports				
FastEthernet0				
IP Address	Correct	2	IPv4 Host Addre...	
Subnet Mask	Correct	2	IPv4 Subnet Mas...	
R1				
Ports				
GigabitEthernet0/0				
IP Address	Correct	3	IPv4 Host Addre...	
Port Status	Correct	1	Device interface ...	
Subnet Mask	Correct	3	IPv4 Subnet Mas...	
GigabitEthernet0/1				
IP Address	Correct	3	IPv4 Host Addre...	
Port Status	Correct	1	Device interface ...	
Subnet Mask	Correct	3	IPv4 Subnet Mas...	
S3				
Default Gateway	Correct	3	Default Gateway...	
Ports				
Vlan1				
IP Address	Correct	3	IPv4 Host Addre...	
Port Status	Correct	1	Device interface ...	
Subnet Mask	Correct	3	IPv4 Subnet Mas...	

Score : 30/30

Item Count : 13/13

Component	Items/Total	Score
Default Gateway Configuration	2/2	5/5
Device Interface Configuration	3/3	3/3
IPv4 Host Address Calculation	4/4	11/11
IPv4 Subnet Mask Calculation	4/4	11/11

Close