Name: _____

Mark: _____ / 10

Mini-math Div 3/4: Friday, September 15, 2022 (18 minutes)

1. (1 point) Given $\int_{1}^{7} f(x) dx = 4$, $\int_{-1}^{7} f(x) dx = -3$, and $\int_{1}^{5} f(x) dx = 6$, find $\int_{-1}^{5} (2f(x) + 3) dx$ A -2 B 15 C 16 D 17 E 28

- 2. (1 point) Using the substitution $u = x^3 2$, $\int_{-2}^3 x^2 (x^3 2)^3 dx$ is equal to which of the following?
 - A. $3 \int_{-10}^{25} u^3 du$
 - B. $\int_{-10}^{25} u^3 du$
 - C. $\frac{1}{3} \int_{-10}^{25} u^3 du$
 - D. $\int_{-2}^{3} u^3 du$
 - E. $\frac{1}{3} \int_{-2}^{3} u^3 du$

- 3. (1 point) $\int_0^1 \frac{2x-3}{x^2-5x+6} \, dx \text{ is}$
 - A. $\ln\left(\frac{16}{27}\right)$ B. $\ln 8$ C. $\ln 27$ D. $\ln 432$ E. divergent

- 4. (1 point) $\int_1^\infty xe^{-x^2} dx$ is A. $-\frac{1}{e}$ B. $\frac{1}{2e}$ C. $\frac{1}{e}$ D. $\frac{2}{e}$ E. divergent

- 5. (1 point) $\int_1^8 t^{-2/3} dt =$
 - A. -3 B. -1
- C. $\frac{93}{160}$
- D. 1
- E. 3


6. (1 point) To the right is a graph of the function f(x). Suppose $g(x) = \int_a^x f(t) dt$ and g(1) = 5. What is the minimum value of g(x)on [-6, 2]?



C.
$$-4$$

D.
$$-3$$

E.
$$-2$$



7. (2 points) Find
$$\int \frac{dx}{\sqrt{-x^2 + 4x - 3}}$$

8. (2 points) Find
$$\int (3x-1)\sin x \, dx$$