## Ganpat University Faculty of Engineering & Technology Computer Science & Engineering (2CSE204) Basics of Operating System and Shell Scripting

Name:- Dwij Vatsal Desai Sem:- 2 Sub: - BOSS Enrollment No.:- 23162121027 Prac:- 2 Date:- 20/2/2024

## **Practical 2**

1. Create a Directory named **India** with subdirectories *Gujarat*, *UP*, *Rajasthan and Delhi*. All these 4 directories must be created along with **India** only. Each subdirectory contains three files with names *stateX* (where state is state's name and X is 1 to 4).

```
ddesai@localhost:~/India
[ddesai@localhost ~]$ mkdir India
[ddesai@localhost ~]$ cd India
[ddesai@localhost India]$ ls
[ddesai@localhost India]$ mkdir Gujarat UP Rajasthan Delhi
[ddesai@localhost India]$ cd Gujarat
[ddesai@localhost Gujarat]$ touch Gujarat0 Gujarat1 Gujarat2
[ddesai@localhost Gujarat]$ cd ..
[ddesai@localhost India]$ cd UP
[ddesai@localhost UP]$ touch UP0 UP1 UP2
[ddesai@localhost UP]$ cd ..
[ddesai@localhost India]$ cd Rajasthan
[ddesai@localhost Rajasthan]$ touch Rajasthan0 Rajasthan1 Rajasthan2
[ddesai@localhost Rajasthan]$ cd ..
[ddesai@localhost India]$ cd Delhi
[ddesai@localhost Delhi]$ touch Delhi0 Delhi1 Delhi2
[ddesai@localhost Delhi]$ cd ..
[ddesai@localhost India]$ pwd
/home/ddesai/India
[ddesai@localhost India]$ ls
[ddesai@localhost India]$
```

2. One more directory Delhi\_Copy contains files copied from the Delhi directory.

```
File Edit View Search Terminal Help

[ddesai@localhost India]$ mkdir Dilhi_copy

[ddesai@localhost India]$ cd Dilhi
bash: cd: Dilhi: No such file or directory

[ddesai@localhost India]$ cd Delhi

[ddesai@localhost Delhi]$ cp Delhi0 Delhi1 Delhi2 ../Dilhi_copy/

[ddesai@localhost Delhi]$ cd ..

[ddesai@localhost India]$ cd Dilhi_copy/

[ddesai@localhost Dilhi_copy]$ ls

Delhi0 Delhi1 Delhi2

[ddesai@localhost Dilhi_copy]$ 

[ddesai@localhost Dilhi_copy]$
```

3. One more directory Gujarat\_Move contains the files moved from Gujarat directory.

```
File Edit View Search Terminal Help

[ddesai@localhost India]$ mkdir Gujarat_move

[ddesai@localhost India]$ mv Gujarat/* Gujarat_move/

[ddesai@localhost India]$ cd Gujarat_move/

[ddesai@localhost Gujarat_move]$ ls

Gujarat0 Gujarat1 Gujarat2

[ddesai@localhost Gujarat_move]$
```

**4.** UP and Rajasthan directories along with their internal files should be copied to /tmp directory

Entire India directory should be removed without removing individual subdirectories and files.