PQueue [DB3]

PQueue Properties							
General							
Name	PQueue	**Number**	3	**Type**	DB	**Language**	DB
Numbering	Manual						
Information							
Title		**Author**		**Comment**		**Family**	
Version	0.1	**User-defined ID**					

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
Static									
PQueue	"typePQueueData"		False	True	True	True	True		Priority Queue of products registered in this SP.
buffer	Array[0.."QueueCountSmall"] of "typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
buffer[0]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[1]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[2]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[3]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[4]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[5]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[6]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[7]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[8]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
buffer[9]	"typeArrayOfProducts"		False	True	True	True	False		List of all SubQueues in PQueue.
staticQueueVariables	Struct		False	True	True	True	False		Static variables for upkeeping of a SubQueue.
statFirstItemIndex	Int	-1	False	False	False	False	False		Index of the oldest entry in the buffer
statNextEmptyItemIndex	Int	0	False	False	False	False	False		Index of the next free entry in the buffer
statElementCount	DInt	0	False	False	False	False	False		Number of elements in the buffer
product	Array[0.."SubQueueCountSmall"] of "typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
product[0]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[1]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[2]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[3]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[4]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[5]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[6]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[7]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[8]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
▼ product[9]	"typeProductInQueue"		False	True	True	True	False		Array of products in SubQueue.
id	DInt	0	False	True	True	True	False		Id of a product.

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engineering	Setpoint	Supervision	Comment
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
isEmptyBuffer	Array[0.."QueueCountSmall"] of Bool		False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[0]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[1]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[2]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[3]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[4]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[5]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[6]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[7]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[8]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isEmptyBuffer[9]	Bool	true	False	True	True	True	True		Indications of empty buffers.
isFullBuffer	Array[0.."QueueCountSmall"] of Bool		False	True	True	True	True		Indications of full buffers.
isFullBuffer[0]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[1]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[2]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[3]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[4]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[5]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[6]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[7]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[8]	Bool	false	False	True	True	True	True		Indications of full buffers.
isFullBuffer[9]	Bool	false	False	True	True	True	True		Indications of full buffers.
subElementCount	Array[0.."QueueCountSmall"] of DInt		False	True	True	True	False		Number of items in subQueues.
subElementCount[0]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[1]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[2]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[3]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[4]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[5]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[6]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[7]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[8]	DInt	0	False	True	True	True	False		Number of items in subQueues.
subElementCount[9]	DInt	0	False	True	True	True	False		Number of items in subQueues.
queueProductCount	DInt	0	False	True	True	True	False		Total product count.
emptyItem	"typeProductInQueue"		False	True	True	True	False		Constant of how empty item should look like.
id	DInt	0	False	True	True	True	False		Id of a product.
material	Int	0	False	True	True	True	False		Material of a product.
initialPosition/operation	Int	0	False	True	True	True	False		Initial position or operation of a product.
finalPosition/operationParameter	Int	0	False	True	True	True	False		Final position or operation parameter of a product.
activeItemPosition	DInt	0	False	True	True	True	True		Position of an active item in production.