

```

<?php
include 'songs.php';
/*required for session and song class*/
session_start();
?>
<!DOCTYPE html>
<!-- saved from url=(0141)https://www.quackit.com/html/html_editors/scratchpad/preview.cfm?example=/css/flexbox/tutorial/create_a_website_layout_with_flex
<html><head><title>iRecords</title>
<link rel="icon" type="img" href="images/irecords.png">
<style>
body {
    margin: 0;
    background-color: black;
}
.header {
    width: auto;
    margin: 0;
    background-color: yellow;
    padding: 10px;
}
.header a {
    color: black;
    text-decoration: none;
}
.cont {
    background-color: black;
    width: 100%;
}
.cont p {
    color: white;
    font-family: Arial;
    padding-right: 15px;
}
.cont img {
    width: 20%;
    vertical-align: middle;
    margin: 10px;
}
.cont table {
    width: auto;
}
.cont button {
background-color: yellow;
border-style: none;
border-radius: 10px;
margin: 0;
padding: 7px;
font-family: Arial;
color: black;
}
.cont input{
    background-color: white;
    border-style: none;
    margin-right: 10px;
    border-radius: 10px;
    padding: 7px;
    font-family: Arial;
    color: black;
}
.cont input::placeholder {
    font-family: Arial;
    color: grey;
}
</style>
</head><body>
<div class="header">
<p style="font-size: 50px; font-family: Arial;">iRecords &ems;

</div>
<div class="cont">
<center><h1 style="font-family: Arial; color: white;">We only sell the best two Pink Floyd Albums!</h1>
<h1 style="font-family: Arial; color: white;">If you only like these two, you're a real fan!</h1>
<br>
<br>
<br>
<br>
<br>
<br>
<h2 style="font-family: Arial; color: white;">Wish You Were Here</h2>
<table>
    <?php
    /*used to determine if the button to buy song was pressed by setting a velur to the designated index in post*/
    if (isset($_POST['buySong'])) {
        $_SESSION[$_POST['buySong']]>purchased = true;
        /*checks if the user defined a note when buying the song*/
        if (isset($_POST['note'])) {
            $_SESSION[$_POST['buySong']]>note = $_POST['note'];
        }
    }

```

```

        /*resets the values just in case*/
        $_POST['buySong'] = "";
        $_POST['note'] = "";
    }
    /*method used to print a html table containing songs that have benn not purchased
    by accesing the unique identifier*/
    echo "<img src=\"images/wywh.png\">";
    for ($i=0; $i < 5; $i++) {
        $index = "wywh".$i;
        if ($_SESSION[$index]->purchased == false) {
            echo "<tr><td><p>".$_SESSION[$index]->name."</p></td>";
            echo "<td><form method=\"post\"><input type=\"text\" name=\"note\" placeholder=\"Optional Note\"></td><td>";
            echo "<button type=\"submit\" name=\"buySong\" value=\"wywh$i\">Buy Song</button></form></td></tr>";
        }
    }
    ?>
</table>
<br>
<br>
<br>
<br>
<br>
<br>
<h2 style="font-family: Arial; color: white;">The Dark Side of the Moon</h2>
<table>
    <?php
    /*same as above*/
    if (isset($_POST['buySong'])) {
        $_SESSION[$_POST['buySong']]->purchased = true;
        if (isset($_POST['note'])) {
            $_SESSION[$_POST['buySong']]->note = $_POST['note'];
        }
        $_POST['buySong'] = "";
        $_POST['note'] = "";
    }
    echo "<img src=\"images/dsotm.png\">";
    /*same as above*/
    for ($i=0; $i < 10; $i++) {
        $index = "dsotm".$i;
        if ($_SESSION[$index]->purchased == false) {
            echo "<tr><td><p>".$_SESSION[$index]->name."</p></td>";
            echo "<td><form method=\"post\"><input type=\"text\" name=\"note\" placeholder=\"Optional Note\"></td><td>";
            echo "<button type=\"submit\" name=\"buySong\" value=\"dsotm$i\">Buy Song</button></form></td></tr>";
        }
    }
    ?>
</table>
</table></center>
</div>
</body></html>

```