

1.

```
Latihan1.html > html > body > nav.navbar > ul
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Latihan 1</title>
7  </head>
8  <body>
9
10   <!-- Navbar -->
11   <nav class="navbar">
12     <ul>
13       <li><a href="./Latihan1.html"><b>Latihan 1</b></a></li>
14       <li><a href="./Latihan2.html"><b>Latihan 2</b></a></li>
15       <li><a href="./Latihan3.html"><b>Latihan 3</b></a></li>
16       <li><a href="./Latihan4.html"><b>Latihan 4</b></a></li>
17       <li><a href="./Latihan5.html"><b>Latihan 5</b></a></li>
18       <li><a href="./Latihan6.html"><b>Latihan 6</b></a></li>
19       <li><a href="./Latihan7.html"><b>Latihan 7</b></a></li>
20     </ul>
21   </nav>
22   <h1>Praktikum 1</h1>
23   <p>Pak Anton Sukanto adalah prodi Teknologi Informasi</p>
24   <p><b>Institut Bisnis dan Informatika Kesatuan Bogor</b></p>
25   <p>Prodi Teknologi Informasi</p>
26 </body>
27
28
29 <style>
30   body {
31     font-family: Lucida Sans, sans-serif;
32   }
33   h1 {
34     color: #333;
35   }
36   p {
37     line-height: 1.6;
38     color: #555;
39   }
40
41   .navbar {
42     background-color: #31b1ec;
43     overflow: hidden;
44   }
45   .navbar ul {
46     list-style-type: none;
47     margin: 0;
48     padding: 0;
49   }
```

```
Latihan1.html > ...
2  <html lang="en">
29 <style>

40
41     .navbar {
42         background-color: #31b1ec;
43         overflow: hidden;
44     }
45     .navbar ul {
46         list-style-type: none;
47         margin: 0;
48         padding: 0;
49     }
50     .navbar li {
51         float: left;
52         font-family: 'Lucida Sans';
53     }
54     .navbar li a {
55         display: block;
56         color: white;
57         text-align: center;
58         padding: 14px 16px;
59         text-decoration: none;
60     }
61     .navbar li a:hover {
62         background-color: #ddd;
63         color: black;
64     }
65 </style>
66 </html>
67
68
69
```

[Latihan 1](#) [Latihan 2](#) [Latihan 3](#) [Latihan 4](#) [Latihan 5](#) [Latihan 6](#) [Latihan 7](#)

Praktikum 1

Pak Anton Sukanto adalah prodi Teknologi Informasi

Institut Bisnis dan Informatika Kesatuan Bogor

Prodi Teknologi Informasi

```
Latihan2.html > ...
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Latihan 2</title>
7 </head>
8 <body>
9
10 <!-- Navbar -->
11 <nav class="navbar">
12   <ul>
13     <li><a href="/Latihan1.html"><b>Latihan 1</b></a></li>
14     <li><a href="/Latihan2.html"><b>Latihan 2</b></a></li>
15     <li><a href="/Latihan3.html"><b>Latihan 3</b></a></li>
16     <li><a href="/Latihan4.html"><b>Latihan 4</b></a></li>
17     <li><a href="/Latihan5.html"><b>Latihan 5</b></a></li>
18     <li><a href="/Latihan6.html"><b>Latihan 6</b></a></li>
19     <li><a href="/Latihan7.html"><b>Latihan 7</b></a></li>
20   </ul>
21 </nav>
22
23 <h1>Praktikum 1</h1>
24 <p>Pak Anton Sukanto adalah prodi Teknologi Informasi</p>
25 <p><b>Institut Bisnis dan Informatika Kesatuan Bogor</b></p>
26 <p>Prodi Teknologi Informasi</p>
27
28 
29 
30 </body>
31
32 <style>
33   body {
34     font-family: Lucida Sans, sans-serif;
35   }
36   h1 {
37     color: #333;
38   }
39   p {
40     line-height: 1.6;
41     color: #333;
42   }
43   .navbar {
44     background-color: #31b1ec;
45     overflow: hidden;
46   }
47   .navbar ul {
48     list-style-type: none;
49     margin: 0;
50   }
51
52   .navbar li {
53     float: left;
54     font-family: 'Lucida Sans';
55   }
56   .navbar li a {
57     display: block;
58     color: white;
59     text-align: center;
60     padding: 14px 16px;
61     text-decoration: none;
62   }
63   .navbar li a:hover {
64     background-color: #ddd;
65     color: black;
66   }
67 </style>
68 </html>
```

2.

```
Latihan2.html > ...
2 <html lang="en">
32 <style>
43 .navbar {
46 }
47 .navbar ul {
48   list-style-type: none;
49   margin: 0;
50   padding: 0;
51 }
52 .navbar li {
53   float: left;
54   font-family: 'Lucida Sans';
55 }
56 .navbar li a {
57   display: block;
58   color: white;
59   text-align: center;
60   padding: 14px 16px;
61   text-decoration: none;
62 }
63 .navbar li a:hover {
64   background-color: #ddd;
65   color: black;
66 }
67 </style>
68 </html>
```

[Latihan 1](#) [Latihan 2](#) [Latihan 3](#) [Latihan 4](#) [Latihan 5](#) [Latihan 6](#) [Latihan 7](#)

Praktikum 1

Pak Anton Sukanto adalah prodi Teknologi Informasi

Institut Bisnis dan Informatika Kesatuan Bogor

Prodi Teknologi Informasi



```
Latihan3.html > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Latihan 3</title>
7 </head>
8 <body>
9
10   <!-- Navbar -->
11   <nav class="navbar">
12     <ul>
13       <li><a href="./Latihan1.html"><b>Latihan 1</b></a></li>
14       <li><a href="./Latihan2.html"><b>Latihan 2</b></a></li>
15       <li><a href="./Latihan3.html"><b>Latihan 3</b></a></li>
16       <li><a href="./Latihan4.html"><b>Latihan 4</b></a></li>
17       <li><a href="./Latihan5.html"><b>Latihan 5</b></a></li>
18       <li><a href="./Latihan6.html"><b>Latihan 6</b></a></li>
19       <li><a href="./Latihan7.html"><b>Latihan 7</b></a></li>
20     </ul>
21   </nav>
22
23   <h1>Praktikum 1</h1>
24   <p>Oksigen adalah unsur kimia dengan simbol O dan nomor atom 8
25   <p>Oksigen mempunyai beberapa SIFAT FISIKA, diantaranya yang terdapat dalam tabel berikut: </p>
26   <table>
27     <tr>
28       <th>Sifat Fisika</th>
29       <th>Oksigen</th>
30     </tr>
31     <tr>
32       <td>Massa Atom <i>Relative</i></td>
33       <td>15,994</td>
34     </tr>
35     <tr>
36       <td>Nomor Atom</td>
37       <td>8</td>
38     </tr>
39     <tr>
40       <td>Konfigurasi <i>electron</i></td>
41       <td>2s22p4</td>
42     </tr>
43     <tr>
44       <td>Jari-jari atom (nm)</td>
45       <td>0,074</td>
46     </tr>
47     <tr>
48       <td>Jari-jari X2 (nm)</td>
49       <td>0,140</td>
```

3.

```
Latihan3.html > html > body > nav.navbar > ul > li
2   <html lang="en">
8   <body>
24  <p>Oksigen adalah unsur kimia dengan simbol O dan nomor atom 8
26  <table>
47  <tr>
48  |   <td>Jari-jari X2 (nm)</td>
49  |   <td>0,140</td>
50  | </tr>
51  | <tr>
52  | |   <td>Keelectronegatifan</td>
53  | |   <td>3,5</td>
54  | | </tr>
55  | | <tr>
56  | | |   <td>Energy ionisasi I (kJ/mol)</td>
57  | | |   <td>1316</td>
58  | | | </tr>
59  | | | <tr>
60  | | | |   <td>Energy ionisasi II (kJ/mol)</td>
61  | | | |   <td>3396</td>
62  | | | | </tr>
63  | | | <tr>
64  | | | |   <td>Kerapatan (g/cm3)</td>
65  | | | |   <td>1.27 (padatan)</td>
66  | | | | </tr>
67  | | | <tr>
68  | | | |   <td>Titik Leleh (°C)</td>
69  | | | |   <td>+183</td>
70  | | | | </tr>
71  | | | <tr>
72  | | | |   <td>Titik Beku (°C)</td>
73  | | | |   <td>-219</td>
74  | | | | </tr>
75  | | | <tr>
76  | | | |   <td><i>Potensial elektroda</i> (V)</td>
77  | | | |   <td>+0.401</td>
78  | | | | </tr>
79  | | </tr>
80  | </table>
81 </body>
82
83 <style>
84   body {
85     font-family: Lucida Sans, sans-serif;
86   }
87   table {
88     width: 50%;
89     margin: 20px auto;
90     border-collapse: collapse;
91   }
```

```
Latihan3.html > html > body > nav.navbar > ul > li
2  <html lang="en">
81 </body>
82
83 <style>
84   body {
85     font-family: Lucida Sans, sans-serif;
86   }
87   table {
88     width: 50%;
89     margin: 20px auto;
90     border-collapse: collapse;
91   }
92   th, td {
93     padding: 10px;
94     text-align: left;
95     border: 1px solid #000;
96   }
97   th {
98     background-color: #dbdbdb;
99   }
100
101   .navbar {
102     background-color: #31b1ec;
103     overflow: hidden;
104   }
105   .navbar ul {
106     list-style-type: none;
107     margin: 0;
108     padding: 0;
109   }
110   .navbar li {
111     float: left;
112     font-family: 'Lucida Sans';
113   }
114   .navbar li a {
115     display: block;
116     color: white;
117     text-align: center;
118     padding: 14px 16px;
119     text-decoration: none;
120   }
121   .navbar li a:hover {
122     background-color: #ddd;
123     color: black;
124   }
125 </style>
126 </html>
```

Praktikum 1

Oksigen adalah unsur kimia dengan simbol O dan nomor atom 8
Oksigen mempunyai beberapa SIFAT FISIKA, diantaranya yang terdapat dalam tabel berikut:

Sifat Fisika	Oksigen
Massa Atom <i>Relative</i>	15,994
Nomor Atom	8
Konfigurasi <i>electron</i>	2s ² 2p ⁴
Jari-jari atom (nm)	0,074
Jari-jari X ^o (nm)	0,140
Keelectronegatifan	3,5
Energy ionisasi I (kJ/mol)	1316
Energy ionisasi II (kJ/mol)	3396
Kerapatan (g/cm ³)	1.27 (padatan)
Titik Leleh (°C)	+183
Titik Beku (°C)	-219
Potensial elektroda (V)	+0.401


```
Latihan4.html > -
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Latihan 4</title>
7 </head>
8 <body>
9
10   <!-- Navbar -->
11   <nav class="navbar">
12     <ul>
13       <li><a href="/Latihan1.html"><b>Latihan 1</b></a></li>
14       <li><a href="/Latihan2.html"><b>Latihan 2</b></a></li>
15       <li><a href="/Latihan3.html"><b>Latihan 3</b></a></li>
16       <li><a href="/Latihan4.html"><b>Latihan 4</b></a></li>
17       <li><a href="/Latihan5.html"><b>Latihan 5</b></a></li>
18       <li><a href="/Latihan6.html"><b>Latihan 6</b></a></li>
19       <li><a href="/Latihan7.html"><b>Latihan 7</b></a></li>
20     </ul>
21   </nav>
22
23   <h1>The 10 Most Popular Programming Languages to Learn in 2022</h1>
24   <p>There's no question that software programming is a hot career right now. The <span style="color: red;">U.S. Bureau of Labor Statistics</span> projects 21 percent growth for
25   Not all programming jobs are the same, however. Different roles, companies, and types of software require knowing and understanding different programming languages—and it's <span class="list-desc">
26
27   <p>The Master of Science in Computer Science Align program at Northeastern University is specifically designed for students who want to transition into computer science. The goal
28   "Our aim is to transport students from a variety of different backgrounds and have them come out as software engineers," says Ian Gorton, PhD and director of the graduate computer science
29   Whether you're new to programming or looking to brush up on your skills, it helps to know which languages are in high demand. Here are 10 of the most popular programming languages in
30
31   <div class="list">
32     <h2>Top 10 Most Popular Programming Languages</h2>
33     <li>
34       <ul>1. Python</ul>
35       <span class="list-desc">Average Annual Salary: </span><b>$120,000</b>
36     </li>
37     <li>
38       <ul>2. JavaScript</ul>
39       <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
40     </li>
41     <li>
42       <ul>3. Java</ul>
43       <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
44     </li>
45     <li>
46       <ul>4. C#</ul>
47       <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
48     </li>
49     <li>
```

4.

```
Latihan4.html > @html > @body > @divlist > @li > @ul
2 <html lang="en">
8 <body>
31 <div class="list">
47 <li>
48   <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
49 </li>
50 <li>
51   <ul>5. C</ul>
52   <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
53 </li>
54 <li>
55   <ul>6. C++</ul>
56   <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
57 </li>
58 <li>
59   <ul>7. Go</ul>
60   <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
61 </li>
62 <li>
63   <ul>8. R</ul>
64   <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
65 </li>
66 <li>
67   <ul>9. Swift</ul>
68   <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
69 </li>
70 <li>
71   <ul>10. PHP</ul>
72   <span class="list-desc">Average Annual Salary: </span><b>$110,000</b>
73 </li>
74 </div>
75
76 <div class="other">
77   <h2>7 Other Programming Languages to Consider</h2>
78   <li>
79     <ul><b>Web-based</b> startups are more likely to be programming in <b>Python</b> and <b>JavaScript</b>.
80     </ul>
81     <ul>Larger companies tend to develop their internal software applications using <b>C#</b> or <b>Java</b> and their Web applications using <b>PHP</b>.
82     </ul>
83     <ul>Programs for data analytics typically use the <b>R</b> and <b>MATLAB</b> programming languages.
84     </ul>
85     <ul><b>Embedded devices</b>, such as those in the automotive and healthcare industries, run software written in <b>C</b>, <b>C++</b>, or <b>Rust</b>.
86     </ul>
87     <ul>Applications that run on the cloud are increasingly written in <b>Go</b> or <b>Scala</b>.
88     </ul>
89   </li>
90 </div>
91 </li>
```

```
Latihan4.html > html > body > div.list > li > ul
2 <html lang="en">
101 <style>
105   h1 {
107   }
108   p {
109     line-height: 1.5;
110     color: #000000;
111   }
112
113   .navbar {
114     background-color: #31b1ec;
115     overflow: hidden;
116   }
117   .navbar ul {
118     list-style-type: none;
119     margin: 0;
120     padding: 0;
121   }
122   .navbar li {
123     float: left;
124     font-family: 'Lucida Sans';
125   }
126   .navbar li a {
127     display: block;
128     color: white;
129     text-align: center;
130     padding: 14px 16px;
131     text-decoration: none;
132   }
133   .navbar li a:hover {
134     background-color: #ddd;
135     color: black;
136   }
137
138   .list {
139     margin-left: 50px;
140   }
141   .list-desc {
142     color: #ff0000;
143     margin-left: 80px;
144   }
145   .list li {
146     font-size: 22px;
147     display: contents;
148   }
149   .other {
150     margin-left: 50px;
151   }
```



The 10 Most Popular Programming Languages to Learn in 2022

There's no question that software programming is a hot career right now. The U.S. Bureau of Labor Statistics projects 21 percent growth for programming jobs from 2018 to 2028, which is more than four times the average for all occupations. What's more, the median annual pay for a software programmer is about \$106,000, which is nearly three times of software require knowing and understanding different programming languages—and it's often beneficial to know multiple languages. Trying to break into the field of software programming can be a daunting experience, especially for professionals with no prior programming experience.

The Master of Science in Computer Science Align program at Northeastern University is specifically designed for students who want to transition into computer science from another field of study. "Our aim is to transport students from a variety of different backgrounds and have them come out as software engineers," says Ian Corton, PhD and director of computer science and engineering concepts. "Whether you're new to programming or looking to brush up on your skills, it helps to know which languages are in high demand. Here are 10 of the most popular programming languages of 2020 based on the number of job postings listed on job search sites. Indeed, the average annual salary for

Top 10 Most Popular Programming Languages

1. Python
Average Annual Salary: \$120,000
2. JavaScript
Average Annual Salary: \$110,000
3. Java
Average Annual Salary: \$110,000
4. C#
Average Annual Salary: \$110,000
5. C++
Average Annual Salary: \$110,000
6. C++
Average Annual Salary: \$110,000
7. GO
Average Annual Salary: \$110,000
8. R
Average Annual Salary: \$110,000
9. Swift
Average Annual Salary: \$110,000
10. PHP
Average Annual Salary: \$110,000

7 Other Programming Languages to Consider

- Web-based startups are more likely to be programming in Python and JavaScript.
- Larger companies tend to develop their internal software applications using C# or Java and their Web applications using PHP.
- Programs for data analytics typically use the R and MATLAB programming languages.
- Embedded devices, such as those in the automotive and healthcare industries, run software written in C, C++, or Rust.
- Applications that run on the cloud are increasingly written in Go or Scala.
- Mobile applications are increasingly written in Swift or Kotlin.

5.

```
latihan5.html > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Latihan 5</title>
7 </head>
8 <body>
9   <!-- Navbar -->
10  <nav class="navbar">
11    <ul>
12      <li><a href="/Latihan1.html"><b>Latihan 1</b></a></li>
13      <li><a href="/Latihan2.html"><b>Latihan 2</b></a></li>
14      <li><a href="/Latihan3.html"><b>Latihan 3</b></a></li>
15      <li><a href="/Latihan4.html"><b>Latihan 4</b></a></li>
16      <li><a href="/Latihan5.html"><b>Latihan 5</b></a></li>
17      <li><a href="/Latihan6.html"><b>Latihan 6</b></a></li>
18      <li><a href="/Latihan7.html"><b>Latihan 7</b></a></li>
19    </ul>
20  </nav>
21
22
23
24 <div id="contentBox">
25   <h1>Latihan 5</h1>
26   <p>In the world of software development, there are various technologies and programming languages that developers use to create applications, websites, and software solutions.</p>
27
28 </div>
29 <h2>Comparison of Development Technologies</h2>
30 <div class="container" id="column1">
31   <h3>Front-end Web <br>Development</h3>
32   <ul class="tech-item">
33     <li class="tech-item">
34       
35       <span class="tech-name">JavaScript</span>
36     </li>
37     <li class="tech-item">
38       
39       <span class="tech-name">Elm</span>
40     </li>
41     <li class="tech-item">
42       
43       <span class="tech-name">TypeScript</span>
44     </li>
45   </ul>
46 </div>
47 <div class="container" id="column2">
48   <h3>Back-end Web <br>Development</h3>
49   <ul class="tech-item">
50     <li class="tech-item">
51       
52       <span class="tech-name">JavaScript</span>
53     </li>
54     <li class="tech-item">
55       
56       <span class="tech-name">Scala</span>
57     </li>
58     <li class="tech-item">
59       
60       <span class="tech-name">Go</span>
61     </li>
62     <li class="tech-item">
63       
64       <span class="tech-name">Ruby</span>
65     </li>
66     <li class="tech-item">
67       
68       <span class="tech-name">Python</span>
69     </li>
70   </ul>
71 </div>
72 <div class="container" id="column3">
73   <h3>Database <br>Development</h3>
74   <ul class="tech-item">
75     <li class="tech-item">
76       
77       <span class="tech-name">JavaScript</span>
78     </li>
79     <li class="tech-item">
80       
81       <span class="tech-name">Java</span>
82     </li>
83     <li class="tech-item">
84       
85       <span class="tech-name">Objective C</span>
86     </li>
87     <li class="tech-item">
88       
89       <span class="tech-name">Swift</span>
90     </li>
91   </ul>
92 </div>
93
94 </div>
95 </div>
```

```
latihan5.html > html > body > div#column3.container > ul.tech-item > li.tech-item
2 <html lang="en">
8 <body>
93
94 <div class="other">
95 <h2>Top 10 Programming Languages in 2022</h2>
96 <iframe width="80%" height="500px" src="Latihan4.html" title="Page4" frameborder="5" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; pi
97 </div>
98 </body>
99
100 <style>
101 .navbar {
102   background-color: #31b1ec;
103   overflow: hidden;
104 }
105 .navbar ul {
106   list-style-type: none;
107   margin: 0;
108   padding: 0;
109 }
110 .navbar li {
111   float: left;
112   font-family: 'Lucida Sans';
113 }
114 .navbar li a {
115   display: block;
116   color: white;
117   text-align: center;
118   padding: 14px 16px;
119   text-decoration: none;
120 }
121 .navbar li a:hover {
122   background-color: #ddd;
123   color: black;
124 }
125 .container {
126   margin: 20px;
127   display: inline-block;
128   vertical-align: top;
129 }
130 .container h3 {
131   text-align: center;
132   margin-bottom: 50px;
133   border: #31b1ec 2px solid;
134 }
135 .tech-item {
136   align-items: center;
137   margin-bottom: 10px;
138 }
```

Latihan 1 Latihan 2 Latihan 3 Latihan 4 Latihan 5 Latihan 6 Latihan 7

Latihan 5

In the world of software development, there are various technologies and programming languages that developers use to create applications, websites, and software solutions. Each technology has its own strengths and is suited for different purposes. In this article, we will compare some of the most popular development technologies across three categories: front-end web development, back-end web development, and database development.

Comparison of Development Technologies

Front-end Web Development	Back-end Web Development	Database Development
 JavaScript	 JavaScript	 JavaScript
 Elm	 Scala	 Java
 TypeScript	 Go	 Objective C
	 Ruby	 Swift
	 Python	

Top 10 Programming Languages in 2022

Latihan 1 Latihan 2 Latihan 3 Latihan 4 Latihan 5 Latihan 6 Latihan 7

The 10 Most Popular Programming Languages to Learn in 2022

There's no question that software programming is a hot career right now. The [U.S. Bureau of Labor Statistics](#) projects 21 percent growth for programming jobs from 2018 to 2028, which



Top 10 Programming Languages in 2022

Top 10 Most Popular Programming Languages	
1. Python	Average Annual Salary: \$120,000
2. JavaScript	Average Annual Salary: \$110,000
3. Java	Average Annual Salary: \$110,000
4. C#	Average Annual Salary: \$110,000
5. C++	Average Annual Salary: \$110,000

6.

```
Latihan6.html > ...
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Latihan 6</title>
7 </head>
8 <body>
9
10 <!-- Navbar -->
11 <nav class="navbar">
12   <ul>
13     <li><a href="#python">Python</a></li>
14     <li><a href="#java">Java</a></li>
15     <li><a href="#javascript">JavaScript</a></li>
16     <li><a href="#csharp">C#</a></li>
17     <li><a href="#php">PHP</a></li>
18     <li><a href="#cplusplus">C++</a></li>
19     <li><a href="#ruby">Ruby</a></li>
20     <li><a href="#swift">Swift</a></li>
21     <li><a href="#go">Go</a></li>
22     <li><a href="#kotlin">Kotlin</a></li>
23   </ul>
24 </nav>
25
26 <h2>Top 10 Daftar Bahasa Pemrograman</h2>
27 <h3>Daftar Isi : </h3>
28 <ul>
29   <li><a href="#python">Python</a></li>
30   <li><a href="#java">Java</a></li>
31   <li><a href="#javascript">JavaScript</a></li>
32   <li><a href="#csharp">C#</a></li>
33   <li><a href="#php">PHP</a></li>
34   <li><a href="#cplusplus">C++</a></li>
35   <li><a href="#ruby">Ruby</a></li>
36   <li><a href="#swift">Swift</a></li>
37   <li><a href="#go">Go</a></li>
38   <li><a href="#kotlin">Kotlin</a></li>
39 </ul>
40
41 <h3 id="python">1. Python</h3>
42 <p>Python is a high-level, interpreted programming language known for its simplicity and readability.</p>
43 <h3 id="java">2. Java</h3>
44 <p>Java is a versatile, object-oriented programming language widely used for building enterprise applications and Android apps.</p>
45 <h3 id="javascript">3. JavaScript</h3>
46 <p>JavaScript is a dynamic programming language commonly used for creating interactive web pages and web applications.</p>
47 <h3 id="csharp">4. C#</h3>
48 <p>C# is a modern, object-oriented programming language developed by Microsoft, primarily used for building Windows applications and games.</p>
49 <h3 id="php">5. PHP</h3>
50 <p>PHP is a server-side scripting language designed for web development, often used to create dynamic web pages and applications.</p>
51 <h3 id="cplusplus">6. C++</h3>
```

```
Latihan6.html > @ html > @ body > @ ul > @ li
2 <html lang="en">
3 <body>
4   <ul>
5     <li>
6       <h3 id="python">1. Python</h3>
7       <p>Python is a high-level, interpreted programming language known for its simplicity and readability.</p>
8       <h3 id="java">2. Java</h3>
9       <p>Java is a versatile, object-oriented programming language widely used for building enterprise applications and Android apps.</p>
10      <h3 id="javascript">3. JavaScript</h3>
11      <p>JavaScript is a dynamic programming language commonly used for creating interactive web pages and web applications.</p>
12      <h3 id="csharp">4. C#</h3>
13      <p>C# is a modern, object-oriented programming language developed by Microsoft, primarily used for building Windows applications and games.</p>
14      <h3 id="php">5. PHP</h3>
15      <p>PHP is a server-side scripting language designed for web development, often used to create dynamic web pages and applications.</p>
16      <h3 id="cplusplus">6. C++</h3>
17      <p>C++ is a powerful, high-performance programming language commonly used for system software, game development, and applications requiring speed.</p>
18      <h3 id="ruby">7. Ruby</h3>
19      <p>Ruby is a dynamic, object-oriented programming language known for its simplicity and productivity.</p>
20      <a href="#python" target="_self">Go to Latihan-4</a>
21      <a href="#java" target="_blank">Go to Latihan-5</a>
22      <a href="#javascript" target="_parent">Go to URL</a>
23    </li>
24  </ul>
25
26 <style>
27   body {
28     font-family: Arial, sans-serif;
29     margin: 0px;
30   }
31   h2 {
32     color: #333;
33   }
34   h3 {
35     color: #555;
36   }
37   p {
38     line-height: 1.6;
39     color: #555;
40   }
41   ul {
42     padding: 5;
43   }
44   li {
45     margin: 5px 0;
46   }
47   a {
```

```
Latihan6.html > html > style > h2
2 <html lang="en">
62 <style>
69 }
70 h3 {
71   color: #555;
72 }
73 p {
74   line-height: 1.6;
75   color: #555;
76 }
77 ul {
78   padding: 5;
79 }
80 li {
81   margin: 5px 0;
82 }
83 a {
84   text-decoration: none;
85   color: #007BFF;
86 }
87 a:hover {
88   text-decoration: underline;
89 }
90 .navbar {
91   background-color: #31b1ec;
92   overflow: hidden;
93 }
94 .navbar ul {
95   list-style-type: none;
96   margin: 0;
97   padding: 0;
98 }
99 .navbar li {
100   float: left;
101   font-family: 'Lucida Sans';
102 }
103 .navbar li a {
104   display: block;
105   color: white;
106   text-align: center;
107   padding: 14px 16px;
108   text-decoration: none;
109 }
110 .navbar li a:hover {
111   background-color: #ddd;
112   color: black;
113 }
114 </style>
115 </html>
```

Latihan 1 Latihan 2 Latihan 3 Latihan 4 Latihan 5 Latihan 6 Latihan 7

Top 10 Daftar Bahasa Pemrograman

Daftar isi :

- [Python](#)
- [Java](#)
- [JavaScript](#)
- [C#](#)
- [PHP](#)
- [C++](#)
- [Ruby](#)
- [Swift](#)
- [Go](#)
- [Kotlin](#)

1. Python

Python is a high-level, interpreted programming language known for its simplicity and readability.

2. Java

Java is a versatile, object-oriented programming language widely used for building enterprise applications and Android apps.

3. JavaScript

JavaScript is a dynamic programming language commonly used for creating interactive web pages and web applications.

4. C#

C# is a modern, object-oriented programming language developed by Microsoft, primarily used for building Windows applications and games.

5. PHP

PHP is a server-side scripting language designed for web development, often used to create dynamic web pages and applications.

6. C++

C++ is a powerful, high-performance programming language commonly used for system software, game development, and applications requiring speed.

7. Ruby

Top 10 Daftar Bahasa Pemrograman

Daftar isi :

- [Python](#)
- [Java](#)
- [JavaScript](#)
- [C#](#)
- [PHP](#)
- [C++](#)
- [Ruby](#)
- [Swift](#)
- [Go](#)
- [Kotlin](#)

1. Python

Python is a high-level, interpreted programming language known for its simplicity and readability.

2. Java

Java is a versatile, object-oriented programming language widely used for building enterprise applications and Android apps.

3. JavaScript

JavaScript is a dynamic programming language commonly used for creating interactive web pages and web applications.

4. C#

C# is a modern, object-oriented programming language developed by Microsoft, primarily used for building Windows applications and games.

5. PHP

PHP is a server-side scripting language designed for web development, often used to create dynamic web pages and applications.

6. C++

C++ is a powerful, high-performance programming language commonly used for system software, game development, and applications requiring speed.

7. Ruby

Ruby is a dynamic, object-oriented programming language known for its simplicity and productivity.

[Go to Latihan-4](#) [Go to Latihan-5](#) [Go to URL](#)

Toni Perkasa Darmawan
252310062

Praktikum 1
Pemrograman Web

TI-24-KA

```
Latihan7.html > ...
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Latihan 7 - Form Pendaftaran</title>
7   <style>
8     body {
9       font-family: Arial, sans-serif;
10      margin: 0px;
11    }
12    h2 {
13      color: #333;
14    }
15    .form-group {
16      margin-bottom: 15px;
17    }
18    label {
19      display: inline-block;
20      width: 120px;
21      font-weight: bold;
22      vertical-align: top;
23    }
24    input[type="text"],
25    input[type="email"],
26    input[type="password"],
27    input[type="date"],
28    textarea {
29      width: 250px;
30      padding: 5px;
31    }
32    textarea {
33      height: 80px;
34      resize: vertical;
35    }
36    .radio-group {
37      display: inline-block;
38    }
39    .radio-group label {
40      width: auto;
41      font-weight: normal;
42      margin-right: 15px;
43    }
44    .submit-btn {
45      margin-top: 10px;
46      padding: 8px 15px;
47      background-color: #007BFF;
48      color: white;
49      border: none;
```

7.

```
Latihan7.html > html > head > style > input[type="text"] > input[type="email"] > input[type="password"] > input[type="date"]
2 <html lang="en">
3 <head>
7 <style>
44 .submit-btn {
50   cursor: pointer;
51 }
52 .submit-btn:hover {
53   background-color: #0056b3;
54 }
55 .navbar {
56   background-color: #31b1ec;
57   overflow: hidden;
58 }
59 .navbar ul {
60   list-style-type: none;
61   margin: 0;
62   padding: 0;
63 }
64 .navbar li {
65   float: left;
66   font-family: 'Lucida Sans';
67 }
68 .navbar li a {
69   display: block;
70   color: white;
71   text-align: center;
72   padding: 14px 16px;
73   text-decoration: none;
74 }
75 .navbar li a:hover {
76   background-color: #ddd;
77   color: black;
78 }
79 </style>
80 </head>
81 <body>
82
83 <!-- Navbar -->
84 <nav class="navbar">
85   <ul>
86     <li><a href="/Latihan1.html"><b>Latihan 1</b></a></li>
87     <li><a href="/Latihan2.html"><b>Latihan 2</b></a></li>
88     <li><a href="/Latihan3.html"><b>Latihan 3</b></a></li>
89     <li><a href="/Latihan4.html"><b>Latihan 4</b></a></li>
90     <li><a href="/Latihan5.html"><b>Latihan 5</b></a></li>
91     <li><a href="/Latihan6.html"><b>Latihan 6</b></a></li>
92     <li><a href="/Latihan7.html"><b>Latihan 7</b></a></li>
93   </ul>
94 </nav>
95
96
97
98 <h2>Form Data Mahasiswa</h2>
99
100 <form action="#" method="POST">
101
102   <div class="form-group">
103     <label for="npm">NPM</label>
104     <span></span>
105     <input type="text" id="npm" name="npm" required>
106   </div>
107
108   <div class="form-group">
109     <label for="fullname">Fullname</label>
110     <span></span>
111     <input type="text" id="fullname" name="fullname" required>
112   </div>
113
114   <div class="form-group">
115     <label for="email">Email</label>
116     <span></span>
117     <input type="email" id="email" name="email" required>
118   </div>
119
120   <div class="form-group">
121     <label for="password">Password</label>
122     <span></span>
123     <input type="password" id="password" name="password" required>
124   </div>
125
126   <div class="form-group">
127     <label for="place_birth">Place Birth</label>
128     <span></span>
129     <input type="text" id="place_birth" name="place_birth">
130   </div>
131
132   <div class="form-group">
133     <label for="birthdate">Birthdate</label>
134     <span></span>
135     <input type="date" id="birthdate" name="birthdate">
136   </div>
137
138   <div class="form-group">
139     <label>Gender</label>
140     <span></span>
141     <div class="radio-group">
142       <input type="radio" id="male" name="gender" value="Male">
143       <label for="male">Male</label>
144     </div>
145   </div>
146 </form>
```

```
Latihan7.html > html > body > form > div.form-group
2  <html lang="en">
81  <body>
100  <form action="#" method="POST">
126  <div class="form-group">
129      <input type="text" id="place_birth" name="place_birth">
130  </div>
131
132  <div class="form-group">
133      <label for="birthdate">Birthdate</label>
134      <span></span>
135      <input type="date" id="birthdate" name="birthdate">
136  </div>
137
138  <div class="form-group">
139      <label>Gender</label>
140      <span></span>
141      <div class="radio-group">
142          <input type="radio" id="male" name="gender" value="Male">
143          <label for="male">Male</label>
144
145          <input type="radio" id="female" name="gender" value="Female">
146          <label for="female">Female</label>
147      </div>
148  </div>
149
150  <div class="form-group">
151      <label for="address">Address</label>
152      <span></span>
153      <textarea id="address" name="address"></textarea>
154  </div>
155
156  <button type="submit" class="submit-btn">Submit</button>
157
158  </form>
159
160 </body>
161 </html>
```