# Technical Quick Guides

Setup Alarm Hub using Dolynk Care App

Login your Dolynk Care Account and Click the Add Device button

Scan the Device of the Alarm Hub

Continue the process and click the Next button

You can choose the existing Site that you create or add a new site and click OK

Follow the instructions on the screen and click Next

Continue the process and click Connect

Wait until the "Connected" pop-up

Enter the Device password that you want, and email(optional) then click Next button

Select the Network Config Type you want, but for this one we use the default which is WIFI and click Next button

Choose Wifi

Select the Wifi device that is connected to your network to connect the device

Continue the process and click the Next button.

Follow the instructions on the screen and click Next button.

Wait until the device connect to the network

Enter the Device Name you want for your alarm hub and click Save

Choose your Time Zone and click Done button

You will see the alarm hub that you have just added

Click the device you have added and check for any errors. if so, follow along

Click the communication error (this pop-up when you setup on Dolynk care)

Just follow the steps on the screen

Click Process Now

Click Process and it should fix the error

3:50 ⬤ · 🔋 44%

< **Fix Errors**

Suggestions

> **1.On-site Troubleshooting**
>
> 1. Check if the network connection of the alarm hub is normal.

Remarks

> Please enter your remarks.
>
> 0 / 1000

Process

Wait until the error fixed

You can go back to the Site settings and check the alarm hub status

Click the Alarm Hub that you setup earlier

Click Restart to reboot the device

After the device restarted check the light status on the alarm hub, it must be green

For Peripheral click the add icon on the upper right corner of the screen

Scan the QR code of the peripherals you want to add

Continue the process and click Next

For this one we use Key fob as peripheral and click next

Continue the process and click Next

Please contact your local Seadan store for more information & feedback

Follow the steps on the screen and click the Next button

Wait until the peripherals paired with the alarm hub.

After successfully added the peripherals select Done and test it

You can see the peripherals you add