NEA/HS/6.6/HSTA02

5 Jun 2026

To: Hazardous Substances Licence and Transport Approval Holders

Dear Sir/Madam

REMINDER ON REQUIREMENTS FOR ROAD TRANSPORTATION OF HAZARDOUS SUBSTANCES

The transportation of hazardous substances (HS) is regulated by the National Environment Agency (NEA) under the Environmental Protection and Management (Hazardous Substances) Regulations ("EPM(HS) Regs"). Under these Regulations, any person who intends to transport HS in quantities exceeding those specified in the Schedule to the EPM(HS) Regs is required to obtain a HS Transport Approval (HSTA) from NEA.

2 NEA has identified several instances of non-compliance related to the transportation of HS and has taken enforcement action against the companies involved. NEA would like to remind all HS licence holders and HSTA holders to comply with all applicable requirements governing the transportation of HS.

3 In particular, companies shall ensure that:

- HS is transported only within the permitted transportation hours and routes specified in the HSTA;
- drivers hold a valid Hazardous Materials Transport Driver Permit (HTDP); and
- relevant transport documents (e.g. HSTA, Transport Emergency Response Plan (TERP) and Safety Data Sheets (SDS)) are provided to the carriers and drivers, and are available during transportation.

Further details are set out in **Annex A** for reference.

4 Please note that any person found in violation of the Environmental Protection and Management Act and the EPM(HS) Regs shall be liable to prosecution.

5 For more information on the transportation of HS, please visit https://www.nea.gov.sg/our-services/pollution-control/chemical-safety/transportation-of-hazardous-substances.

6 For further enquiries on the control of transportation of HS, you may fill in the online feedback form at www.nea.gov.sg/corporate-functions/feedback or call our hotline at 6225 5632.

(This is a computer-generated circular and requires no signature.)

Annex A: Key Requirements for Transportation of Hazardous Substances

Requirement	Details
Valid HS Licence, Permit and/or Transport Approval	HS must only be transported with a valid HSTA. HS licence holders must ensure that the party receiving the HS possesses a valid HS licence or permit.
Permitted Hours and Routes	Transportation of HS must be carried out in accordance with the approved transportation hours and routes specified in the HSTA. The approved hours are between: • 7am and 7pm, daily within Jurong Industrial Estate, Tuas Industrial Estate and Jurong Island; and • 9am and 5pm, Monday to Saturday (excluding public holidays), for areas outside Jurong Industrial Estate, Tuas Industrial Estate and Jurong Island.
Supporting Documents	The following documents must be available during transportation: • Valid HSTA; • TERP; and • SDS HS licence holders must ensure that these documents are provided to transporters and drivers prior to transportation. Transporters and drivers must ensure that these documents are received and available prior to and during transportation.
Drivers	HS licence holders and carriers must ensure that drivers: • are adequately trained and aware of the hazards associated with the HS being transported; • are familiar with spill control measures and emergency response procedures in the event of an incident; and • hold a valid HTDP when transporting HS.
Quantity	The quantity of HS transported must not exceed: • the maximum quantity per trip specified in the HSTA; and • the quantity permitted under the relevant site HS licence or permit.
Container and Packaging	All containers and packaging used for transporting HS must be: • free from leaks, defects, or damage; and • designed and used in accordance with internationally acceptable standards (e.g. UN Recommendations on transport of dangerous goods, International Maritime Dangerous Goods Code).
Labelling	Vehicles, containers and packaging must be labelled in accordance with Singapore Standard (Specification for hazard communication for hazardous chemicals and dangerous goods), SS 586-1:2021 and SS 586-2:2022.
Vehicle	All vehicles used for transporting HS must be: • equipped with relevant emergency response equipment to mitigate any incidents involving HS; and • maintained in a good working condition, with critical systems (e.g., brakes, tyres, steering, signalling) checked prior to transportation. HS in packaging up to Intermediate Bulk Packaging (IBC) sizes must be transported only in either (i) enclosed 40-foot or less containers, or (ii) 40-foot or less goods vehicles fitted with enclosed cages or sideboards and tailboards of height at least equal to the height of the HS stacked on the vehicles.

	HS in packaging larger than IBC sizes (e.g. ISO tankers) must be transported in either (i) enclosed 20-foot or less containers, or (ii) 20-foot or less goods vehicles fitted with enclosed cages or sideboards and tailboards of height at least equal to the height of the HS stacked on the vehicles.
Incident Reporting	HS licence holders must notify NEA immediately of any accident, spillage, leakage, fire, or other incident involving HS during transportation.