

In-depth Architectural Analysis of the iPhone 15 Pro Max

Introduction



Figure 1: Apple's iPhone 15 Pro and 15 Pro Max in four titanium finishes (black, white, blue, natural). These models, released in September 2023, introduced significant hardware innovations in materials, chip technology, and camera systems.

The iPhone 15 Pro Max represents a significant evolution in smartphone hardware, blending novel materials with cutting-edge silicon. Announced in September 2023 as Apple's flagship, it is **Apple's first iPhone to feature a 3 nm system-on-chip (SoC)** and a chassis made of **aerospace-grade titanium** ¹ ². This paper provides an expert-level analysis of the device's hardware and architecture, including its physical design, internal components, chip architecture, and system integration. We also compare the iPhone 15 Pro Max to its iPhone 14 Pro Max predecessor and to contemporary flagship competitors. The goal is to elucidate the engineering choices Apple made and their implications for performance, efficiency, and durability.

Physical Design and Materials

Titanium-Aluminum Chassis: The iPhone 15 Pro Max employs a new construction with a titanium outer band and an aluminum subframe. **Grade 5 titanium**, known for its high strength-to-weight ratio, replaces the stainless steel used in previous Pro models ³. This change makes the **15 Pro Max noticeably lighter** at 221 g, a reduction of 19 g from its predecessor ⁴. Apple achieved this by encasing a **100% recycled**

aluminum midframe within a titanium shell using an innovative solid-state diffusion bonding process

⁵ . The aluminum core not only reduces weight but also serves a functional role in **thermal dissipation** and facilitates easier rear glass replacement ⁶ . The resulting chassis is strong, with contoured edges and a refined matte texture, yet it is *lighter and more balanced in-hand* – a tangible improvement in ergonomics and durability. However, one trade-off noted is that the **protective coating on the titanium frame is prone to fine scratches** in use ⁷ , meaning the new finish may show wear more readily than the previous stainless steel.

Durability Features: The device maintains an IP68 rating (under IEC 60529), certifying resistance to dust and water immersion up to 6 meters for 30 minutes ⁸ . The front display uses Apple's **Ceramic Shield** glass, introduced in earlier models, which is a nano-ceramic infused glass claiming *tougher drop performance than any other smartphone glass* ⁹ . The back panel is a textured Gorilla Glass (now easier to replace thanks to the new chassis design). Overall, the 15Pro Max's build quality reflects a focus on high-end materials (the same titanium used in spacecraft) and longevity. The frame's stiffness and the ceramic-hardened glass contribute to a robust structure, though the shift to a lighter frame *slightly reduced drop tolerance* according to some assessments ¹⁰ . Still, the design represents a forward-looking approach to materials in smartphones, prioritizing weight reduction and repairability without compromising on premium feel.

Design Changes: Externally, the iPhone 15Pro Max refines several elements. The display bezels are the **thinnest ever on an iPhone**, allowing the large 6.7-inch screen to fit in a marginally smaller body ³ . A new **Action Button** replaces the long-standing ring/silent slider on the side. This programmable button can toggle silent mode by default or be customized for actions like launching the camera or shortcuts, adding functional versatility to the hardware interface ¹¹ . The introduction of USB-C (detailed later) on the bottom not only aligns with industry standards but also contributes to the design symmetry. The iPhone 15Pro Max comes in **four brushed titanium finishes** (Natural, Black, White, Blue), each achieved through Apple's metal injection molding and coating processes ¹² . Despite the changes, the device retains the characteristic **"Dynamic Island"** display cutout, housing the front TrueDepth camera and Face ID sensors, and the overall flat-sided design language of recent generations. In summary, the physical design of the 15Pro Max combines *aerospace-grade materials and subtle design tweaks* to enhance durability, reduce weight, and improve user interaction, marking a significant evolution over the 14Pro Max's steel-and-glass construction.

Display Technology and External Features

The iPhone 15Pro Max features a 6.7-inch **Super Retina XDR OLED** display with **LTPO (low-temperature polycrystalline oxide)** backplane technology enabling adaptive 1–120 Hz **ProMotion** refresh rates ¹³ . The screen resolution is 2796×1290 pixels (460 ppi), maintaining a sharp and vibrant image quality ¹⁴ . This display supports HDR10 and Dolby Vision, with extreme brightness capabilities: **1000 nits typical**, up to **1600 nits peak** for HDR content, and **2000 nits peak outdoors** in bright conditions ¹⁵ . These specifications mirror the previous generation's class-leading brightness, ensuring excellent visibility in sunlight and high dynamic range for video. The panel is protected by the Ceramic Shield front cover for drop resistance, as noted above.

Notably, the bezels around the screen are slimmer than before (Apple reduced the border thickness, achieving a nearly all-screen front). This gives the device a modern look and allows the large display to fit comfortably in hand. The display continues to support **Always-On** mode (introduced in the 14Pro series),

leveraging LTPO to throttle down refresh rate and conserve power while still showing glanceable information. Another continued feature is the **Dynamic Island** — a pill-shaped cutout replacing the notch — which integrates cameras and sensors and is used creatively in iOS for live activity indicators. The **user experience** benefit is an information-rich yet seamless display area.

In terms of input/output, the **Lighting port has been replaced by a USB-C port** for the first time on an iPhone. Importantly, on the Pro models this port supports **USB 3.2 Gen 2 speeds (up to 10 Gb/s)** and DisplayPort video output, whereas the standard iPhone 15 models (on last year's A16 chip) remain limited to USB 2.0 speeds ¹⁶ ¹⁷. For professionals, this means dramatically faster wired data transfers (e.g. offloading large ProRes video files) and the ability to drive external displays up to 4K at 60 Hz with HDR ¹⁷ – a first for iPhones, enabling new workflows like using the phone for high-quality video playback or even limited monitor docking. The **physical SIM tray is absent** in US models (eSIM-only), continuing Apple's transition to embedded SIMs. On the side, the **Action Button** is a new hardware feature: a solid-state button that, when long-pressed, can trigger a custom action. By default it controls silent mode (mimicking the old switch), accompanied by haptic feedback and a Dynamic Island confirmation, but users can map it to camera launch, flashlight, voice memo, Focus modes, or shortcuts, providing a *more flexible interaction point* than the previous fixed toggle ¹¹.

Other external hardware includes the stereo speaker grilles (with improved dust-/water-sealing), and the usual array of sensors hidden behind the display or within the chassis: an ambient light sensor, proximity sensor, and the **Face ID** sensor suite (infrared dot projector and IR camera). **Face ID** remains the primary biometric system, and its hardware is unchanged from recent models, offering secure 3D facial recognition. The **device's exterior design** balances new and old: preserving hallmark features like the large camera bump with triple lenses, while introducing USB-C and the Action Button, responding both to user demands and regulatory pressures (in the case of the port) ¹⁸. Overall, the display and external features of the 15 Pro Max solidify its position as a premium device, with top-tier screen tech and thoughtful upgrades to interaction and connectivity.

Internal Component Architecture

A17 Pro SoC: Architecture and Performance

At the heart of the iPhone 15 Pro Max lies Apple's **A17 Pro** chip – a 64-bit ARM-based SoC fabricated on **TSMC's 3 nm process (N3)**, making it the **first 3 nm chip in a consumer smartphone** ² ¹⁹. This chip is a cornerstone of the device's performance and efficiency gains. The A17 Pro comprises about **19 billion transistors** – a 19% increase over the A16 Bionic's 16 billion ²⁰ – packed in a die produced with cutting-edge lithography. Notably, Apple reportedly secured the entirety of TSMC's initial 3 nm output for this chip, an expensive endeavor given early 3 nm yields were *quite low* in 2023 ¹⁹. The investment yielded a chip that currently has no equal in mobile silicon density, giving Apple a process node advantage over competitors stuck on 4 nm nodes in that generation ²¹.

CPU: The A17 Pro CPU uses an Apple-designed 6-core configuration (2 performance cores + 4 efficiency cores) with improved microarchitecture. The high-performance cores run at up to **3.78 GHz**, roughly 10% faster than the A16's, thanks to *wider decode/execution engines and better branch prediction* ²². Meanwhile, the four efficiency cores are clocked around 2.1 GHz and were touted as delivering *3× the performance-per-watt of competitor efficiency cores* ²². In practice, early benchmarks showed the A17's **single-core CPU performance about 17% higher** than the A16 (Geekbench 6) and multi-core around 10–12% higher ²³,

aligning with Apple's claims of modest CPU gains. Even so, A17's CPU maintains a sizable lead over Qualcomm's Snapdragon 8 Gen 2 in single-core throughput, and competes closely with that chip's successor (Snapdragon 8 Gen 3) – a testament to Apple's aggressive custom core design ²⁴. The new microarchitecture emphasizes improved efficiency, but interestingly, Apple chose to use the silicon budget primarily for performance and new features rather than drastically cutting power usage. Thus the A17 Pro can draw more power under peak loads than its predecessor, which, as discussed later, raised some thermal concerns.

GPU: Perhaps the most significant change in A17 Pro is its **GPU – a custom 6-core design** (up from 5-core in A16) that Apple calls its “biggest redesign in the history of Apple GPUs” ²⁵. The new GPU is up to **20% faster** than the previous generation ²⁶, supported by **hardware-accelerated ray tracing** and **mesh shading** capabilities ²⁷. Apple's move to include dedicated ray tracing hardware (with **4× faster ray tracing** than the software-based approach on A16) brings the iPhone's graphics in line with competitors like Qualcomm (whose Adreno 740 GPU in 8 Gen 2 already supported ray tracing) ²⁸. This GPU, combined with Metal API optimizations, enables **console-quality games** on the device – indeed Apple demoed titles like *Resident Evil Village* and *Assassin's Creed Mirage* running on the 15 Pro ²⁹. However, the A17 Pro's GPU pushes the thermal envelope. Under intense graphics or ray-tracing workloads, the chip will **throttle to manage heat**: tests show the A17 Pro sustaining peak performance for only a brief burst (~1 minute) in heavy GPU benchmarks before dropping ~25–30% to steady-state performance due to thermal constraints ³⁰ ³¹. Apple appears to have optimized for high peak performance, accepting that the **sustained performance** might be limited by the iPhone's passive cooling capacity. This design choice is reasonable for typical mobile use (short bursts of activity), but in long gaming sessions, some Android flagships with larger chassis or vapor-chamber cooling can maintain higher frame rates after prolonged use ³². Even so, in most real-world scenarios, the A17 Pro's GPU gives the iPhone 15 Pro Max a lead in graphical fidelity and enables new visual effects (like hardware ray-traced lighting) previously unseen on iPhones.

Neural Engine and Media Engines: The A17 Pro carries a 16-core **Neural Engine (NPU)** capable of **35 trillion operations per second (TOPS)** ³³. While the raw TOPS figure is unchanged from A16, Apple advertises the Neural Engine as *up to 2× faster* for certain tasks, likely due to architectural improvements and higher efficiency in matrix operations ³⁴. This NPU powers on-device machine learning tasks such as advanced camera processing (e.g. the *Photonic Engine* pipeline), autocorrect, personal voice synthesis, and augmented reality features. Additionally, the A17 Pro includes specialized **encode/decode engines**: notably a **dedicated AV1 video decoder** for the first time ³⁵, enabling efficient streaming of AV1-encoded content which is increasingly used by services for its compression efficiency. The chip also has **Apple's ProRes codec engine** (for 4K60 ProRes video recording and encoding on-device) and an improved **Display Engine** to drive the high-resolution HDR display and external monitor output ³⁶ ³⁷. All these specialized accelerators offload work from the CPU/GPU, contributing to both performance and battery life improvements in their respective domains.

Memory and Bandwidth: The iPhone 15 Pro Max is equipped with **8 GB of LPDDR5 DRAM**, a bump up from 6 GB in the 14 Pro Max ³⁸ ³⁹. This memory is integrated in a **package-on-package (PoP)** configuration directly over the A17 SoC, specifically using **SK Hynix LPDDR5** chips stacked on the processor die ⁴⁰. The PoP design minimizes signal lengths and saves space on the logic board, at the cost of making memory non-replaceable. The memory bandwidth is not officially disclosed, but LPDDR5 at this capacity likely provides on the order of 50–60 GB/s of bandwidth to the chip, supporting the high-resolution graphics and camera data throughput. Storage on the device is a high-speed NVMe-based flash storage (Apple's custom NVMe controller is integrated in the SoC). Capacities range from 256 GB up to 1 TB, with **Apple eliminating**

and thermal management ⁵⁰ ⁵¹ . Even with those initial hiccups, the 15Pro Max's internal architecture represents one of the most advanced in the industry, pushing the envelope in mobile computing.

Camera Systems and Sensor Array

The iPhone 15Pro Max features a **triple-lens rear camera system** that Apple markets as providing “the equivalent of seven pro lenses” when combined with its digital processing ⁵² . While the overall resolution and sensor count might seem similar to the iPhone 14 Pro Max, there are significant hardware and optical innovations in this generation, especially in the telephoto module unique to the Pro Max.

- **Main Camera:** A **48 MP wide-angle camera** (24 mm focal length equivalent) remains the primary shooter. It uses a large Quad-Bayer sensor (approximately 1/1.28” size) with 2nd-generation sensor-shift optical image stabilization (OIS) and an f/1.78 aperture ⁵³ . This appears to be the same sensor introduced in the 14Pro series, capable of binning pixels to produce 12 MP images with excellent low-light performance, or full 48 MP ProRAW/HEIF images for high detail. Apple did, however, introduce a new default **24 MP photo mode**, which smartly merges the benefits of 48 MP and 12 MP modes to deliver higher resolution images without huge file sizes ⁵⁴ . The main camera also supports multiple digital focal length crops (24 mm, 28 mm, 35 mm) to give photographers flexibility akin to switching primes ⁵⁵ . In terms of hardware, since the sensor is unchanged in size and specs from the previous generation, any image quality improvements (better HDR, Night Mode, etc.) are largely credited to the A17 Pro's improved **ISP (Image Signal Processor)** and computational photography algorithms rather than new sensor capabilities ⁵⁶ ⁵⁷ .
- **Ultra-Wide Camera:** A **12 MP ultra-wide** camera (13 mm equivalent, 120° field of view) provides expansive shots and also doubles as a macro camera for close focus. It has an f/2.2 aperture and features autofocus, which enables the macro capability at distances down to ~2 cm ⁵³ . The hardware here is again similar to the previous generation: a small sensor with pixels used for both imaging and focus (100% Focus Pixels). It includes lens correction to counteract edge distortion inherent to such a wide field of view. While not upgraded in resolution, the ultra-wide benefits from the A17's processing (noise reduction, Smart HDR 5, etc.) for better color consistency with the other cameras.
- **Telephoto “Periscope” Camera:** Exclusive to the iPhone 15Pro Max is the **5× optical zoom telephoto camera** (120 mm equivalent focal length). This new module is the headline camera innovation: it uses a **“tetraprism” periscope lens design** to achieve a much longer focal length within the thin phone body ⁵⁸ . Apple's tetraprism is essentially a folded optics system: light entering the lens is reflected through a prism with **four internal reflections**, extending the effective light path without requiring physical length ⁵⁸ ⁵⁹ . In simpler terms, the periscope bends the light 90° inside the phone, bouncing it multiple times to simulate a 120 mm lens, before it reaches the image sensor. The sensor itself is 12 MP with OIS and an f/2.8 aperture ⁶⁰ . Notably, Apple combined the optical image stabilization and autofocus into a single moving prism mechanism (“3D sensor-shift module”) to stabilize this longer lens ⁶⁰ . The periscope design allowed Apple to boost optical zoom from the prior 3× (77 mm) limit to **5× zoom**, significantly improving the iPhone's reach for distant subjects. **Samsung's Galaxy S23 Ultra offers a 10× periscope zoom** for comparison, but Apple's implementation is unique. Instead of using multiple moving lenses or a dual-telephoto system, Apple's single periscope element handles the entire 5× zoom with what they describe as **“phenomenal precision”** in alignment ⁵⁸ ⁶¹ . This engineering feat required overcoming

challenges in lens calibration and stabilization due to the narrow field of view. The result is crisp 12 MP shots at 5× magnification that were previously impossible on an iPhone. *Note:* the smaller iPhone 15 Pro (6.1-inch) did not get this periscope lens, likely due to space constraints; it remains at 3× optical zoom.

The **image quality** from the telephoto is bolstered by the sensor being 25% larger than the 3× unit on the 14 Pro Max, and the aperture f/2.8 is relatively bright for such a zoom (Apple notes it's the largest aperture at that focal length on a smartphone) ⁶⁰ ⁶². Still, there are inherent trade-offs: in low light, the 5× lens will not perform as well as the main camera due to its smaller absolute sensor size and narrower aperture, so Apple's camera app will intelligently switch or use a crop from the 48 MP main sensor at 2× or 3× when it deems it beneficial. Overall, the periscope camera is a *major upgrade* for photographers who need long-range capability, catching up to a feature that some competitors (Huawei, Samsung) introduced a couple of years earlier.

- **Front Camera and Face ID:** The front-facing camera is a **12 MP TrueDepth camera** (f/1.9 aperture) with autofocus and 3D structured-light hardware for Face ID. It appears unchanged from the iPhone 14 Pro series. It supports 4K60 video and cinematic mode at up to 4K HDR 30 fps using Apple's Deep Fusion and Photonic Engine for enhanced dynamic range. The TrueDepth array includes the dot projector and IR flood illuminator that work with the IR camera to map the user's face for biometric unlock and for features like Animoji. There's also an ambient light sensor for adjusting display brightness and a proximity sensor (now hidden under the display) to turn off the screen when on a call.
- **LiDAR Scanner:** The rear camera cluster includes a **LiDAR scanner**, as in recent Pro models. This is a time-of-flight depth sensor that emits and detects infrared light to map the environment up to about 5 m distance. In the 15Pro Max, the LiDAR hardware is unchanged but still crucial for **AR applications** and for improving low-light focusing and depth perception in photos. Notably, iFixit found that this LiDAR module is **paired (serialized) to the logic board** just like some cameras, meaning replacements must be calibrated by Apple to function ⁶³ ⁶⁴. The LiDAR's data combined with the Neural Engine aids features like Portrait mode (which now can be applied *after* shooting, since depth data is captured by default when a human or pet is detected in a photo frame).

Camera Integration and Software: Apple tightly integrates hardware and software in the camera system. The A17 Pro's ISP processes data from these sensors with advanced algorithms: the **Photonic Engine** pipeline merges multiple exposures for every photo, Smart HDR 5 improves dynamic range, and the device can now automatically capture depth info for any person/pet photo to enable portrait effects later ⁶⁵. The new **default 24 MP mode** on the main camera is an example of computational photography providing a middle ground between detail and file size ⁶⁶. The 15Pro Max also supports **ProRAW photos and ProRes video** (including **Log encoding** and **Academy Color Encoding System (ACES)** color profile support for pro workflows). When connected to external storage via USB-C, it can even record **ProRes RAW video at 4K60** – essentially treating the phone as a high-end camera body. Another feature enabled by the hardware is the **dual-frequency GPS** and improved **stabilization**: the 5× telephoto uses a combination of optical and digital stabilization with gyro and LiDAR assistance, which Apple calls its most advanced system yet ⁶⁰.

In terms of **comparison to the previous generation**, aside from the telephoto upgrade, the camera hardware is similar. The main and ultra-wide sensors *did not see a bump in megapixels or aperture* year-over-year ⁶⁷. Thus, the generational imaging improvements in the 15 Pro Max stem from the A17 Pro's stronger

ISP and Neural Engine, new software features, and that innovative 5× lens. Apple's approach contrasts with competitors that have raced to ever-higher megapixel counts (e.g., Samsung's 108 MP and 200 MP sensors). Apple instead leverages a balance of sensor size and computational photography. Still, in **direct competition**, phones like the Galaxy S23 Ultra offer more optical zoom range (10× periscope in addition to a 3× tele lens) and extremely high-res sensors, which can out-resolve the iPhone in certain scenarios. Apple's strength lies in consistency and the synergy between its hardware and software – images and video from the 15 Pro Max are widely regarded as among the most color-accurate and reliably exposed, a result of that tight integration.

Battery and Thermal Design

The iPhone 15 Pro Max is powered by a **4422 mAh lithium-ion battery** (rated ~17.1 Wh) ⁶⁸ ⁶⁹. This is only a marginal ~2.3% increase in capacity over the 4323 mAh (16.7 Wh) battery of the iPhone 14 Pro Max ⁶⁸. Apple's official battery life estimates remain roughly the same (e.g. ~29 hours of video playback). However, real-world endurance saw a complex impact from the new hardware: the more efficient 3 nm A17 Pro chip theoretically draws less power for the same tasks, but Apple also pushed the chip's performance envelope, and early reports indicated that **battery life under heavy use actually regressed slightly** compared to the previous model ⁶⁸. The **A17 Pro was observed to be power-hungry under load**, and some users experienced the device running hot and throttling in the first weeks after launch ⁷⁰. Apple addressed some of these issues via software (iOS 17.0.3) to prevent background processes and certain apps from overutilizing the CPU, which helped moderate temperatures ⁵⁰ ⁵¹. After these fixes, the 15 Pro Max's battery life in day-to-day moderate use is on par with or slightly better than its predecessor, thanks to the efficient cores and the ProMotion display's variable refresh rate which can drop to 1 Hz to save power on static content.

From a hardware perspective, the device's **thermal management** relies on a combination of graphite thermal pads, the metal midframe, and efficient chip design – Apple does not use active cooling or even heat pipes/vapor chambers in iPhones, unlike some gaming-oriented Android phones. The **new aluminum midframe** in the chassis functions as a heat spreader, drawing heat away from hot spots like the SoC and modem and distributing it across the phone's body ⁷¹. Aluminum's high thermal conductivity (significantly better than stainless steel) is an advantage introduced with the 15Pro's internal redesign. During a teardown, the midframe was noted to contact major components, suggesting it plays a critical role in dissipating heat to the front and back glass (which then radiate it out) ⁶. This design likely contributed to the 15 Pro Max's initial heat issues: with a stronger chip generating more heat, the phone's outer surface became noticeably warm to the touch under stress, as the heat is spread to the frame and glass by design. Post software-patch, the thermal balance is improved, but physics remains – prolonged gaming or 4K video recording will still warm the device as it hits its thermal limits.

On charging and battery technology: the 15 Pro Max supports up to ~20–27 W wired charging (Apple doesn't specify exactly, but tests peg it around 26–27 W peak on a proper USB Power Delivery charger). It also supports **15 W MagSafe wireless charging** (magnetic alignment with Apple's charger) and **7.5 W Qi wireless charging** ⁶⁹. There's no change here from the prior generation. Apple has not adopted ultra-fast charging seen in some competitors (which boast 45 W, 80 W, even >100 W charging), likely to preserve battery longevity and manage heat. The battery itself is internally sealed with pull-tabs for easier removal during repair (a design carried over from the 14, and extended to all iPhone 15 models). This reflects Apple's slight shift towards repairability: the fact that the back glass is now easily removable on the 15 Pro Max means the battery can be accessed by opening either the front or back of the device ⁷² ⁷³. Replacing the

battery still requires care (and Apple's post-repair software authentication to enable Battery Health features), but it's more feasible than on older iPhones where the entire front had to be removed.

In summary, the battery capacity of the iPhone 15 Pro Max saw only a minor increase, and its battery life is a result of a balance between a more efficient but more power-demanding chip. The thermal design – leveraging the new chassis architecture – is effective for short bursts and typical use, but under extreme continuous workloads the phone will heat up and throttle to protect itself. Apple's approach prioritizes a slim, water-resistant design over heavy-duty cooling, which is typical for flagship phones, relying on software and silicon efficiency for thermal control.

System Integration and Internal Design

One of Apple's strengths is the holistic integration of components, and the iPhone 15 Pro Max exemplifies this with a tight internal layout and design geared towards both performance and repair-friendly construction. The internal architecture can be thought of in layers: the logic board (and stacked circuitry), the midframe chassis, and the modular components attached to it.

Logic Board and Stacked Architecture: The iPhone 15 Pro Max uses a compact dual-layer logic board (sometimes called a “stacked” logic board) where two rigid printed circuit boards are sandwiched together with an interposer connecting them. This technique, introduced in earlier iPhones, saves space and brings chips closer together. The A17 Pro and its PoP memory occupy a central position on the board (as shown in Figure 2), flanked by the Qualcomm X70 modem and various power management and RF chips ⁷⁴ ⁷⁵. The tight packaging is evident: for example, in Figure 2, almost every square millimeter is utilized, with **shielding canisters covering sensitive analog RF components** (like the transceivers and amplifiers) and multiple tiny chips for Wi-Fi/Bluetooth, the UWB module, audio codec, etc. This dense integration is enabled by advanced PCB design and high-density connectors. Even though the logic board is small, Apple still managed to include connectors for a wide array of modular parts: display, battery, Taptic Engine (haptic motor), Face ID sensors, cameras, etc., all of which plug into the board via flex cables. Notably, the **USB-C port is now a separate assembly** (as opposed to being part of a soldered charging daughterboard on older iPhones). This port assembly can be replaced independently and is *not serialized* to the logic board (swapping it does not disable functionality) ⁷⁶, which is good news for long-term repairs – a likely consequence of regulatory pressure to adopt USB-C without introducing new repair roadblocks.

Modular Component Integration: Many internal components are modular and mounted onto the central aluminum midframe. For instance, the earpiece speaker and bottom speaker are separate modules; the three cameras are individual modules secured with screws (and, unfortunately, software-calibrated as Apple pairs them to the logic board). Apple's internal design documentation highlighted in the keynote even emphasized **the new chassis architecture that allows the back glass to be easily replaced** by unscrewing it from the midframe ⁶. This is a direct evolution from the iPhone 14's redesign: the 15 Pro Max continues to allow opening from *either* the front (screen side) or back, which is a huge improvement for repairability compared to older iPhones that opened only from the front, making a cracked back nearly irreparable. Interestingly, on the 15 Pro/Pro Max, even though the back is removable, the internal components (battery, logic board, etc.) are primarily accessed still through the *front* (after lifting the display) ⁷⁷. iFixit noted this inverted arrangement where the internals are mounted from the screen side rather than the back side ⁷³. The likely reason is the large camera bump and periscope mechanism, which protrude into the midframe from the back, making a back-first disassembly harder. Nonetheless, being able

to independently service the back glass is a win, achieved by the engineering of that midframe which separates structural, thermal, and mounting functions.

Thermal and Structural Frame: The central **aluminum midframe** is arguably the unsung hero of the 15 Pro Max's design. It provides a rigid skeleton to which all components attach, and also doubles as a heat spreader (as discussed in the thermal section). By bonding titanium to this frame at the periphery, Apple got the benefits of both metals: titanium for exterior strength and durability, aluminum for internal support and heat dissipation ⁷⁸ ⁷⁹. Apple's description of the process ("thermo-mechanical bonding") indicates a friction stir welding or similar technique that joins the metals without screws, maintaining strength and avoiding galvanic corrosion between titanium and aluminum. The frame's design had to accommodate the new **tetraprism camera** – which is why the standard 15 Pro's frame and internal layout differ (the Pro Max's midframe has a cutout and mounting points for the periscope module). The camera bump on the chassis is larger this year, reflecting both the bigger lens systems and Apple's design language of emphasizing the camera capabilities. Internally, Apple even increased the size of **screws securing the camera modules** to the midframe ⁸⁰, possibly to handle the added weight/torque of the periscope lens and to ensure stability (iFixit humorously pointed out the oversized screws, though the exact reasoning wasn't confirmed) ⁸⁰. From a structural standpoint, the use of titanium on the outer band improves resistance to bending and impact on the sides. Drop tests indicated the titanium band can dent (instead of steel which might deform less but transfer more force to glass), and indeed the "*fragile finish*" of the titanium was a point of debate ¹⁰. But structurally, no major frame bending issues have been observed; the phone remains very solid thanks to the midframe and titanium shell.

Repairability Considerations: A discussion of system integration is not complete without noting Apple's parts pairing constraints. While the hardware design is more repair-friendly mechanically, Apple's **serial number software locks** on components (like display, battery, camera, even the LiDAR) mean that swapping parts between identical iPhones can result in disabled or degraded functionality unless Apple's proprietary calibration software is used ⁶³ ⁸¹. This is a deliberate integration at the software/firmware level that ties components to the logic board – an aspect that has drawn criticism from repair advocates. From an engineering perspective, this ensures optimal component performance and security (to prevent malicious part swapping), but it also **restricts third-party repairs** severely ⁸² ⁸³. iFixit, for example, had to revise the 15 Pro Max's repairability score downward because, despite the nice chassis improvements, the parts pairing makes many repairs impractical outside Apple's authorized network ⁸⁴. Thus, the iPhone 15 Pro Max exemplifies a modern tension in integration: *tight hardware integration yields superb performance and compactness, but often at the cost of repair modularity and user serviceability.*

In essence, the system-level design of the iPhone 15 Pro Max is a feat of engineering miniaturization. Apple managed to pack one of the most powerful mobile chipsets, a larger battery, and an advanced camera array into a device that's actually lighter and somewhat smaller than its predecessor. This was achieved by **innovative use of materials**, a layered logic board, and integrating functions wherever possible (e.g., multi-use sensors, SoC embedding multiple controllers). The internal design is as notable as the specs: it reflects extreme optimization for space and efficiency, which is why the iPhone continues to have a reputation for "*punching above its weight*" in performance. However, as we've seen, pushing that boundary comes with challenges in heat dissipation and repair complexity – challenges that Apple has addressed through both engineering (the aluminum midframe, etc.) and some controversial software locks.

Comparison with Previous Generation (iPhone 14 Pro Max)

Generationally, the iPhone 15 Pro Max brings a series of incremental yet impactful upgrades over the **iPhone 14 Pro Max** (2022). Below we compare key aspects to highlight how Apple advanced the hardware:

- **Processing Power:** The 15 Pro Max's **A17 Pro (3 nm)** vs the 14 Pro Max's **A16 Bionic (4 nm)** is a significant leap in chip fabrication. The A17 has 19 billion transistors (up from 16 billion) and runs its 2 performance cores ~10% faster ²² ²⁰. In CPU benchmarks, this translates to ~10–15% better performance. The **GPU upgrade** (6-core with ray tracing) is more pronounced – ~20% faster peak performance and graphics features like mesh shading not present on A16 ⁸⁵. However, sustained graphics performance didn't improve as much due to thermal limits. The Neural Engine remained 16-core at 35 TOPS, similar to A16, but with latency improvements. Overall, A17 Pro extends Apple's lead in single-thread performance and narrows the gap in GPU compute that A16 had vs the best Android chips ⁸⁶ ²⁸.
- **Memory and Storage:** The new model has **8 GB RAM vs 6 GB** in the 14 Pro Max ³⁸ ³⁹, aiding multitasking and future-proofing. Base storage on the 15 Pro Max starts at 256 GB (whereas the 14 Pro Max offered a 128 GB entry model), reflecting increased media file sizes and the needs of ProRes video users. Both use fast NVMe flash – the 15 Pro Max benefits from the A17's improved storage controller and the USB 3 interface for faster data transfer.
- **Build and Materials:** The **15 Pro Max's titanium frame** vs the **14 Pro Max's stainless steel frame** is a major material change. Titanium makes the 15 Pro Max about **14% lighter** (221 g vs 240 g) ⁴, and slightly more durable in terms of drop resistance on edges, though the coating can scratch. Both devices have Ceramic Shield front glass and similar dimensions, but the **15 Pro Max has visibly thinner display bezels**, giving it a more modern look. The new model's **Action Button** replaces the classic mute switch found on the 14 Pro Max – a small but noticeable user interface change, offering more functionality.
- **Display:** Both generations share the 6.7" OLED 120 Hz display with 2796×1290 resolution and 2000 nit peak brightness, so in terms of display hardware, they are roughly equivalent. The difference is the 15 Pro Max's slimmer border and slightly more rounded edge where the glass meets the titanium (for improved comfort). The Always-On and Dynamic Island features were introduced on the 14 Pro Max and carried over, so no new display tech was added in the 15 Pro Max aside from the cosmetics.
- **Cameras:** The **rear cameras saw a significant improvement in telephoto capability**. The 14 Pro Max had a 12 MP 3× (77 mm) telephoto lens, whereas the 15 Pro Max has the **12 MP 5× (120 mm) periscope telephoto** ⁵⁸. This provides much greater optical reach. The main 48 MP camera and 12 MP ultra-wide are essentially the same hardware between the two generations ⁶⁷, but the 15's image processing yields better default 24 MP shots and nicer low-light portraits thanks to software. The front camera and LiDAR are unchanged hardware-wise. So the biggest camera differentiator is that periscope zoom – a clear win for the 15 Pro Max, which now can compete better with rivals in long-range photography. Apple's 15 Pro Max also introduced the ability to capture depth info automatically for any photo with a person/pet, enabling post-facto portraits – a feature the 14 Pro Max didn't have (it required using Portrait mode at capture).

- **Connectivity:** Both have 5G via Qualcomm modems, but the **15 Pro Max's X70 modem** brings some efficiency and band support improvements over the 14 Pro Max's X65. The new model also supports **Wi-Fi 6E**, whereas the 14 Pro Max was limited to Wi-Fi 6 (5 GHz) ⁴⁷. Bluetooth 5.3 on the 15 vs 5.0 on the 14 is another update (improving wireless audio compatibility and future-proofing). And, of course, **USB-C (10 Gbps)** on the 15 Pro Max is a huge upgrade over the **Lightning (USB 2.0 ~480 Mbps)** port on the 14 Pro Max ¹⁶. This means data transfers that took minutes on the 14 now take seconds on the 15 when using a proper cable and computer, and new possibilities like direct USB-C to external monitors or drives are unlocked on the 15. The trade-off is users had to replace their cables/accessories, but the universal standard is a long-term benefit.
- **Battery and Charging:** The battery capacities are very close: 4422 mAh vs 4323 mAh – only a slight bump in the 15 Pro Max ⁶⁸. Official battery life ratings remain the same (e.g. ~29 hours video playback for both). In practice, the 14 Pro Max might edge out the 15 in sustained heavy use battery life (due to the A17's higher peak draw), but after software updates they're comparable. Charging specs are unchanged (neither got faster wired charging beyond ~27 W). Both support MagSafe wireless charging. So no big change generation-to-generation in power except the efficiency improvements of 3 nm which are somewhat offset by pushing performance.

Overall, the iPhone 15 Pro Max can be seen as an **iterative yet meaningful upgrade** over the 14 Pro Max: *same overall design language and many similar components, but with key improvements* in materials (lighter titanium build), performance (new SoC with more capabilities), and photography (periscope zoom). For an end user, the differences might not drastically change day-to-day usage except in specific scenarios (like long-range photography or high-speed data transfer), but for an expert or enthusiast, the **architectural upgrades – 3 nm silicon and advanced optics – represent significant progress**. Apple's approach was conservative in areas like battery and display (no drastic changes needed there, as they were already class-leading), and aggressive in areas like chip design and camera innovation.

Comparison with Key Competitors

In the premium smartphone arena, the iPhone 15 Pro Max competes with flagship devices primarily from Samsung, Google, and a few other manufacturers. Here we compare its hardware and architecture with some **key competitors of late 2023** – notably, Samsung's Galaxy S23 Ultra and Google's Pixel 8 Pro – as well as consider the broader industry context.

Samsung Galaxy S23 Ultra: Samsung's early-2023 flagship is arguably the closest rival in terms of all-round high-end hardware. It features a 6.8" AMOLED display (slightly larger, with higher QHD+ resolution) and uses the Qualcomm **Snapdragon 8 Gen 2** chip in most markets (a special tuned version for Galaxy). The Snapdragon 8 Gen 2 is built on TSMC 4 nm and has a 1+4+3 CPU core layout (including one Cortex-X3 core). While very powerful, it trails the A17 Pro in single-core CPU performance; however, in multi-core it's closer due to more high-performance cores (8 Gen 2 has 8 CPU cores vs Apple's 6) ⁸⁷ ⁸⁸. The S23 Ultra's Adreno 740 GPU was actually leading Apple's A16 GPU in 2022, so Apple's 20% GPU boost in A17 Pro was needed to regain the crown. In heavy sustained graphics, phones like the S23 Ultra can sometimes maintain performance longer thanks to their larger chassis and cooling – for example, the S23 Ultra can sustain >60 fps for several minutes in some GPU tests before throttling, whereas the 15 Pro Max throttles sooner ³². That said, in initial bursts and ray tracing tasks, the A17 Pro has shown higher peak performance than the Snapdragon 8 Gen 2 ³¹.

Samsung heavily differentiates in **camera hardware**: the S23 Ultra has a **200 MP main sensor** (using pixel binning to 12 MP or 50 MP output) and **dual telephoto lenses (3× and 10× optical)**. Its 10× periscope, with a 230 mm equivalent focal length, far exceeds the iPhone's 5× (120 mm) in reach ⁵⁸. In zoom quality at long range, the Samsung leads; however, Apple's new 5× lens narrowed the gap for medium-range zoom (previous iPhones only had 3×). The S23 Ultra's massive 200 MP sensor can resolve extremely fine detail in ideal conditions, but in most everyday shots Apple's 48 MP with better processing holds its own, often producing more balanced photos with less noise due to larger pixels. The iPhone's advantage is in video – historically, iPhones (including the 15 Pro Max) deliver more stable and color-accurate video, aided by Apple's dedicated ISP and encoder. The S23 Ultra does support **8K video recording** at 30 fps (leveraging that high-res sensor) ⁸⁹, a feature Apple has not implemented (the 15 Pro Max tops out at 4K60, albeit in ProRes quality). For most users 4K is sufficient, but the lack of 8K is one checkbox where Apple lags Samsung on spec sheets.

In **materials and design**, the S23 Ultra uses an aluminum frame with Gorilla Glass Victus 2 front/back. It's heavier (234 g) and slightly thicker than the 15 Pro Max, partly due to a larger **5000 mAh battery**. Samsung achieves longer battery life through capacity brute-force and slightly lower peak power draw, whereas Apple relies on efficiency (smaller battery but very efficient chip for light tasks). As a result, their battery endurance is comparable in many scenarios, though heavy use might drain the iPhone faster due to heat. The S23 Ultra also features an **S-Pen stylus** siloed in the body – a unique selling point for those who value pen input, but not directly comparable to anything on iPhone (which doesn't support stylus input). Both phones have IP68 ratings; durability is similar, though the titanium on iPhone might resist bending better while Samsung's frosted glass might be less scratch-prone than iPhone's coating.

An important architectural difference: Apple's vertical integration means the iPhone is optimized to a degree across hardware and software that Samsung (using Qualcomm SoC, Android OS) doesn't fully match. For example, Apple's custom ISP and neural engines give it an edge in things like real-time video HDR fusion, while Samsung leans on Qualcomm's ISP. Apple's UWB chip (for precise locating) is more advanced, whereas Samsung only started adding UWB in recent Galaxy models and it's not as central to their ecosystem. On the other hand, Samsung devices tend to be more *feature-rich* in a checklist sense – e.g., support for **Wi-Fi 7** (the S23 Ultra is "Wi-Fi 7 ready") vs iPhone's Wi-Fi 6E ⁴⁸ ⁹⁰, more flexible camera app (Pro modes, etc.), and open connectivity (no accessory authentication, easy file transfers, etc.).

Google Pixel 8 Pro: Google's late-2023 flagship takes a different approach. Its **Tensor G3 SoC** is focused on AI and machine learning, using a 4 nm process but with CPU cores that are not as high-performing as Apple's or Qualcomm's (it has older Cortex-X3/A715/A510 cores). Thus, in raw CPU/GPU, the Pixel 8 Pro lags behind both the iPhone 15 Pro Max and S23 Ultra; however, it leverages its TPU (Tensor Processing Unit) for on-device AI features (like advanced voice recognition, image editing with AI). The Pixel 8 Pro has a 6.7" OLED display (QHD+ at 120 Hz), similar size as iPhone, and a 5000 mAh battery. It also has a 50 MP main, 48 MP ultra-wide, and 48 MP 5× telephoto camera – notably giving it a 5× periscope similar to iPhone's (Google had 5× optical since Pixel 6 Pro). The Pixel's image processing is among the best for still photography, often rivaling or exceeding the iPhone in low-light and HDR thanks to Google's computational photography leadership. However, the iPhone 15 Pro Max often wins in video quality and has a more powerful GPU for tasks like gaming. The Pixel is more of a software-centric design; it doesn't push the envelope in chip performance or materials (it uses aluminum frame, glass, etc., no exotic alloys). It's a competitor in camera and AI experience, but purely on hardware architecture, the iPhone's A17 Pro is substantially ahead of Google's Tensor G3 in CPU/GPU capability.

Other Competitors: Other notable devices include Xiaomi's 13 Ultra (with a 1-inch type sensor camera), and upcoming 2024 flagships that might challenge Apple's dominance. But at the time of the iPhone 15 Pro Max's release, no other phone used a 3 nm SoC – Apple stood alone, giving it an efficiency and density edge ²¹. Some competitors did have features like faster charging (which iPhone lacks) or higher refresh rate displays (e.g., 144 Hz in some gaming phones), but those are niche advantages. In mainstream flagship terms, the **iPhone 15 Pro Max's advantages** include its extremely powerful and efficient SoC, best-in-class video recording, strong single-core performance (benefiting everything from web browsing to app launch speed), and the synergy of iOS with hardware. Its **notable disadvantages** versus competitors can be summarized as: more limited optical zoom than a couple of rivals (5× vs 10×), no ultra-high-res photo mode beyond 48 MP (while some have 200 MP), no support for new Wi-Fi 7 standard yet, and relatively slow charging speeds. Additionally, aspects like the closed ecosystem and repair constraints are sometimes contrasted with Android flagships which may allow more user control (e.g., expandable storage on some, easier sideloading etc., though S23 Ultra also lacks microSD now).

In practice, the iPhone 15 Pro Max and something like the Galaxy S23 Ultra trade blows: Apple wins on chip tech and arguably build quality (titanium is premium), Samsung wins on raw camera hardware flexibility and perhaps battery size. Both are the pinnacle of their respective ecosystems in 2023. For an expert audience, it's worth noting that Apple's design showcases a philosophy of **vertical optimization** – customizing or developing in-house nearly every critical component – whereas its competitors often integrate top components from various suppliers (Qualcomm chips, Sony sensors, etc.) and focus on maximizing specs (like more camera modules, higher pixel counts). The iPhone 15 Pro Max demonstrates that Apple's approach yields a device that, despite a smaller battery and fewer nominal megapixels, competes at the very top in real-world performance and user experience. It also pushes the industry forward: the use of 3 nm will likely be adopted by others in following generations, and the inclusion of things like AV1 decoding and UWB improvements set new baselines that competitors will match.

Conclusion

The iPhone 15 Pro Max stands as a **milestone in smartphone hardware**, representing a convergence of advanced materials, cutting-edge silicon, and refined system design. Through this analysis, we've seen how Apple's engineering decisions – from adopting a titanium-aluminum chassis to developing the A17 Pro chip – were driven by a pursuit of performance, efficiency, and user experience improvements for its flagship device.

At the physical level, the 15 Pro Max's **titanium frame and redesigned internal architecture** achieved a lighter and more durable handset, illustrating Apple's willingness to invest in exotic manufacturing techniques to enhance build quality. Internally, the device's **A17 Pro SoC** leveraged TSMC's 3 nm process to push performance boundaries, setting new standards for mobile CPU and GPU capabilities while introducing features like hardware ray tracing and AV1 decoding. This chip, paired with increased RAM and faster storage and I/O, blurs the line between smartphone and computer – enabling tasks like professional video editing and console-quality gaming on a handheld device ⁸⁵ ²⁹.

The integrated **camera system** of the 15 Pro Max, especially the innovative tetraprism periscope lens, underscores how optical engineering and computational imaging can work in tandem. By increasing optical zoom to 5× and utilizing the powerful ISP/Neural Engine for image processing, Apple expanded the photography toolkit for users without adding complexity to the interface – a hallmark of Apple's design ethos. The device's **system-level integration** – exemplified by the multi-layer logic board, the use of the

midframe for thermal spreading, and the synergy of custom chips (ISP, modem, UWB, etc.) – results in a phone that is cohesive in operation. Every component is tuned to work with others under the tight governance of iOS.

Our comparisons revealed that, against its peers, the iPhone 15 Pro Max is *at the forefront of several trends*: it was the only 2023 phone with a 3 nm SoC, it matched or exceeded competitors in GPU technology and computational photography, and it introduced USB-C with high-speed connectivity to the iPhone line, catching up with industry standards ¹⁶ ¹⁷ . At the same time, Apple chose not to engage in some specification arms races – for instance, not chasing higher charging wattage or ultra-high megapixel counts – a strategy that prioritizes balanced real-world performance and device longevity (e.g., avoiding battery stress from fast charging).

For an expert audience in computer engineering and hardware design, the iPhone 15 Pro Max offers a fascinating case study. It demonstrates how **cutting-edge semiconductor advances can be translated into tangible user benefits** (and also the challenges that accompany such advances, like thermal management for the A17 Pro). It highlights the importance of materials science in product design – using titanium and aluminum in novel ways to solve structural and thermal puzzles. And it shows Apple's continuous push in custom silicon giving it control over features and integration that few competitors can match at present.

In conclusion, the iPhone 15 Pro Max is an exemplar of modern smartphone design where **every aspect of hardware – from the smallest sensor to the largest SoC, from the lens coatings to the metal frame – is considered in the context of the whole system**. This holistic engineering yields a device that is not only powerful on paper but optimized in practice. Future flagship designs, both from Apple and others, will no doubt build on the foundations seen here: more efficient chips (likely 3 nm and beyond), advanced optics (perhaps further periscope improvements or new sensor types), and materials that improve device robustness without compromising weight or style. The iPhone 15 Pro Max thus can be seen as both a culmination of Apple's past innovations and a stepping stone toward the next generation of personal computing devices that fit in our pockets.

References

IEEE References

1. K. Wiens, "iPhone 15 Teardown Reveals Software Lockdown," iFixit, Sep. 25, 2023. Available: iFixit.com ⁹¹ ⁶⁸ .
2. Apple Inc., "Apple unveils iPhone 15 Pro and iPhone 15 Pro Max," Apple Newsroom (press release), Sep. 12, 2023 ¹² ⁶ .
3. R. Triggs, "Apple A17 Pro vs Snapdragon 8 Gen 2: Battle of the next-gen chips," Android Authority, Sep. 27, 2023 ²⁴ ³⁰ .
4. B. Hill and A. E. Freedman, "Apple's A17 Pro Is a 3 nm Chip Powering iPhone 15 Pro, Pro Max," Tom's Hardware, Sep. 12, 2023 ³⁶ ³⁷ .
5. D. Schmidt, "Apple iPhone 15 Pro Max review – More camera power and titanium for Apple's biggest smartphone," Notebookcheck, Oct. 3, 2023 ¹⁴ ⁴⁹ .
6. **iPhone 15 Pro Max – Technical Specifications**, Apple Support, accessed Nov. 2023 ⁸ ⁹ .
7. **Apple A17 Pro – Wikipedia** (last modified Oct. 30, 2023) ³³ ²² .
8. **Apple iPhone 15 Pro Max Chip Identification**, iFixit, accessed Oct. 2023 ⁴² ¹⁹ .

9. **Apple iPhone 15 Pro Max – Battery tests indicate worse endurance**, Notebookcheck.net, Sep. 2023 70 50 .
10. K. Wiens, “A Great Design Undermined by Parts Pairing,” iFixit, Sep. 25, 2023 63 81 .

APA References

- Apple Inc. (2023, September 12). *Apple unveils iPhone 15 Pro and iPhone 15 Pro Max* [Press release]. Apple Newsroom. <https://www.apple.com/newsroom/2023/09/apple-unveils-iphone-15-pro-and-iphone-15-pro-max/>
- Hill, B., & Freedman, A. E. (2023, September 12). *Apple's A17 Pro Is a 3 nm Chip Powering iPhone 15 Pro, Pro Max*. Tom's Hardware. <https://www.tomshardware.com/news/apple-a17-pro-3nm-iphone-15-pro>
- Schmidt, D. (2023, October 3). *Apple iPhone 15 Pro Max review – More camera power and titanium for Apple's biggest smartphone*. Notebookcheck. <https://www.notebookcheck.net/Apple-iPhone-15-Pro-Max-review-More-camera-power-and-titanium-for-Apple-s-biggest-smartphone.756855.0.html>
- Triggs, R. (2023, September 27). *Apple A17 Pro vs Snapdragon 8 Gen 2: Battle of the next-gen chips*. Android Authority. <https://www.androidauthority.com/apple-a17-pro-vs-snapdragon-8-gen-2-3361973/>
- Wiens, K. (2023, September 25). *iPhone 15 Teardown Reveals Software Lockdown*. iFixit. <https://www.ifixit.com/News/82867/iphone-15-teardown-reveals-software-lockdown>
- **iPhone 15 Pro Max – Technical Specifications**. (n.d.). Apple Support. Retrieved November 2023, from <https://support.apple.com/specs/iphone-15-pro-max>
- **Apple A17 Pro**. (2023, October 30). In *Wikipedia*. https://en.wikipedia.org/wiki/Apple_A17
- **Apple iPhone 15 Pro Max Chip Identification**. (2023). iFixit. Retrieved October 2023, from https://www.ifixit.com/Device/iPhone_15_Pro_Max_###identification
- **Apple iPhone 15 Pro Max battery tests indicate worse endurance**. (2023, September). Notebookcheck. Retrieved from <https://www.notebookcheck.net> (discussion thread)
- **iPhone 15 Pro Max parts pairing analysis**. (2023, September 25). iFixit. Retrieved from <https://www.ifixit.com/News/82867> (see “A Great Design Undermined by Parts Pairing” section)

1 2 6 12 17 25 26 34 52 54 55 60 62 65 66 71 85 Apple unveils iPhone 15 Pro and iPhone 15 Pro Max - Apple

<https://www.apple.com/newsroom/2023/09/apple-unveils-iphone-15-pro-and-iphone-15-pro-max/>

3 11 27 29 36 37 46 Apple's A17 Pro Is a 3nm Chip Powering iPhone 15 Pro, Pro Max | Tom's Hardware
<https://www.tomshardware.com/news/apple-a17-pro-3nm-iphone-15-pro>

4 5 7 10 16 18 19 40 42 43 56 57 58 59 61 63 64 67 68 70 72 73 74 75 76 77 78 79 80 81
82 83 84 91 iPhone 15 Teardown Reveals Software Lockdown - iFixit
<https://www.ifixit.com/News/82867/iphone-15-teardown-reveals-software-lockdown>

8 9 13 Apple iPhone 15 Pro Max: Order, Price, Colors, Features | Verizon
<https://www.verizon.com/smartphones/apple-iphone-15-pro-max/>

14 41 47 49 53 69 Apple iPhone 15 Pro Max review - More camera power and titanium for Apple's biggest smartphone - NotebookCheck.net Reviews
<https://www.notebookcheck.net/Apple-iPhone-15-Pro-Max-review-More-camera-power-and-titanium-for-Apple-s-biggest-smartphone.756855.0.html>

15 iPhone 15 Pro Max - Tech Specs - Apple Support

<https://support.apple.com/en-us/111828>

20 22 33 35 38 39 Apple A17 - Wikipedia

https://en.wikipedia.org/wiki/Apple_A17

21 23 24 28 30 31 32 44 45 48 86 87 88 89 90 Apple A17 Pro vs Snapdragon 8 Gen 2: Battle of the next-gen chips

<https://www.androidauthority.com/apple-a17-pro-vs-snapdragon-8-gen-2-3361973/>

50 iPhone 15 Pro Max sees marked performance and thermal ...

<https://www.notebookcheck.net/iPhone-15-Pro-Max-sees-marked-performance-and-thermal-management-improvements-after-iOS-17-0-3-update.758121.0.html>

51 Opinion: What is going on with iPhone 15 Pro overheating issues?

<https://www.notebookchat.com/index.php?topic=180294.0>