Control Selection Assistant Tool (CSAT)

Suggested Controls Report

Case

AU-2

Sensors

I = Low

AU-12

AnalystInterface

I = High

SI-4

Database

I = Low

Case

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = High

SI-4

Database

I = Low

Case

AU-2

Sensors

I = Low

AU-12

AnalystInterface

I = High

SI-4

Database

I = Medium

Case

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = High

SI-4

Database

I = Medium

Cost of Each Combination: 930

Security Control Combination 1

- AC-1
- AC-2
- AC-3
- AC-4
- AC-5
- AC-6
- AC-7
- AC-12
- AC-17
- AC-18
- AC-23
- AC-24
- AU-1
- AU-2
- AU-3
- AU-6
- AU-8
- AU-10
- AU-12
- IA-1
- IA-2
- IA-3
- PE-1
- PE-3
- SC-5
- SC-8
- SC-40
- SI-4
- SI-7

Case

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = Medium

SI-4

Database

I = Low

Case

AU-2

Sensors

I = Low

AU-12

AnalystInterface

I = Medium

SI-4

Database

I = Medium

Case

AU-2

Sensors

I = Low

AU-12

AnalystInterface

I = Medium

SI-4

Database

I = Low

Case

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = Medium

SI-4

Database

I = Medium

Cost of Each Combination: 940

Security Control Combination 1

- AC-1
- AC-2
- AC-3
- AC-4
- AC-5
- AC-6
- AC-7
- AC-12

- AC-17
- AC-18
- AC-23
- AC-24
- AU-1
- AU-2
- AU-3
- AU-6
- AU-8
- AU-10
- IA-1
- IA-2
- IA-3
- IA-10
- PE-1
- PE-3
- SC-5
- SC-8
- SC-40
- SI-4
- SI-7

© 2024–2024 Dylan Leveille