Control Selection Assistant Tool (CSAT)

Suggested Controls Report

```
Case
AU-2
Sensors
I = Low
AU-12
AnalystInterface
I = Medium
SI-4
Database
I = Low
```

Case

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = Medium

SI-4

Database

I = Low

1 of 5 2024-05-27, 12:05 p.m.

Case

AU-2

Sensors

I = Low

AU-12

AnalystInterface

I = High

SI-4

Database

I = Low

Case

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = High

SI-4

Database

I = Low

Case

AU-2

2 of 5 2024-05-27, 12:05 p.m.

```
Sensors
    I = Low
AU-12
  AnalystInterface
   I = Medium
SI-4
  Database
    I = Medium
Case
```

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = Medium

SI-4

Database

I = Medium

Case

AU-2

Sensors

I = Low

AU-12

3 of 5 2024-05-27, 12:05 p.m. AnalystInterface

I = High

SI-4

Database

I = Medium

Case

AU-2

Sensors

I = Medium

AU-12

AnalystInterface

I = High

SI-4

Database

I = Medium

Cost of Each Combination: 940

Security Control Combination 1

- AC-1
- AC-2
- AC-3
- AC-4
- AC-5
- AC-6
- AC-7
- AC-9

4 of 5 2024-05-27, 12:05 p.m.

- AC-12
- AC-17
- AC-18
- AC-23
- AC-24
- AU-1
- AU-2
- AU-3
- AU-8
- AU-10
- AU-12
- AU-14
- IA-1
- IA-2
- IA-3
- IA-10
- SC-5
- SC-8
- SC-12
- SI-4
- SI-7
- SI-10

© 2024–2024 <u>Dylan Leveille</u>