
DR_NO	Date Rptd	DATE OCC	TIME OCC	AREA	AREA NAME	Rpt Dist No
1NF:	DR NO	Date Rptd	DATE OCC	TIME OCC	AREA	AREA NAME
	Multivalued Attributes:	Mocodes, Crm Cd (1, 2, 3, 4):		-		
	Mocode Table: ->	,	DR_NO	Mocode	Mocode Desc	DR_NO ->
						{Mocode, Mocode Desc}
	Crm Cd Table: ->	Crime_Codes:	DR NO	Crm Cd	Crime Seriousnes	s Crm Cd Desc
2NF:	Crime:	DR NO	Crm Cd	Crime Seriousness	Crm Cd Desc	Part 1-2
		1FD ->		•	1	<u> </u>
	Partial Dependancies:					
	Crime_Code:	Crm Cd	Crm Cd Desc	Part 1-2	Crm_Cd -> {Crm Cd Desc, Part 1-2}	
					ou besc, Part 1-2	
	Area:	AREA	AREA NAME	AREA -> {AREA		
				NAME}		
3NF:	DR NO	Date Rptd	DATE OCC	TIME OCC	AREA	Rpt Dist No
				FD1 ->	<u> </u>	
	Crime_MOCodes:	DR NO	Mocode	Mocode Desc	DR_NO ->	
					{Mocode, Mocode Desc}	
		FD5 ->		1	2000)	
	Transitive					
	Dependancies:		<u> </u>	Thurst of		
	Crime_premises:	Premis Cd	Premis Desc	Premis Cd -> {Premis Desc}		
	Weapon:	Weapon Used Cd	Weapon Desc	Weapn Used Cd -> {Weapon Desc}		
		<u>Status</u>	Status Desc	Status -> {Status Desc}		
	Status:			•		
						
	Status: MOCODE_Descript ion	Mocode	Mocode Desc	Mocode -> {Mocode Desc}		
	MOCODE_Descript			{Mocode Desc}		
	MOCODE_Descript		Mocode Desc AREA			



Part 1-2	Crm Cd	Crm Cd Desc	Mocodes	Vict Age	Vict Sex	Vict Descent
Rpt Dist No	Part 1-2	Crm Cd	Crm Cd Desc	Mocodes	Vict Age	Vict Sex


Part 1-2

DR_NO -> {Crime Cd, Crime Seriousness, Crm Cd Desc, Part 1-2}

AREA AREA NAME

2FD ->

V	ict Age	Vict Sex	Vict Descent	Premis Cd	Premis Desc	Weapon Used Cd	Weapon Desc
_			FD2 _>	1		FD3 ->	1



1NF, 2NF, 3NF Database Schema

Premis Cd	Premis Desc	Weapon Used Cd	Weapon Desc	Status	Status Desc	Crm Cd 1
Vict Descent	Premis Cd	Premis Desc	Weapon Used Cd	Weapon Desc	Status	Status Desc

Status Desc	LOCATION	Cross Street	LAT	LON
-------------	----------	--------------	-----	-----

FD4 +>

Cross Street	LAT	LON	DR_NO -> {Date_Rptd, Date_OCC, Time_OCC, AREA, Vict_Age, Vict_Sex, Vict_Descent, Premis_Cd, Weapon_Used_Cd, Status, Location, Cross_Street, LAT,
			Cross_Street, LAT, LON}

Status (PK)	Status Desc	Status -> {Status
		Desc}

Crm Cd 2	Crm Cd 3	Crm Cd 4	LOCATION	Cross Street	LAT	LON
Crm Cd 1	Crm Cd 2	Crm Cd 3	Crm Cd 4	LOCATION	Cross Street	LAT



LON	