Mise à jour de Debian 10 (Buster) vers Debian 11 (Bullseye)

Nom Prénom : **Dylan Spinelli**

BTS SIO SISR

Paris Ynov Campus

Sommaire

1- On vérifie la version Debian.....1

2- Mettre à jour le gestionnaire de packages et les référentiels APT.....1

3- On édite le fichier /etc/apt/sources.list :.....1

4- Vérifier la mise à jour Debian 11.....2

Debian 11 (**Bullseye**) succède à **Debian 10** (***Buster***).
Cette nouvelle version inclut plus de **11294** nouveaux paquets,
pour un total de plus de **59551** paquets.





1- On vérifie la version Debian

```
root💀gateway:~# lsb_release -a
No LSB modules are available.
Distributor ID: Debian
Description:    Debian GNU/Linux 10 (buster)
Release:        10
Codename:       buster
root💀gateway:~#
```

```
root💀gateway:~# inxi
CPU: Single Core Intel Core i7-4860HQ (-MCP-) speed: 2394 MHz Kernel: 4.19.0-16-amd64 x86_64 Up: 4h 05m
Mem: 248.2/1970.9 MiB (12.6%) Storage: 20.00 GiB (8.2% used) Procs: 137 Shell: bash 5.0.3 inxi: 3.0.32
```

2- Mettre à jour le gestionnaire de packages et les référentiels APT

Par précaution on fait une sauvegarde du fichier sources.list sources.list vers sources.list.old

```
root💀gateway:~# cd /etc/apt
root💀gateway:/etc/apt# cp sources.list sources.list.old
root💀gateway:/etc/apt#
```

3- On édite le fichier /etc/apt/sources.list :

```
root💀gateway:/etc/apt# vim sources.list
```

On modifie **Buster par Bullseye**:

```
deb http://deb.debian.org/debian/ buster main
deb-src http://deb.debian.org/debian/ buster main

deb http://security.debian.org/debian-security buster/updates main
deb-src http://security.debian.org/debian-security buster/updates main

# buster-updates, previously known as 'volatile'
deb http://deb.debian.org/debian/ buster-updates main
deb-src http://deb.debian.org/debian/ buster-updates main
```

:%s/buster/bullseye/g

```
deb http://deb.debian.org/debian/ bullseye main
deb-src http://deb.debian.org/debian/ bullseye main

deb http://security.debian.org/debian-security bullseye-security/updates main
deb-src http://security.debian.org/debian-security bullseye-security/updates main

# bullseye-updates, previously known as 'volatile'
deb http://deb.debian.org/debian/ bullseye-updates main
deb-src http://deb.debian.org/debian/ bullseye-updates main
```

Mettre à niveau de Debian 10 vers Debian 11 on Télécharge et on met à jour les sources APT :

```
root💀gateway:~# apt update
```

```
root💀gateway:~# apt full-upgrade
```

```
 -- Julian Andres Klode <jak@debian.org>  Fri, 08 Jan 2021 22:01:50 +0100

Réception de :393 http://deb.debian.org/debian bullseye/main amd64 libxcursor1 amd64 1:1.2.0-2 [37,3 kB]
Réception de :394 http://deb.debian.org/debian bullseye/main amd64 libxi6 amd64 2:1.7.10-1 [83,4 kB]
Réception de :395 http://deb.debian.org/debian bullseye/main amd64 libxkbfile1 amd64 1:1.1.0-1 [75,2 kB]

Package configuration


                ┤ Configuring libc6:amd64 ├

There are services installed on your system which need to be restarted when certain libraries, such as libpam,
libc, and libssl, are upgraded. Since these restarts may cause interruptions of service for the system, you will
normally be prompted on each upgrade for the list of services you wish to restart.  You can choose this option
to avoid being prompted; instead, all necessary restarts will be done for you automatically so you can avoid
being asked questions on each library upgrade.

Restart services during package upgrades without asking?

                <Yes>                                   <No>
```

4- Vérifier la mise à jour Debian 11


root💀gateway:~# lsb_release -a
No LSB modules are available.
Distributor ID: Debian
Description: Debian GNU/Linux 11 (bullseye)
Release: 11
Codename: bullseye
root💀gateway:~#