

SonarCloud - Reporte de Issues

Proyecto: **DylanTapiaVargas999_Sistema_LecturasIA**
Fecha: 20/03/2026 13:02

Resumen del Proyecto

Metrica	Valor
Total Issues	275
Bugs (Fiabilidad)	0
Vulnerabilidades (Seguridad)	3
Code Smells (Mantenibilidad)	272
Lineas de codigo	20282
Cobertura	N/A
Duplicaciones	6.0%

Distribucion por Severidad

Severidad	Cantidad	% del total
BLOCKER	1	0.4%
CRITICAL	0	0.0%
HIGH	11	4.0%
MEDIUM	140	50.9%
LOW	118	42.9%
INFO	5	1.8%

Distribucion por Tipo

Tipo	Cantidad	% del total
Bug (Fiabilidad)	0	0.0%
Vulnerabilidad (Seguridad)	3	1.1%
Code Smell (Mantenibilidad)	272	98.9%

Detalle Completo de Issues

Vulnerabilidad (Seguridad) - 3 issues

>> BLOCKER (1)

#	Mensaje	Archivo	Linea	Esfuerzo
1	JWT secret keys should not be disclosed, either in code or in configuration files.	LecturaIA.API/Services/AuthService.cs	344	30min

>> MEDIUM (1)

#	Mensaje	Archivo	Linea	Esfuerzo
1	"password" detected here, make sure this is not a hard-coded credential.	LecturaIA.API/appsettings.json	24	30min

>> LOW (1)

#	Mensaje	Archivo	Linea	Esfuerzo
1	Change this code to not log user-controlled data.	LecturaIA.API/Controllers/AulasController.cs	84	30min

Code Smell (Mantenibilidad) - 272 issues

>> HIGH (11)

#	Mensaje	Archivo	Linea	Esfuerzo
1	Refactor this method to reduce its Cognitive Complexity from 18 to the 15 allowed.	...IA.API/Controllers/CuestionariosController.cs	61	6min
2	Refactor this method to reduce its Cognitive Complexity from 18 to the 15 allowed.	...IA.API/Controllers/CuestionariosController.cs	368	6min
3	Refactor this method to reduce its Cognitive Complexity from 24 to the 15 allowed.	...IA.API/Controllers/CuestionariosController.cs	552	6min
4	Refactor this method to reduce its Cognitive Complexity from 21 to the 15 allowed.	...aIA.API/Controllers/ExamenGrupalController.cs	97	6min
5	Refactor this method to reduce its Cognitive Complexity from 21 to the 15 allowed.	LecturaIA.API/Controllers/MetricasController.cs	29	6min
6	Refactor this method to reduce its Cognitive Complexity from 26 to the 15 allowed.	LecturaIA.API/Controllers/MetricasController.cs	195	6min
7	Add a nested comment explaining why this method is empty, throw a 'NotSupportedException' or comp...	...ions/20251117033549_FixLongitudTextLength.cs	17	5min
8	Add a nested comment explaining why this method is empty, throw a 'NotSupportedException' or comp...	...grations/20260314005342_InitialCreateDylan.cs	17	5min
9	Add a nested comment explaining why this method is empty, throw a 'NotSupportedException' or comp...	...rations/20260314010407_InitialCreateDylan2.cs	17	5min
10	Add a nested comment explaining why this method is empty, throw a 'NotSupportedException' or comp...	...rations/20260314010540_InitialCreateDylan3.cs	17	5min
11	Do not import modules using an absolute path	LecturaIA.Frontend/src/main.ts	3	5min

>> MEDIUM (139)

#	Mensaje	Archivo	Linea	Esfuerzo
1	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/AulasController.cs	84	5min
2	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/AulasController.cs	172	5min
3	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/AulasController.cs	332	5min
4	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/AulasController.cs	437	5min
5	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/AulasController.cs	547	5min
6	Either remove or fill this block of code.	...IA.API/Controllers/CuestionariosController.cs	169	5min
7	Don't use string interpolation in logging message templates.	...IA.API/Controllers/CuestionariosController.cs	396	5min
8	Don't use string interpolation in logging message templates.	...IA.API/Controllers/CuestionariosController.cs	408	5min
9	Extract this nested ternary operation into an independent statement.	...aIA.API/Controllers/ExamenGrupalController.cs	77	5min
10	Extract this nested ternary operation into an independent statement.	...aIA.API/Controllers/ExamenGrupalController.cs	78	5min
11	Value type property used as input in a controller action should be nullable, required or annotate...	...aIA.API/Controllers/ExamenGrupalController.cs	667	5min
12	Annotate this method with ProducesResponseType containing the return type for successful responses.	LecturaIA.API/Controllers/GradosController.cs	22	5min
13	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	64	5min
14	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	97	5min
15	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	171	5min
16	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	178	5min
17	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	182	5min
18	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	189	5min
19	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	195	5min
20	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	297	5min
21	Don't use string interpolation in logging message templates.	LecturaIA.API/Controllers/LecturasController.cs	303	5min
22	Annotate this method with ProducesResponseType containing the return type for successful responses.	LecturaIA.API/Controllers/PasswordController.cs	57	5min
23	Remove this commented out code.	LecturaIA.API/Data/ApplicationDbContext.cs	35	5min
24	Use 'Guid.NewGuid()' or 'Guid.Empty' or add arguments to this GUID instantiation.	...251117040103_UpdateSesionLecturaIdNullable.cs	46	5min
25	Value type property used as input in a controller action should be nullable, required or annotate...	LecturaIA.API/Models/DTOs/AdminDTOs.cs	19	5min
26	Value type property used as input in a controller action should be nullable, required or annotate...	LecturaIA.API/Models/DTOs/AdminDTOs.cs	25	5min

#	Mensaje	Archivo	Linea	Esfuerzo
27	Value type property used as input in a controller action should be nullable, required or annotate...	LecturaIA.API/Models/DTOs/AdminDTOs.cs	30	5min
28	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	12	5min
29	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	31	5min
30	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	32	5min
31	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	40	5min
32	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	64	5min
33	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	115	5min
34	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	117	5min
35	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	244	5min
36	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/ComprenccionLectoraDto.cs	245	5min
37	Value type property used as input in a controller action should be nullable, required or annotate...	LecturaIA.API/Models/DTOs/ExamenGrupaldto.cs	8	5min
38	Value type property used as input in a controller action should be nullable, required or annotate...	...raIA.API/Models/DTOs/RegistroEstudianteDto.cs	26	5min
39	Remove this commented out code.	LecturaIA.API/Program.cs	143	5min
40	Await RunAsync instead.	LecturaIA.API/Program.cs	155	5min
41	Extract this nested ternary operation into an independent statement.	LecturaIA.API/Services/AdminService.cs	38	5min
42	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/AyudaService.cs	23	20min
43	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/AyudaService.cs	39	20min
44	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/CuestionarioIAService.cs	127	20min
45	Remove this unused method parameter 'titulo'.	LecturaIA.API/Services/CuestionarioIAService.cs	139	5min
46	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/CuestionarioIAService.cs	413	20min
47	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/CuestionarioIAService.cs	434	20min
48	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/CuestionarioIAService.cs	499	20min
49	Use 'Count' property here instead.	LecturaIA.API/Services/ExamenGrupalService.cs	242	5min
50	Use 'Count' property here instead.	LecturaIA.API/Services/ExamenGrupalService.cs	243	5min
51	Use 'Count' property here instead.	LecturaIA.API/Services/ExamenGrupalService.cs	244	5min
52	Use 'Count' property here instead.	LecturaIA.API/Services/ExamenGrupalService.cs	245	5min

#	Mensaje	Archivo	Linea	Esfuerzo
53	Use 'Count' property here instead.	LecturaIA.API/Services/ExamenGrup al Service.cs	246	5min
54	Use 'Count' property here instead.	LecturaIA.API/Services/ExamenGrup al Service.cs	246	5min
55	Either log this exception and handle it, or rethrow it with some contextual information.	LecturaIA.API/Services/LecturaIASer vice.cs	54	15min
56	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/LecturaIASer vice.cs	146	20min
57	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/LecturaIASer vice.cs	177	20min
58	'System.Exception' should not be thrown by user code.	LecturaIA.API/Services/LecturaIASer vice.cs	186	20min
59	Remove this unused method parameter 'titulo'.	LecturaIA.API/Services/LecturaIASer vice.cs	189	5min
60	Do not use Array index in keys	...A.Frontend/src/components/AyudaC ontextual.tsx	42	5min
61	Ambiguous spacing after previous element span	...A.Frontend/src/components/AyudaC ontextual.tsx	62	5min
62	A form label must be associated with a control.	...ntend/src/components/CambiarPass wordModal.tsx	188	5min
63	A form label must be associated with a control.	...ntend/src/components/CambiarPass wordModal.tsx	203	5min
64	Do not use Array index in keys	...ntend/src/components/CambiarPass wordModal.tsx	242	5min
65	A form label must be associated with a control.	...ntend/src/components/CambiarPass wordModal.tsx	253	5min
66	Text does not meet the minimal contrast requirement with its background.	...ponents/Estudiante/ListaExamen es Asignados.css	29	5min
67	Text does not meet the minimal contrast requirement with its background.	...ponents/Estudiante/ListaExamen es Asignados.css	40	5min
68	Text does not meet the minimal contrast requirement with its background.	...ponents/Estudiante/ListaExamen es Asignados.css	65	5min
69	Text does not meet the minimal contrast requirement with its background.	...ponents/Estudiante/ListaExamen es Asignados.css	199	5min
70	Text does not meet the minimal contrast requirement with its background.	...ponents/Estudiante/ListaExamen es Asignados.css	314	5min
71	Prefer `Number.parseInt` over `parseInt`.	...ponents/Estudiante/ListaExamen es Asignados.tsx	76	2min
72	Move this component definition out of the parent component and pass data as props.	...nd/src/components/MetricasEstudi anteModal.tsx	134	5min
73	Prefer using an optional chain expression instead, as it's more concise and easier to read.	...nd/src/components/MetricasEstudi anteModal.tsx	135	5min
74	Move this component definition out of the parent component and pass data as props.	...rontend/src/components/MetricasS alonModal.tsx	113	5min
75	Prefer using an optional chain expression instead, as it's more concise and easier to read.	...rontend/src/components/MetricasS alonModal.tsx	114	5min
76	Move this component definition out of the parent component and pass data as props.	...rontend/src/components/MetricasS alonModal.tsx	174	5min
77	Prefer using an optional chain expression instead, as it's more concise and easier to read.	...rontend/src/components/MetricasS alonModal.tsx	175	5min

#	Mensaje	Archivo	Linea	Esfuerzo
78	Extract this nested ternary operation into an independent statement.	...raIA.Frontend/src/components/MiClaseModal.tsx	143	5min
79	A form label must be associated with a control.	...raIA.Frontend/src/components/MiClaseModal.tsx	224	5min
80	Extract this nested ternary operation into an independent statement.	...aIA.Frontend/src/components/MiPerfilModal.tsx	68	5min
81	Extract this nested ternary operation into an independent statement.	...aIA.Frontend/src/components/MiPerfilModal.tsx	77	5min
82	A form label must be associated with a control.	...aIA.Frontend/src/components/MiPerfilModal.tsx	89	5min
83	A form label must be associated with a control.	...aIA.Frontend/src/components/MiPerfilModal.tsx	93	5min
84	A form label must be associated with a control.	...aIA.Frontend/src/components/MiPerfilModal.tsx	97	5min
85	A form label must be associated with a control.	...aIA.Frontend/src/components/MiPerfilModal.tsx	123	5min
86	A form label must be associated with a control.	...aIA.Frontend/src/components/MiPerfilModal.tsx	129	5min
87	A form label must be associated with a control.	...aIA.Frontend/src/components/MiPerfilModal.tsx	135	5min
88	Ambiguous spacing after previous element span	...A.Frontend/src/components/TutorialInicial.tsx	193	5min
89	Do not use Array index in keys	...A.Frontend/src/components/TutorialInicial.tsx	205	5min
90	Do not use Array index in keys	...rontend/src/components/VerificacionCodigo.tsx	148	5min
91	Extract this nested ternary operation into an independent statement.	...c/components/VistaPreviaPreferenciasModal.tsx	107	5min
92	Extract this nested ternary operation into an independent statement.	...tend/src/components/admin/CodigoDocentes.tsx	139	5min
93	Extract this nested ternary operation into an independent statement.	...tend/src/components/admin/GestionUsuarios.tsx	198	5min
94	Text does not meet the minimal contrast requirement with its background.	.../src/components/docente/CrearExamenGrupal.css	40	5min
95	Text does not meet the minimal contrast requirement with its background.	.../src/components/docente/CrearExamenGrupal.css	170	5min
96	Prefer `Number.parseInt` over `parseFloat`.	.../src/components/docente/CrearExamenGrupal.tsx	12	2min
97	Prefer `Number.parseInt` over `parseFloat`.	.../src/components/docente/CrearExamenGrupal.tsx	42	2min
98	Extract this nested ternary operation into an independent statement.	.../src/components/docente/CrearExamenGrupal.tsx	198	5min
99	Ambiguous spacing after previous element span	.../src/components/docente/CrearExamenGrupal.tsx	286	5min
100	Ambiguous spacing after previous element span	.../src/components/docente/CrearExamenGrupal.tsx	291	5min
101	Text does not meet the minimal contrast requirement with its background.	...components/docente/ResultadosExamenGrupal.css	109	5min
102	Text does not meet the minimal contrast requirement with its background.	...components/docente/ResultadosExamenGrupal.css	282	5min
103	Prefer `Number.parseInt` over `parseFloat`.	...components/docente/ResultadosExamenGrupal.tsx	25	2min

#	Mensaje	Archivo	Linea	Esfuerzo
104	Do not use Array index in keys	...components/docente/ResultadosExamenGrupal.tsx	201	5min
105	Do not use Array index in keys	...components/docente/ResultadosExamenGrupal.tsx	215	5min
106	Do not use Array index in keys	...components/docente/ResultadosExamenGrupal.tsx	229	5min
107	Extract this nested ternary operation into an independent statement.	LecturaIA.Frontend/src/pages/AdminDashboard.tsx	290	5min
108	A form label must be associated with a control.	LecturaIA.Frontend/src/pages/AdminDashboard.tsx	359	5min
109	Prefer `Number.parseInt` over `parseInt`.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	36	2min
110	Prefer `Number.parseInt` over `parseInt`.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	56	2min
111	Prefer using an optional chain expression instead, as it's more concise and easier to read.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	70	5min
112	Prefer `childNode.remove()` over `parentNode.removeChild(childNode)`.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	81	2min
113	Prefer `childNode.remove()` over `parentNode.removeChild(childNode)`.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	94	2min
114	Prefer `Number.parseInt` over `parseInt`.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	258	2min
115	Extract this nested ternary operation into an independent statement.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	270	5min
116	Do not use Array index in keys	...Frontend/src/pages/CuestionarioRespuesta.tsx	238	5min
117	Extract this nested ternary operation into an independent statement.	...Frontend/src/pages/CuestionarioRespuesta.tsx	331	5min
118	Remove this commented out code.	...Frontend/src/pages/CuestionarioResultados.tsx	82	5min
119	Do not use Array index in keys	...Frontend/src/pages/CuestionarioResultados.tsx	185	5min
120	Do not use Array index in keys	...A.Frontend/src/pages/CuestionarioRevision.tsx	196	5min
121	Extract this nested ternary operation into an independent statement.	...A.Frontend/src/pages/CuestionarioRevision.tsx	200	5min
122	Extract this nested ternary operation into an independent statement.	LecturaIA.Frontend/src/pages/DashboardAdmin.tsx	270	5min
123	A form label must be associated with a control.	LecturaIA.Frontend/src/pages/DashboardAdmin.tsx	339	5min
124	Extract this nested ternary operation into an independent statement.	...uraIA.Frontend/src/pages/DocenteAulasPage.tsx	87	5min
125	Extract this nested ternary operation into an independent statement.	...uraIA.Frontend/src/pages/DocenteAulasPage.tsx	96	5min
126	A form label must be associated with a control.	...uraIA.Frontend/src/pages/DocenteAulasPage.tsx	129	5min
127	Extract this nested ternary operation into an independent statement.	...uraIA.Frontend/src/pages/DocenteDashboard.tsx	225	5min
128	Extract this nested ternary operation into an independent statement.	...uraIA.Frontend/src/pages/DocenteDashboard.tsx	234	5min

#	Mensaje	Archivo	Linea	Esfuerzo
129	A form label must be associated with a control.	...uraIA.Frontend/src/pages/DocenteDashboard.tsx	267	5min
130	A form label must be associated with a control.	...uraIA.Frontend/src/pages/DocenteDashboard.tsx	337	5min
131	A form label must be associated with a control.	...uraIA.Frontend/src/pages/DocenteDashboard.tsx	344	5min
132	A form label must be associated with a control.	...uraIA.Frontend/src/pages/DocenteDashboard.tsx	351	5min
133	Extract this nested ternary operation into an independent statement.	...IA.Frontend/src/pages/EstudianteDashboard.tsx	457	5min
134	Extract this nested ternary operation into an independent statement.	...IA.Frontend/src/pages/EstudianteDashboard.tsx	642	5min
135	Prefer `Number.parseInt` over `parseInt`.	LecturaIA.Frontend/src/pages/LecturaDetalle.tsx	23	2min
136	Do not use Array index in keys	LecturaIA.Frontend/src/pages/LecturaDetalle.tsx	177	5min
137	Do not use Array index in keys	LecturaIA.Frontend/src/pages/LecturaDetalle.tsx	189	5min
138	Do not use Array index in keys	...IA.Frontend/src/pages/LecturaVistaLectura.tsx	208	5min
139	Ambiguous spacing after previous element span	...IA.Frontend/src/pages/LecturaVistaLectura.tsx	236	5min

>> LOW (117)

#	Mensaje	Archivo	Linea	Esfuerzo
1	Define a constant instead of using this literal 'Token inválido' 8 times.	LecturaIA.API/Controllers/AulasController.cs	57	4min
2	Define a constant instead of using this literal 'Docente no encontrado' 5 times.	LecturaIA.API/Controllers/AulasController.cs	66	4min
3	Define a constant instead of using this literal 'Datos inválidos' 5 times.	LecturaIA.API/Controllers/AuthController.cs	23	4min
4	Remove the unused local variable 'resultado'.	LecturaIA.API/Controllers/AuthController.cs	186	5min
5	Reduce the number of Information logging calls within this code block from 3 to the 2 allowed.	...IA.API/Controllers/CuestionariosController.cs	118	5min
6	Handle the exception or explain in a comment why it can be ignored.	...IA.API/Controllers/CuestionariosController.cs	169	1h
7	Define a constant instead of using this literal 'evaluado' 4 times.	...IA.API/Controllers/CuestionariosController.cs	275	4min
8	Make 'AdaptarNivelEstudiante' a static method.	...IA.API/Controllers/CuestionariosController.cs	483	5min
9	Make 'ObtenerMensajeAnimo' a static method.	...IA.API/Controllers/CuestionariosController.cs	539	5min
10	"StartsWith" overloads that take a "char" should be used	...IA.API/Controllers/CuestionariosController.cs	591	5min
11	Define a constant instead of using this literal 'Usuario no autorizado' 8 times.	...aIA.API/Controllers/ExamenGrupalController.cs	46	4min
12	Define a constant instead of using this literal 'Completado' 4 times.	...aIA.API/Controllers/ExamenGrupalController.cs	74	4min
13	Define a constant instead of using this literal 'En Progreso' 4 times.	...aIA.API/Controllers/ExamenGrupalController.cs	77	4min

#	Mensaje	Archivo	Linea	Esfuerzo
14	Make 'ObtenerEtiquetaGrado' a static method.	LecturaIA.API/Controllers/GradosController.cs	43	5min
15	Define a constant instead of using this literal 'Estudiante no encontrado' 6 times.	LecturaIA.API/Controllers/LecturasController.cs	45	4min
16	Loop should be simplified by calling Select(cuestionario => cuestionario.Id))	LecturaIA.API/Controllers/LecturasController.cs	264	5min
17	Loop should be simplified by calling Select(sesion => sesion.Cuestionario))	LecturaIA.API/Controllers/MetricasController.cs	133	5min
18	Define a constant instead of using this literal 'Estudiante no encontrado' 4 times.	...API/Controllers/SesionesLecturaController.cs	49	4min
19	Define a constant instead of using this literal 'Usuarios' 5 times.	...PI/Migrations/20251005234302_InitialCreate.cs	15	4min
20	Define a constant instead of using this literal 'SqlServer.Identity' 4 times.	...PI/Migrations/20251005234302_InitialCreate.cs	19	4min
21	Define a constant instead of using this literal 'Docentes' 6 times.	...PI/Migrations/20251005234302_InitialCreate.cs	33	4min
22	Define a constant instead of using this literal 'Estudiantes' 6 times.	...PI/Migrations/20251005234302_InitialCreate.cs	54	4min
23	Define a constant instead of using this literal 'CodigosRegistroEstudiante' 5 times.	...PI/Migrations/20251005234302_InitialCreate.cs	85	4min
24	Define a constant instead of using this literal 'Usuarios' 13 times.	...Migrations/20251006071053_AddAdminFeatures.cs	16	4min
25	Define a constant instead of using this literal 'datetime2' 5 times.	...Migrations/20251006071053_AddAdminFeatures.cs	17	4min
26	Define a constant instead of using this literal 'CodigosRegistroDocente' 5 times.	...Migrations/20251006071053_AddAdminFeatures.cs	52	4min
27	Define a constant instead of using this literal 'IX_Estudiantes_CodigoEstudiante' 4 times.	...0631_RemoveUniqueIndexFromCodigoEstudiante.cs	14	4min
28	Define a constant instead of using this literal 'Estudiantes' 4 times.	...0631_RemoveUniqueIndexFromCodigoEstudiante.cs	15	4min
29	Define a constant instead of using this literal 'Estudiantes' 15 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	16	4min
30	Define a constant instead of using this literal 'CodigosRegistroDocente' 5 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	19	4min
31	Define a constant instead of using this literal 'CodigosRegistroEstudiante' 5 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	22	4min
32	Define a constant instead of using this literal 'Docentes' 9 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	34	4min
33	Define a constant instead of using this literal 'Docenteld' 6 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	41	4min
34	Define a constant instead of using this literal 'Usuarios' 7 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	50	4min
35	Define a constant instead of using this literal 'datetime2' 5 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	58	4min
36	Define a constant instead of using this literal 'nvarchar(50)' 4 times.	...12004451_VerificacionEmailYEliminarCodigos.cs	70	4min
37	Define a constant instead of using this literal 'Estudiantes' 6 times.	...12011620_ActualizarCamposEstudianteDocente.cs	15	4min
38	Define a constant instead of using this literal 'Docentes' 4 times.	...12011620_ActualizarCamposEstudianteDocente.cs	19	4min

#	Mensaje	Archivo	Linea	Esfuerzo
39	Define a constant instead of using this literal 'nvarchar(50)' 5 times.	...12011620_ActualizarCamposEstudianteDocente.cs	28	4min
40	Define a constant instead of using this literal 'CodigosVerificacionLogin' 4 times.	...igrations/20251012015306_AgregarSistema2FA.cs	22	4min
41	Define a constant instead of using this literal 'SesionesLectura' 5 times.	...015051527_AgregarSistemaComprensionLectora.cs	15	4min
42	Define a constant instead of using this literal 'uniqueidentifier' 9 times.	...015051527_AgregarSistemaComprensionLectora.cs	18	4min
43	Define a constant instead of using this literal 'datetime2' 6 times.	...015051527_AgregarSistemaComprensionLectora.cs	21	4min
44	Define a constant instead of using this literal 'Estudiantes' 4 times.	...015051527_AgregarSistemaComprensionLectora.cs	32	4min
45	Define a constant instead of using this literal 'Cuestionarios' 8 times.	...015051527_AgregarSistemaComprensionLectora.cs	44	4min
46	Define a constant instead of using this literal 'nvarchar(20)' 7 times.	...015051527_AgregarSistemaComprensionLectora.cs	53	4min
47	Define a constant instead of using this literal 'Preguntas' 4 times.	...015051527_AgregarSistemaComprensionLectora.cs	81	4min
48	Define a constant instead of using this literal 'ResultadosCuestionarios' 5 times.	...015051527_AgregarSistemaComprensionLectora.cs	106	4min
49	Define a constant instead of using this literal 'RespuestasEstudiantes' 4 times.	...015051527_AgregarSistemaComprensionLectora.cs	143	4min
50	Define a constant instead of using this literal 'Estudianteld' 4 times.	...015051527_AgregarSistemaComprensionLectora.cs	180	4min
51	Define a constant instead of using this literal 'Aulas' 5 times.	...rations/20251019162708_AgregarSistemaAulas.cs	15	4min
52	Define a constant instead of using this literal 'EstudiantesAulas' 5 times.	...rations/20251019162708_AgregarSistemaAulas.cs	39	4min
53	Define a constant instead of using this literal 'decimal(18,2)' 4 times.	...ions/20251029170121_CambiarTiempoADecimal.cs	16	4min
54	Define a constant instead of using this literal 'ExamenesGrupales' 7 times.	.../Migrations/20251116233049_AddExamenGrupal.cs	15	4min
55	Define a constant instead of using this literal 'nvarchar(20)' 4 times.	.../Migrations/20251116233049_AddExamenGrupal.cs	25	4min
56	Define a constant instead of using this literal 'datetime2' 4 times.	.../Migrations/20251116233049_AddExamenGrupal.cs	28	4min
57	Define a constant instead of using this literal 'AsignacionesExamen' 6 times.	.../Migrations/20251116233049_AddExamenGrupal.cs	57	4min
58	Define a constant instead of using this literal 'Estudianteld' 4 times.	...117035455_MakeEstudianteIdNullableForExams.cs	14	4min
59	Define a constant instead of using this literal 'IX_Cuestionarios_SesionLecturaId' 4 times.	...251117040103_UpdateSesionLecturaIdNullable.cs	15	4min
60	Define a constant instead of using this literal 'Cuestionarios' 6 times.	...251117040103_UpdateSesionLecturaIdNullable.cs	16	4min
61	Define a constant instead of using this literal 'SesionLecturaId' 4 times.	...251117040103_UpdateSesionLecturaIdNullable.cs	19	4min
62	Define a constant instead of using this literal 'uniqueidentifier' 4 times.	...251117040103_UpdateSesionLecturaIdNullable.cs	21	4min
63	Remove this empty class, write its code or make it an "interface".	LecturaIA.API/Models/DTOs/AyudaDTos.cs	8	5min

#	Mensaje	Archivo	Linea	Esfuerzo
64	Make 'GenerarPasswordTemporal' a static method.	LecturaIA.API/Services/AdminService.cs	139	5min
65	Define a constant instead of using this literal 'VerificationSettings:TokenExpirationHours' 4 times.	LecturaIA.API/Services/AuthService.cs	46	4min
66	Make 'GenerarCodigoVerificacion' a static method.	LecturaIA.API/Services/AuthService.cs	573	5min
67	Make 'GenerarTokenVerificacion' a static method.	LecturaIA.API/Services/AuthService.cs	580	5min
68	Reduce the number of Information logging calls within this code block from 6 to the 2 allowed.	LecturaIA.API/Services/CuestionarioIAService.cs	88	5min
69	Make 'ConstruirPromptCuestionario' a static method.	LecturaIA.API/Services/CuestionarioIAService.cs	137	5min
70	Refactor your code not to use hardcoded absolute paths or URIs.	LecturaIA.API/Services/CuestionarioIAService.cs	352	20min
71	Make 'ParsearEvaluacionRespuestaAbierta' a static method.	LecturaIA.API/Services/CuestionarioIAService.cs	503	5min
72	Make 'LimpiarTextoRespuesta' a static method.	LecturaIA.API/Services/CuestionarioIAService.cs	517	5min
73	Make 'GenerarRetroalimentacionPorDefecto' a static method.	LecturaIA.API/Services/CuestionarioIAService.cs	537	5min
74	Refactor your code not to use hardcoded absolute paths or URIs.	LecturaIA.API/Services/CuestionarioIAService.cs	629	20min
75	Reduce the number of Information logging calls within this code block from 3 to the 2 allowed.	LecturaIA.API/Services/ExamenGrupalService.cs	52	5min
76	Remove the unused local variable 'parametrosLectura'.	LecturaIA.API/Services/ExamenGrupalService.cs	54	5min
77	Define a constant instead of using this literal 'Completado' 4 times.	LecturaIA.API/Services/ExamenGrupalService.cs	237	4min
78	Use '.Any()' to test whether this 'IEnumerable'...	LecturaIA.API/Services/ExamenGrupalService.cs	245	2min
79	Refactor your code not to use hardcoded absolute paths or URIs.	LecturaIA.API/Services/LecturaIAService.cs	119	20min
80	Define a constant instead of using this literal 'Authorization' 4 times.	LecturaIA.API/Services/LecturaIAService.cs	130	4min
81	Define a constant instead of using this literal 'application/json' 4 times.	LecturaIA.API/Services/LecturaIAService.cs	131	4min
82	Reduce the number of Information logging calls within this code block from 5 to the 2 allowed.	LecturaIA.API/Services/LecturaIAService.cs	193	5min
83	Refactor your code not to use hardcoded absolute paths or URIs.	LecturaIA.API/Services/LecturaIAService.cs	202	20min
84	Refactor your code not to use hardcoded absolute paths or URIs.	LecturaIA.API/Services/LecturaIAService.cs	322	20min
85	Refactor your code not to use hardcoded absolute paths or URIs.	LecturaIA.API/Services/LecturaIAService.cs	404	20min
86	Mark the props of the component as read-only.	...A.Frontend/src/components/AyudaContextual.tsx	12	5min
87	Mark the props of the component as read-only.	...ntend/src/components/CambiarPasswordModal.tsx	10	5min
88	Prefer `globalThis` over `window`.	...ntend/src/components/CambiarPasswordModal.tsx	68	2min

#	Mensaje	Archivo	Linea	Esfuerzo
89	Mark the props of the component as read-only.	...ontend/src/components/EncuestaGu iadaModal.tsx	18	5min
90	Mark the props of the component as read-only.	...nd/src/components/MetricasEstudi anteModal.tsx	12	5min
91	Mark the props of the component as read-only.	...rontend/src/components/MetricasS alonModal.tsx	12	5min
92	Mark the props of the component as read-only.	...raIA.Frontend/src/components/MiC laseModal.tsx	9	5min
93	Prefer `String#replaceAll()` over `String#replace()`.	...raIA.Frontend/src/components/MiC laseModal.tsx	232	5min
94	Mark the props of the component as read-only.	...aIA.Frontend/src/components/MiPe rfilModal.tsx	9	5min
95	Mark the props of the component as read-only.	...A.Frontend/src/components/Tutori alInicial.tsx	18	5min
96	Mark the props of the component as read-only.	...rontend/src/components/Verificac ionCodigo.tsx	10	5min
97	Mark the props of the component as read-only.	...c/components/VistaPreviaPreferen ciasModal.tsx	11	5min
98	Unexpected negated condition.	...tend/src/components/admin/Gestio nUsuarios.tsx	212	2min
99	Mark the props of the component as read-only.	...end/src/components/docente/Crear AulaModal.tsx	17	5min
100	Mark the props of the component as read-only.	.../src/components/docente/ListaExa menesAula.tsx	21	5min
101	This assertion is unnecessary since the receiver accepts the original type of the expression.	...components/docente/ResultadosExa menGrupal.tsx	25	1min
102	Unexpected negated condition.	LecturaIA.Frontend/src/config/api.t s	3	2min
103	Unexpected negated condition.	LecturaIA.Frontend/src/pages/AdminD ashboard.tsx	312	2min
104	This assertion is unnecessary since the receiver accepts the original type of the expression.	...aIA.Frontend/src/pages/AulaDeta leDocente.tsx	36	1min
105	This assertion is unnecessary since the receiver accepts the original type of the expression.	...aIA.Frontend/src/pages/AulaDeta leDocente.tsx	56	1min
106	The signature '(commandId: string, showUI?: boolean undefined, value?: string undefined): boo...	...aIA.Frontend/src/pages/AulaDeta leDocente.tsx	80	15min
107	The signature '(commandId: string, showUI?: boolean undefined, value?: string undefined): boo...	...aIA.Frontend/src/pages/AulaDeta leDocente.tsx	93	15min
108	This assertion is unnecessary since the receiver accepts the original type of the expression.	...aIA.Frontend/src/pages/AulaDeta leDocente.tsx	258	1min
109	useState call is not destructured into value + setter pair	...Frontend/src/pages/CuestionarioG eneracion.tsx	12	5min
110	This assertion is unnecessary since the receiver accepts the original type of the expression.	...Frontend/src/pages/CuestionarioG eneracion.tsx	29	1min
111	This assertion is unnecessary since the receiver accepts the original type of the expression.	Frontend/src/pages/Cuestionario Respuesta.tsx	53	1min
112	This assertion is unnecessary since the receiver accepts the original type of the expression.	Frontend/src/pages/Cuestionario Respuesta.tsx	114	1min
113	Use `new Array()` instead of `Array()`.	...Frontend/src/pages/CuestionarioR esultados.tsx	183	5min
114	This assertion is unnecessary since the receiver accepts the original type of the expression.	...A.Frontend/src/pages/Cuestionari oRevision.tsx	28	1min

#	Mensaje	Archivo	Linea	Esfuerzo
115	Unexpected negated condition.	LecturaIA.Frontend/src/pages/DashboardAdmin.tsx	292	2min
116	This assertion is unnecessary since the receiver accepts the original type of the expression.	...raIA.Frontend/src/pages/RecuperarPassword.tsx	53	1min
117	Handle this exception or don't catch it at all.	...uraIA.Frontend/src/services/lecturaService.ts	150	1h

>> INFO (5)

#	Mensaje	Archivo	Linea	Esfuerzo
1	Complete the task associated to this 'TODO' comment.	LecturaIA.API/Controllers/AulasController.cs	491	0min
2	Complete the task associated to this 'TODO' comment.	LecturaIA.API/Data/ApplicationDbContext.cs	129	0min
3	Complete the task associated to this 'TODO' comment.	LecturaIA.API/Services/AdminService.cs	111	0min
4	Complete the task associated to this "TODO" comment.	...aIA.Frontend/src/pages/AulaDetalleDocente.tsx	86	0min
5	Complete the task associated to this "TODO" comment.	Frontend/src/services/cuestionarioService.ts	82	0min