# chapter4

### PUT create\_default\_mappings\_index

http://localhost:9200/default\_mappings\_index/

**HEADERS** 

Content-Type application/json BODY

```
{
    "mappings": {
        "dynamic_date_formats": ["yyyy/MM/dd"]
    }
}
```

Example Request create default mappings index

```
curl --location --request PUT "http://localhost:9200/
default_mappings_index/" --header "Content-Type:
application/json" --data "{ \"mappings\":
{ \"dynamic_date_formats\": [\"yyyy/MM/dd\"] } }"
```

PUT index\_default\_mappings\_index\_doc\_1

http://localhost:9200/default\_mappings\_index/\_doc/1

#### **HEADERS**

Content-Type application/json BODY

```
{
    "simple_string_value": "a string",
    "string_w_date_value": "2019/02/07",
    "string_w_floating_point_value": "1.11",
    "string_w_integer_value": "1",
    "integer_value": 1,
    "floating_piont_value": 1.1,
    "json_object": {"level_1": {"level2_1":"a string",
    "level_2_2":1, "level_2_3":1.11}},
    "array_of_integer": [1, 2],
    "array_of_float": [1.11, 2.22],
    "array_of_simple_string": ["ab", "cd"],
    "array_of_integer_string": ["1", "2"],
    "array_of_float_string": ["1.11", "2.22"],
    "boolean_value": true,
    "null_value": null
}
```

Example Request index\_default\_mappings\_index\_doc\_

```
curl --location --request PUT "http://localhost:9200/
default_mappings_index/_doc/1" --header "Content-Type:
application/json" --data "{ \"simple_string_value\": \"a
string\", \"string_w_date_value\": \"2019/02/07\",
\"string_w_floating_point_value\": \"1.11\",
\"string_w_integer_value\": \"1\", \"integer_value\": 1,
\"floating_piont_value\": 1.1, \"json_object\":
{\"level_1\": {\"level2_1\":\"a string\", \"level_2_2\":1,
\"level_2_3\":1.11}}, \"array_of_integer\": [1, 2],
\"array_of_float\": [1.11, 2.22],
\"array_of_simple_string\": [\"ab\", \"cd\"],
```

```
\"array_of_integer_string\": [\"1\", \"2\"],
\"array_of_float_string\": [\"1.11\", \"2.22\"],
\"boolean_value\" : true, \"null_value\": null }"
```

### PUT create\_custom\_mappings\_index

http://localhost:9200/custom\_mappings\_index

**HEADERS** 

Content-Type application/json BODY

```
{
    "mappings": {
        "date_detection": false,
        "numeric_detection": true
}
```

Example Request create\_custom\_mappings\_index

```
curl --location --request PUT "http://localhost:9200/
custom_mappings_index" --header "Content-Type: application/
json" --data "{ \"mappings\": { \"date_detection\": false,
\"numeric_detection\": true } }"
```

#### PUT index\_custom\_mappings\_index\_doc\_1

http://localhost:9200/custom\_mappings\_index/\_doc/1

Content-Type application/json BODY

```
"simple_string_value": "a string",
    "string_w_date_value": "2019/02/07",
    "string_w_floating_point_value": "1.11",
    "string_w_integer_value": "1",
    "integer_value": 1,
    "floating_piont_value": 1.1,
    "json_object": {"level_1": {"level2_1":"a string",
    "level_2_2":1, "level_2_3":1.11}},
    "array_of_integer": [1, 2],
    "array_of_float": [1.11, 2.22],
    "array_of_simple_string": ["ab", "cd"],
    "array_of_integer_string": ["1", "2"],
    "array_of_float_string": ["1.11", "2.22"],
    "boolean_value": true,
    "null_value": null
}
```

#### Example Request

index custom mappings index doc 1

```
curl --location --request PUT "http://localhost:9200/
custom_mappings_index/_doc/1" --header "Content-Type:
application/json" --data "{ \"simple_string_value\": \"a
string\", \"string_w_date_value\": \"2019/02/07\",
\"string_w_floating_point_value\": \"1.11\",
\"string_w_integer_value\": \"1\", \"integer_value\": 1,
\"floating_piont_value\": 1.1, \"json_object\":
{\"level_1\": {\"level2_1\":\"a string\", \"level_2_2\":1,
\"level_2_3\":1.11}}, \"array_of_integer\": [1, 2],
\"array_of_float\": [1.11, 2.22],
\"array_of_simple_string\": [\"ab\", \"cd\"],
\"array_of_integer_string\": [\"1\", \"2\"],
```

```
\"array_of_float_string\": [\"1.11\", \"2.22\"],
\"boolean_value\" : true, \"null_value\": null }"
```

## GET get\_default\_mappings\_index\_mappings

http://localhost:9200/default\_mappings\_index/\_mappings

**HEADERS** 

Content-Type application/json

Example Request get default mappings index mappings

curl --location --request GET "http://localhost:9200/ default\_mappings\_index/\_mappings" --header "Content-Type: application/json"

### GET get\_custom\_mappings\_index\_mappings

http://localhost:9200/custom\_mappings\_index/\_mappings

**HEADERS** 

Content-Type application/json

Example Request get\_custom\_mappings\_index\_mappings

```
curl --location --request GET "http://localhost:9200/
custom_mappings_index/_mappings" --header "Content-Type:
application/json"
```

### DEL delete\_default\_mappings\_index

http://localhost:9200/default\_mappings\_index/

**HEADERS** 

Content-Type application/json BODY

```
{
    "mappings": {
        "dynamic_date_formats": ["yyyy/MM/dd"]
    }
}
```

Example Request

delete\_default\_mappings\_index

```
curl --location --request DELETE "http://localhost:9200/
default_mappings_index/" --header "Content-Type:
application/json" --data "{ \"mappings\":
{ \"dynamic_date_formats\": [\"yyyy/MM/dd\"] }}"
```

PUT create\_default\_mappings\_index\_dynamic\_template http://localhost:9200/default\_mappings\_index/

```
"mappings": {
          "dynamic_templates": [
                    "integers_template": {
                          "match_mapping_type": "long",
                          "mapping": {"type": "integer"}
                    }
               },
                    "field_name_template" :{
                          "match_mapping_type": "string",
                          "match": "* simple string",
                          "mapping": {"type": "keyword"}
                    }
               },
                     "path match template":{
                         "path match":
"json object.*.level 2 3",
                          "mapping": {"type": "double"}
               }
          ]
```

#### Example Request

create\_default\_mappings\_index\_dynamic\_template

```
curl --location --request PUT "http://localhost:9200/
default_mappings_index/" --header "Content-Type:
application/json" --data "{ \"mappings\":
{ \"dynamic_templates\": [ { \"integers_template\":
{ \"match_mapping_type\": \"long\", \"mapping\": {\"type\":
\"integer\"} } }, { \"field_name_template\" :
```

```
{ \"match_mapping_type\": \"string\", \"match\":
\"*_simple_string\", \"mapping\": {\"type\":
\"keyword\"} } }, { \"path_match_template\":
{ \"path_match\": \"json_object.*.level_2_3\", \"mapping\":
{\"type\": \"double\"} } }] } }"
```

## PUT reindex\_default\_mappings\_index\_doc\_1

http://localhost:9200/default\_mappings\_index/\_doc/1

**HEADERS** 

Content-Type application/json BODY

```
"simple_string_value": "a string",
    "string_w_date_value": "2019/02/07",
    "string_w_floating_point_value": "1.11",
    "string_w_integer_value": "1",
    "integer_value": 1,
    "floating_piont_value": 1.1,
    "json_object": {"level_1": {"level2_1":"a string",
    "level_2_2":1, "level_2_3":1.11}},
    "array_of_integer": [1, 2],
    "array_of_float": [1.11, 2.22],
    "array_of_simple_string": ["ab", "cd"],
    "array_of_integer_string": ["1", "2"],
    "array_of_float_string": ["1.11", "2.22"],
    "boolean_value": true,
    "null_value": null
}
```

Example Request reindex\_default\_mappings\_index\_doc\_

```
default_mappings_index/_doc/1" --header "Content-Type:
application/json" --data "{ \"simple_string_value\": \"a
string\", \"string_w_date_value\": \"1.11\",
\"string_w_floating_point_value\": \"1.11\",
\"string_w_integer_value\": \"1\", \"integer_value\": 1,
\"floating_piont_value\": 1.1, \"json_object\":
{\"level_1\": {\"level2_1\":\"a string\", \"level_2_2\":1,
\"level_2_3\":1.11}}, \"array_of_integer\": [1, 2],
\"array_of_float\": [1.11, 2.22],
\"array_of_simple_string\": [\"ab\", \"cd\"],
\"array_of_integer_string\": [\"1\", \"2\"],
\"array_of_float_string\": [\"1\", \"2\"],
\"boolean_value\": true, \"null_value\": null }"
```

**GET** 

get\_default\_mappings\_index\_mappings\_dynamic\_template http://localhost:9200/default\_mappings\_index/\_mappings

**HEADERS** 

Content-Type application/json

Example Request

get\_default\_mappings\_index\_mappings\_dynamic\_template

```
curl --location --request GET "http://localhost:9200/
default_mappings_index/_mappings" --header "Content-Type:
application/json"
```

PUT create\_index\_cf\_etf\_toy

http://localhost:9200/cf\_etf\_toy

#### **HEADERS**

Content-Type application/json BODY

Example Request create index of etf toy

```
curl --location --request PUT "http://localhost:9200/
cf_etf_toy" --header "Content-Type: application/json" --
data "{ \"mappings\": { \"_meta\": { \"release\" : \"1.0\",
\"version\": \"1\" }, \"_routing\": { \"required\": true },
\"_source\": { \"enabled\": false } } }"
```

### DEL delete\_cf\_etf\_index

http://localhost:9200/cf\_etf

Content-Type application/json BODY

```
{
    "mappings": {
        "dynamic_date_formats": ["yyyy/MM/dd"]
    }
}
```

Example Request delete of etf inde

```
curl --location --request DELETE "http://localhost:9200/
cf_etf" --header "Content-Type: application/json" --data
"{ \"mappings\": { \"dynamic_date_formats\": [\"yyyy/MM/
dd\"] } }"
```

PUT create\_cf\_etf\_index\_with\_static\_mapping http://localhost:9200/cf\_etf/

**HEADERS** 

Content-Type application/json BODY

```
"mappings": {
    "dynamic": false,
    "properties": {
        "symbol": {"type": "keyword"},
        "fund_name": {"type": "text"},
```

Example Request create cf etf index with static mappin

### GET get\_cf\_etf\_index\_with\_static\_mapping

http://localhost:9200/cf\_etf/\_mappings

**HEADERS** 

Content-Type application/json

```
curl --location --request GET "http://localhost:9200/
cf_etf/_mappings" --header "Content-Type: application/json"
```

## PUT update\_static\_mapping\_to\_search

http://localhost:9200/cf\_etf/\_mappings/\_doc

#### **HEADERS**

Content-Type application/json BODY

```
{
    "dynamic": false,
    "properties": {
        "symbol": {"type": "keyword"},
        "fund_name": {"type": "text"},
        "rating": {"type": "byte"},
        "morningstar_category": {"type": "keyword"},
        "category": {"type": "keyword"},
        "family": {"type": "keyword"},
        "market_cap": {"type": "keyword"},
        "description": {"type": "text", "fields": {"raw": {"type":"keyword"}}},
        "exchange": {"type": "keyword"}
}
```

Example Request update\_static\_mapping\_to\_search

```
curl --location --request PUT "http://localhost:9200/
cf_etf/_mappings" --header "Content-Type: application/json"
--data "{ \"dynamic\": false, \"properties\": { \"symbol\":
```

```
{\"type\": \"keyword\"}, \"fund_name\": {\"type\":
\"text\"}, \"rating\": {\"type\": \"keyword\"},
\"morningstar_category\": {\"type\": \"keyword\"}, \"family\":
{\"type\": \"keyword\"}, \"family\":
{\"type\": \"keyword\"}, \"market_cap\": {\"type\":
\"keyword\"}, \"description\": {\"type\": \"text\",
\"fields\": {\"raw\": {\"type\":\"keyword\"}}},
\"exchange\": {\"type\": \"keyword\"}}}"
```

POST search\_NYSE\_Arca\_after\_static\_mapping\_updated http://localhost:9200/cf\_etf/\_search?q=exchange:"NYSE Arca"

**HEADERS** 

Content-Type application/json PARAMS

q exchange:"NYSE Arca"

Example Request

search NYSE Arca after static mapping updated

curl --location --request POST "http://localhost:9200/ cf\_etf/\_search?q=exchange:%22NYSE%20Arca%22" --header "Content-Type: application/json"

GET typeless\_get\_request\_w\_include\_type\_name=false http://localhost:9200/cf\_etf/\_mappings?include\_type\_name=false

Content-Type application/json PARAMS

include\_type\_name false

Example Request typeless\_get\_request\_w\_include\_type\_name=false

CHAPTER4