

chapter 2

PUT create_index_cf_etf

http://localhost:9200/cf_etf

Example Request

create_index_cf_etf

```
curl --location --request PUT "http://localhost:9200/  
cf_etf"
```

HEAD check_if_exist_index_cf_etf

http://localhost:9200/cf_etf

Example Request

check_if_exist_index_cf_etf

```
curl --location --head "http://localhost:9200/cf_etf"
```

PUT create_index_with_invalid_index_name

http://localhost:9200/cf:etf

Example Request

create_index_with_invalid_index_name

```
curl --location --request PUT "http://localhost:9200/  
cf:etf"
```

GET get_index_cf_etf

http://localhost:9200/cf_etf

Example Request

get_index_cf_etf

```
curl --location --request GET "http://localhost:9200/  
cf_etf"
```

GET get_invalid_index_name

http://localhost:9200/cf_etf

Example Request

get_invalid_index_name

```
curl --location --request GET "http://localhost:9200/  
cf:etf"
```

DEL delete_index_cf_etf

http://localhost:9200/cf_etf

Example Request

delete_index_cf_etf

```
curl --location --request DELETE "http://localhost:9200/
```

cf_etf"

POST close_index_cf_etf

http://localhost:9200/cf_etf/_close

Example Request

close_index_cf_etf

```
curl --location --request POST "http://localhost:9200/cf_etf/_close"
```

POST open_index_cf_etf

http://localhost:9200/cf_etf/_open

Example Request

open_index_cf_etf

```
curl --location --request POST "http://localhost:9200/cf_etf/_open"
```

GET get_index_settings_cf_etf

http://localhost:9200/cf_etf/_settings

Example Request

get_index_settings_cf_etf

```
curl --location --request GET "http://localhost:9200/cf_etf/_settings"
```

PUT update_dynamic_index_settings

http://localhost:9200/cf_etf/_settings

HEADERS

Content-Type
application/json
BODY

```
{  
  "index": {  
    "number_of_replicas": 2  
  }  
}
```

Example Request
update_dynamic_index_settings

```
curl --location --request PUT "http://localhost:9200/  
cf_etf/_settings" --header "Content-Type: application/json"  
--data "{ \"index\": { \"number_of_replicas\": 2 } } }
```

PUT update_static_index_settings

http://localhost:9200/cf_etf/_settings

HEADERS

Content-Type
application/json
BODY

```
{
  "index": {
    "codec": "best_compression"
  }
}
```

Example Request
update_static_index_settings

```
curl --location --request PUT "http://localhost:9200/
cf_etf/_settings" --header "Content-Type: application/json"
--data "{ \"index\": { \"codec\": \"best_compression\" } }"
```

PUT create_index_template_cf_etf

http://localhost:9200/_template/cf_etf_template

HEADERS

Content-Type
application/json
BODY

```
{
  "index_patterns": ["cf_etf*"],
  "settings": {
    "number_of_replicas": 2,
    "codec": "best_compression"
  }
}
```

Example Request

create_index_template_cf_etf

```
curl --location --request PUT "http://localhost:9200/_template/cf_etf_template" --header "Content-Type: application/json" --data "{ \"index_patterns\": [\"cf_etf*\"], \"settings\": { \"number_of_replicas\": 2, \"codec\": \"best_compression\" } }"
```

GET get_index_template_cf_etf

http://localhost:9200/_template/cf_etf_template

HEADERS

Content-Type
application/json

Example Request
get_index_template_cf_etf

```
curl --location --request GET "http://localhost:9200/_template/cf_etf_template" --header "Content-Type: application/json"
```

HEAD check_if_exist_cf_etf_template

http://localhost:9200/_template/cf_etf_template

HEADERS

Content-Type

application/json

Example Request

check_if_exist_cf_etf_template

```
curl --location --head "http://localhost:9200/_template/  
cf_etf_template" --header "Content-Type: application/json"
```

DEL delete_cf_etf_template

http://localhost:9200/_template/cf_etf_template

HEADERS

Content-Type

application/json

Example Request

delete_cf_etf_template

```
curl --location --request DELETE "http://localhost:9200/  
_template/cf_etf_template" --header "Content-Type:  
application/json"
```

PUT create_index_cf_etf_large

http://localhost:9200/cf_etf_large

HEADERS

Content-Type

application/json

Example Request

create_index_cf_etf_large

```
curl --location --request PUT "http://localhost:9200/  
cf_etf_large" --header "Content-Type: application/json"
```

GET get_index_cf_etf_large

http://localhost:9200/cf_etf_large

HEADERS

Content-Type
application/json

Example Request

get_index_cf_etf_large

```
curl --location --request GET "http://localhost:9200/  
cf_etf_large" --header "Content-Type: application/json"
```

PUT create_alias_cf_etf_1

http://localhost:9200/cf_etf/_alias/cf_etf_1

HEADERS

Content-Type
application/json

Example Request

create_alias_cf_etf_1

```
curl --location --request PUT "http://localhost:9200/  
cf_etf/_alias/cf_etf_1" --header "Content-Type:  
application/json"
```

GET get_alias_cf_etf_1

http://localhost:9200/cf_etf/_alias/cf_etf_1

HEADERS

Content-Type
application/json

Example Request

get_alias_cf_etf_1

```
curl --location --request GET "http://localhost:9200/  
cf_etf/_alias/cf_etf_1" --header "Content-Type:  
application/json"
```

PUT create_index_cf_etf_to_be_deleted

http://localhost:9200/cf_etf_to_be_deleted

HEADERS

Content-Type
application/json

Example Request

create_index_cf_etf_to_be_deleted

```
curl --location --request PUT "http://localhost:9200/  
cf_etf_to_be_deleted" --header "Content-Type: application/  
json"
```

HEAD check_if_existcf_etf_alias_cf_etf_1

http://localhost:9200/cf_etf/_alias/cf_etf_1

HEADERS

Content-Type

application/json

Example Request

check_if_existcf_etf_alias_cf_etf_1

```
curl --location --head "http://localhost:9200/cf_etf/_alias/cf_etf_1" --header "Content-Type: application/json"
```

DEL delete_cf_etf__alias_cf_etf_1

http://localhost:9200/cf_etf/_alias/cf_etf_1

HEADERS

Content-Type

application/json

Example Request

delete_cf_etf_alias_cf_etf_1

```
curl --location --request DELETE "http://localhost:9200/cf_etf/_alias/cf_etf_1" --header "Content-Type: application/json"
```

PUT create_index_cf_etf_new

http://localhost:9200/cf_etf_new

Example Request

create_index_cf_etf_new

```
curl --location --request PUT "http://localhost:9200/cf_etf_new"
```

PUT create_alias_cf_etf_production

http://localhost:9200/cf_etf/_alias/cf_etf_production

HEADERS

Content-Type
application/json

Example Request
create_alias_cf_etf_production

POST reindexing_with_zero_downtime_by_aliases

http://localhost:9200/_aliases

HEADERS

Content-Type
application/json
BODY

```
{
  "actions" : [
    {"remove": {"index": "cf_etf",
"alias": "cf_etf_production"}},
    {"add": {"index": "cf_etf_new", "alias":
"cf_etf_production"}}
  ]
}
```

Example Request

reindexing_with_zero_downtime_by_aliases

```
curl --location --request POST "http://localhost:9200/_aliases" --header "Content-Type: application/json" --data "{ \"actions\" : [ {\"remove\": {\"index\": \"cf_etf\", \"alias\": \"cf_etf_production\"}}, {\"add\": {\"index\": \"cf_etf_new\", \"alias\": \"cf_etf_production\"}} ] }"
```

PUT create_index_cf_etf_mid

http://localhost:9200/cf_etf_mid

HEADERS

Content-Type
application/json

Example Request

create_index_cf_etf_mid

```
curl --location --request PUT "http://localhost:9200/cf_etf_mid" --header "Content-Type: application/json"
```

PUT create_index_cf_etf_small

http://localhost:9200/cf_etf_small

HEADERS

Content-Type
application/json

Example Request

create_index_cf_etf_small

```
curl --location --request PUT "http://localhost:9200/  
cf_etf_small" --header "Content-Type: application/json"
```

PUT create_index_cf_etf_others

http://localhost:9200/cf_etf_others

HEADERS

Content-Type

application/json

Example Request

create_index_cf_etf_others

```
curl --location --request PUT "http://localhost:9200/  
cf_etf_others" --header "Content-Type: application/json"
```

PUT create_alias_cf_etf_alias

http://localhost:9200/cf*/_alias/cf_etf_alias

HEADERS

Content-Type

application/json

Example Request

create_alias_cf_etf_alias

```
curl --location --request PUT "http://localhost:9200/cf*/  
_alias/cf_etf_alias" --header "Content-Type: application/  
json"
```

GET get_cf_etf_alias

http://localhost:9200/cf*/_alias/cf_etf_alias

HEADERS

Content-Type
application/json

Example Request

get_cf_etf_alias

```
curl --location --request GET "http://localhost:9200/cf*/_alias/cf_etf_alias" --header "Content-Type: application/json"
```

PUT create_index_cf_view

http://localhost:9200/cf_view

HEADERS

Content-Type
application/json
BODY

```
{
  "mappings": {
    "properties": {
      "symbol": {"type": "keyword"},
      "category": {"type": "keyword"}
    }
  }
}
```

Example Request
create_index_cf_view

```
curl --location --request PUT "http://localhost:9200/  
cf_view" --header "Content-Type: application/json" --data  
"{ \"mappings\": { \"properties\": { \"symbol\": {\"type\":  
\"keyword\"}, \"category\": {\"type\": \"keyword\"} } } }
```

POST index_cf_view_doc_ACWF

http://localhost:9200/cf_view/_doc/1

HEADERS

Content-Type
application/json
BODY

```
{ "symbol": "ACWF", "category": "Equity" }
```

Example Request
index_cf_view_doc_ACWF

```
curl --location --request POST "http://localhost:9200/  
cf_view/_doc/1" --header "Content-Type: application/json"  
--data "{ \"symbol\": \"ACWF\", \"category\": \"Equity\" }"
```

POST index_cf_view_doc_ACWI

http://localhost:9200/cf_view/_doc

HEADERS

Content-Type
application/json
BODY

```
{ "symbol": "ACWI", "category": "International" }
```

Example Request
index_cf_view_doc_ACWI

```
curl --location --request POST "http://localhost:9200/  
cf_view/_doc" --header "Content-Type: application/json" --  
data "{ \"symbol\": \"ACWI\", \"category\":  
\"International\" }"
```

POST create_cf_view_international_aliases

http://localhost:9200/_aliases

HEADERS

Content-Type
application/json
BODY

```
{  
  "actions": [  
    { "add": { "index": "cf_view",  
      "alias": "cf_view_international", "filter": { "term":  
        { "category": "International" } } } }  
  ]  
}
```


Example Request

create_cf_view_international_aliases

```
curl --location --request POST "http://localhost:9200/_aliases" --header "Content-Type: application/json" --data "{ \"actions\": [ {\"add\": {\"index\": \"cf_view\", \"alias\": \"cf_view_international\", \"filter\": {\"term\": {\"category\": \"International\"}} } } ] }
```

GET search_cf_view_international

http://localhost:9200/cf_view_international/_search

HEADERS

Content-Type
application/json

Example Request

search_cf_view_international

```
curl --location --request GET "http://localhost:9200/cf_view_international/_search" --header "Content-Type: application/json"
```

GET search_cf_view

http://localhost:9200/cf_view/_search

HEADERS

Content-Type
application/json

Example Request

search_cf_view

```
curl --location --request GET "http://localhost:9200/  
cf_view/_search" --header "Content-Type: application/json"
```

GET get_cf_view_stats

http://localhost:9200/cf_view/_stats

HEADERS

Content-Type
application/json

Example Request

get_cf_view_stats

```
curl --location --request GET "http://localhost:9200/  
cf_view/_stats" --header "Content-Type: application/json"
```

GET get_cf_view_segments

http://localhost:9200/cf_view/_segments

HEADERS

Content-Type
application/json

Example Request

get_cf_view_segments

```
curl --location --request GET "http://localhost:9200/  
cf_view/_segments" --header "Content-Type: application/  
json"
```

GET get_cf_view_recovery

http://localhost:9200/cf_view/_recovery

HEADERS

Content-Type

application/json

Example Request

get_cf_view_recovery

```
curl --location --request GET "http://localhost:9200/  
cf_view/_recovery" --header "Content-Type: application/  
json"
```

GET get_cf_view_shard_stores

http://localhost:9200/cf_view/_shard_stores

HEADERS

Content-Type

application/json

Example Request

get_cf_view_shard_stores

```
curl --location --request GET "http://localhost:9200/cf_view/_shard_stores" --header "Content-Type: application/json"
```

POST clear_cf_view_query_cache

http://localhost:9200/cf_view/_cache/clear?query=true

HEADERS

Content-Type
application/json
PARAMS

query
true
BODY

```
{  
}
```

Example Request

clear_cf_view_query_cache

```
curl --location --request POST "http://localhost:9200/cf_view/_cache/clear?query=true" --header "Content-Type: application/json" --data "{}"
```

POST create_cf_view_request_cache

http://localhost:9200/cf_view/_cache/clear?request=true

HEADERS

Content-Type
application/json
PARAMS

request
true
BODY

```
{  
}
```

Example Request
create_cf_view_request_cache

```
curl --location --request POST "http://localhost:9200/  
cf_view/_cache/clear?request=true" --header "Content-Type:  
application/json" --data "{}"
```

POST clear_cf_view_fielddata_cache

http://localhost:9200/cf_view/_cache/clear?fielddata=true

HEADERS

Content-Type
application/json
PARAMS

fielddata
true
BODY

```
{  
}
```

Example Request

clear_cf_view_fielddata_cache

```
curl --location --request POST "http://localhost:9200/  
cf_view/_cache/clear?fielddata=true" --header "Content-  
Type: application/json" --data "{}"
```

POST cf_view_refresh_action

http://localhost:9200/cf_view/_refresh

HEADERS

Content-Type
application/json
BODY

```
{  
}
```

Example Request

cf_view_refresh_action

```
curl --location --request POST "http://localhost:9200/  
cf_view/_refresh" --header "Content-Type: application/json"  
--data "{}"
```

POST cf_view_flush_action

http://localhost:9200/cf_view/_flush

HEADERS

Content-Type
application/json
BODY

```
{  
}
```

Example Request

cf_view_flush_action

```
curl --location --request POST "http://localhost:9200/  
cf_view/_flush" --header "Content-Type: application/json"  
--data "{}"
```

POST cf_view_flush_synced_action

http://localhost:9200/cf_view/_flush/synced

HEADERS

Content-Type

application/json

BODY

```
{  
}
```

Example Request

cf_view_flush_synced_action

```
curl --location --request POST "http://localhost:9200/  
cf_view/_flush/synced" --header "Content-Type: application/  
json" --data "{}"
```

POST cf_view_forcemerger_action

http://localhost:9200/cf_view/_forcemerger

HEADERS

Content-Type

application/json

Example Request

cf_view_forcemerge_action

```
curl --location --request POST "http://localhost:9200/cf_view/_forcemerge" --header "Content-Type: application/json"
```

PUT update_cf_etf_read_only_settings

http://localhost:9200/cf_etf/_settings

HEADERS

Content-Type

application/json

BODY

```
{
  "settings": {
    "index.blocks.write": true
  }
}
```

Example Request

update_cf_etf_read_only_settings

```
curl --location --request PUT "http://localhost:9200/cf_etf/_settings" --header "Content-Type: application/json" --data "{ \"settings\": { \"index.blocks.write\": true } }"
```

POST cf_etf_split_action

http://localhost:9200/cf_etf/_split/cf_etf_split

HEADERS

Content-Type
application/json
BODY

```
{  
  "settings": {  
    "index.number_of_shards": 4  
  }  
}
```

Example Request
cf_etf_split_action

```
curl --location --request POST "http://localhost:9200/  
cf_etf/_split/cf_etf_split" --header "Content-Type:  
application/json" --data "{ \"settings\":  
{ \"index.number_of_shards\": 4 } }"
```

PUT update_cf_etf_split_settings_for_shrink

http://localhost:9200/cf_etf_split/_settings

HEADERS

Content-Type
application/json
BODY

```
{
  "settings": {
    "index.routing.allocation.require._name": "shrink_
node_name",
    "index.blocks.write": true
  }
}
```

Example Request

update_cf_etf_split_settings_for_shrink

```
curl --location --request PUT "http://localhost:9200/
cf_etf_split/_settings" --header "Content-Type:
application/json" --data "{ \"settings\":
{ \"index.routing.allocation.require._name\":
\"shrink_node_name\", \"index.blocks.write\": true } }"
```

PUT cf_etf_split_shrink_action

http://localhost:9200/cf_etf_split/_shrink/cf_etf_shrink?copy_settings=true

HEADERS

Content-Type
application/json
PARAMS

copy_settings
true
BODY

```
{
  "settings": {
    "index.number_of_shards": 2,
```

```
        "index.routing.allocation.require._name": null,  
        "index.blocks.write": null  
    }  
}
```

Example Request
cf_etf_split_shrink_action

```
curl --location --request PUT "http://localhost:9200/  
cf_etf_split/_shrink/cf_etf_shrink?copy_settings=true" --  
header "Content-Type: application/json" --data  
'{ \"settings\": { \"index.number_of_shards\": 2,  
\"index.routing.allocation.require._name\": null,  
\"index.blocks.write\": null } }'
```

PUT create_index_rollover-000001

http://localhost:9200/rollover-000001

HEADERS

Content-Type
application/json
BODY

```
{  
  "settings": {  
    "rollover_alias": {}  
  }  
}
```

Example Request

create_index_rollover-000001

```
curl --location --request PUT "http://localhost:9200/rollover-000001" --header "Content-Type: application/json" --data "{ \"settings\": { \"rollover_alias\":{} } }"
```

POST rollover_index_rollover-000001

http://localhost:9200/rollover_alias/_rollover

HEADERS

Content-Type
application/json
BODY

```
{
  "settings": {
    "rollover_alias":{}
  }
}
```

Example Request

rollover_index_rollover-000001

```
curl --location --request POST "http://localhost:9200/rollover_alias/_rollover" --header "Content-Type: application/json" --data '${\"settings\": {\"rollover_alias\":{}}}'
```

