

Audit Package

System Security Plan, Bill of Materials, and traceability of record
for contract **NV012**

NON-EVIDENTIARY

This package was produced from mock, demonstration data. It shows exactly what a real submission looks like end to end, but it is not itself a submittable government package.

SPRS score 110 · Final · valid submission: True

Controls 110 of 110 met

Signature ed25519-v1 · key d8ec6f0eb4804b95

Manifest hash c2e67ff4974b47920667b761684471ae76a296a9dfef36c61fea9dd596646274

Re-verify offline with `uv run ce verify-package`.

What this report says

This self-assessment is complete and structurally valid. The contractor scores 110 on the SPRS scale and met 110 of the 110 controls required by this contract.

Of the 110 controls, **49** are backed by an automated technical check that an assessor can re-run for themselves, and **61** rest on documented human judgment — policy, training, personnel and physical controls that no software can measure. That split is expected: roughly a third of NIST 800-171 is inherently a matter of process, not configuration.

No control was signed off as met while its automated check said otherwise, so there are no unexplained overrides to review. The run also followed its documented standard operating procedure with no deviations.

WHAT "NON-EVIDENTIARY" MEANS

This particular package was built from mock demonstration data, so it cannot be submitted to the government. Everything below is real in structure — the scoring, the signatures, the verification steps all work exactly as they would on a live package — but the underlying evidence is fixtures, not a real system.

IN ONE LINE

This document is a plain-language rendering of a cryptographically signed package. Nothing here has to be taken on trust: the last section shows how any reader can re-check every number offline with a single command.

How to read this report

A few terms recur throughout. In plain language:

Control

One specific security requirement from NIST SP 800-171 — for example, "lock the screen after inactivity" or "keep audit logs." There are 110 in all; this contract requires a defined subset.

SPRS score

The single number the Department of Defense uses to summarize a self-assessment. It starts at 110 and subtracts a weight (1, 3, or 5) for each control not met. A higher number is better; 110 is a perfect score.

Met / not met

A control is recorded as *met* only when its evidence passed the check for it *and* a named, authorized person signed off. Anything short of both is *not met*.

Machine-verified vs. human-attested

Some controls can be proven by software re-reading system configuration (machine-verified). Others — training, policy, personnel — can only be confirmed by a person reviewing documents (human-attested). Both are legitimate; they differ in how an assessor re-checks them.

Override

A control marked met even though its automated check failed. This is allowed, but it must carry a written justification and supporting evidence, and it is flagged for review.

Signed / verifiable

The whole package is sealed with a digital signature and every file is fingerprinted. If anyone changes a single character after signing, re-verification fails. That is what lets a reader trust this report without trusting whoever produced it.

The score

The SPRS score is computed over the 110 controls this contract requires. Each control carries a weight of 1, 3, or 5 reflecting how much it matters to protecting controlled information; the score is 110 minus the weights of the controls not met. A valid submission additionally means no high-weight control was left open on a plan of action where the rules forbid it.

110 SPRS SCORE	Final SUBMISSION STATUS	True STRUCTURALLY VALID	110 / 110 CONTROLS MET	49 / 61 MACHINE / HUMAN
0 OVERRIDES TO REVIEW				

These figures are read directly from the signed manifest and are reproduced, control by control, in Appendix A.

How each control was verified

NIST 800-171 groups its controls into fourteen families — access control, audit, incident response, and so on. The table below rolls the required controls up by family so a reader can see, at a glance, where coverage is proven automatically and where it rests on human attestation. The full control-by-control detail is in Appendix A.

Family	Controls	Met	Machine	Human-attested
3.1 Access Control	22	22	14	8
3.2 Awareness and Training	3	3	0	3
3.3 Audit and Accountability	9	9	4	5
3.4 Configuration Management	9	9	4	5

Family	Controls	Met	Machine	Human-attested
3.5 Identification and Authentication	11	11	9	2
3.6 Incident Response	3	3	0	3
3.7 Maintenance	6	6	1	5
3.8 Media Protection	9	9	1	8
3.9 Personnel Security	2	2	0	2
3.10 Physical Protection	6	6	0	6
3.11 Risk Assessment	3	3	1	2
3.12 Security Assessment	4	4	0	4
3.13 System and Communications Protection	16	16	10	6
3.14 System and Information Integrity	7	7	5	2

Integrity and verification

Nothing in this report has to be taken on faith. Every file in the package is fingerprinted with a SHA-256 hash, and the manifest that lists those fingerprints is sealed with a digital signature. To re-check the record, an assessor does not have to trust whoever produced it — they re-hash each file, confirm it matches the manifest, and verify the signature. If a single byte changed after signing, that check fails.

VERIFY IT YOURSELF

Run `uv run ce verify-package` against this package. It re-hashes every artifact, checks the manifest signature, and walks the chain from each control to the signed policy behind it — entirely offline.

Manifest signature: ed25519-v1, key d8ec6f0eb4804b95

Manifest hash (SHA-256): c2e67ff4974b47920667b761684471ae76a296a9dfefb36c61fea9dd596646274

Bundled artifacts

The files sealed in this package, each addressable by its hash:

Artifact	SHA-256 fingerprint
bom.json	07493d3cda1390a80f4c1560e2a798be28e7ca869c4ca543bdda64dd7ab9cc04
ssp.md	86a51ad0b413fea3b90490b7116519e23d87d3abe3067e3a536bd7dc724573b8

Provenance

Beyond the final numbers, the package records *how* it was produced. The whole lineage — from the contract, to the obligations it imposes, to the required controls, the signed order, the evidence collected, the automated checks, the human sign-offs, and the resulting plan and bill of materials — is captured as a provenance graph and checked against

the standard operating procedure. This is what lets an assessor confirm the record was assembled the way it was supposed to be, not just that the end state looks right.

Standard-operating-procedure check: passed

Steps executed: Apply, AttestCOP, Attestation, Audit, CollectEvidence, EmitOrder, ExtractObligations, FetchByHash, Gate1, LoadOrder, Oracles, Plan, PolicyCheck, ResolveControls, SignAndStore

The run followed its documented procedure with no deviations.

Contradictions and overrides

There are none. Every control recorded as met either passed its automated check or had no automated check to disagree with, so no human sign-off contradicts the machine evidence.

Appendix A — Control-by-control detail

Evidence backing: **machine** = sign-off backed by a passing check over resolvable evidence; **override** = met over a failed check (requires written justification and appended evidence); **human-only** = no automated measurement, rests on human judgment.

Control	Status	Backing	Automated check	Attestation	Policy ref
3.1 Access Control					
AC.L2-3.1.1	MET	machine	passed	passed	—
AC.L2-3.1.10	MET	machine	passed	passed	—
AC.L2-3.1.11	MET	machine	passed	passed	—
AC.L2-3.1.12	MET	machine	passed	passed	—
AC.L2-3.1.13	MET	machine	passed	passed	—
AC.L2-3.1.14	MET	machine	passed	passed	—
AC.L2-3.1.15	MET	human-only	—	passed	REF_POL_AC_RemoteAuth_v1
AC.L2-3.1.16	MET	machine	passed	passed	—
AC.L2-3.1.17	MET	machine	passed	passed	—
AC.L2-3.1.18	MET	machine	passed	passed	—
AC.L2-3.1.19	MET	machine	passed	passed	—
AC.L2-3.1.2	MET	human-only	—	passed	—
AC.L2-3.1.20	MET	machine	passed	passed	—
AC.L2-3.1.21	MET	human-only	—	passed	REF_POL_AC_RemoteAuth_v1
AC.L2-3.1.22	MET	human-only	—	passed	REF_POL_AC_RemoteAuth_v1
AC.L2-3.1.3	MET	human-only	—	passed	—
AC.L2-3.1.4	MET	human-only	—	passed	REF_POL_AC_SoD_v1

Control	Status	Backing	Automated check	Attestation	Policy ref
AC.L2-3.1.5	MET	human-only	—	passed	—
AC.L2-3.1.6	MET	machine	passed	passed	—
AC.L2-3.1.7	MET	machine	passed	passed	—
AC.L2-3.1.8	MET	machine	passed	passed	—
AC.L2-3.1.9	MET	human-only	—	passed	REF_POL_AC_LoginBanner_v1

3.10 Physical Protection

PE.L2-3.10.1	MET	human-only	—	passed	—
PE.L2-3.10.2	MET	human-only	—	passed	—
PE.L2-3.10.3	MET	human-only	—	passed	REF_POL_PE_Physical_v1
PE.L2-3.10.4	MET	human-only	—	passed	REF_POL_PE_Physical_v1
PE.L2-3.10.5	MET	human-only	—	passed	REF_POL_PE_Physical_v1
PE.L2-3.10.6	MET	human-only	—	passed	REF_POL_PE_Physical_v1

3.11 Risk Assessment

RA.L2-3.11.1	MET	human-only	—	passed	REF_POL_RA_Assessment_v1
RA.L2-3.11.2	MET	machine	passed	passed	—
RA.L2-3.11.3	MET	human-only	—	passed	REF_POL_RA_Assessment_v1

3.12 Security Assessment

CA.L2-3.12.1	MET	human-only	—	passed	REF_POL_CA_Monitoring_v1
CA.L2-3.12.2	MET	human-only	—	passed	REF_POL_CA_Monitoring_v1
CA.L2-3.12.3	MET	human-only	—	passed	REF_POL_CA_Monitoring_v1
CA.L2-3.12.4	MET	human-only	—	passed	REF_POL_SSP_v1

3.13 System and Communications Protection

SC.L2-3.13.1	MET	human-only	cantTell	passed	—
SC.L2-3.13.10	MET	human-only	—	passed	—
SC.L2-3.13.11	MET	machine	passed	passed	—
SC.L2-3.13.12	MET	human-only	—	passed	REF_POL_SC_Collab_v1
SC.L2-3.13.13	MET	human-only	—	passed	REF_POL_SC_Collab_v1
SC.L2-3.13.14	MET	human-only	—	passed	REF_POL_SC_Collab_v1
SC.L2-3.13.15	MET	machine	passed	passed	—
SC.L2-3.13.16	MET	machine	passed	passed	—
SC.L2-3.13.2	MET	human-only	—	passed	REF_POL_SC_SecEng_v1

Control	Status	Backing	Automated check	Attestation	Policy ref
SC.L2-3.13.3	MET	machine	passed	passed	—
SC.L2-3.13.4	MET	machine	passed	passed	—
SC.L2-3.13.5	MET	machine	passed	passed	—
SC.L2-3.13.6	MET	machine	passed	passed	—
SC.L2-3.13.7	MET	machine	passed	passed	—
SC.L2-3.13.8	MET	machine	passed	passed	—
SC.L2-3.13.9	MET	machine	passed	passed	—

3.14 System and Information Integrity

SI.L2-3.14.1	MET	machine	passed	passed	—
SI.L2-3.14.2	MET	machine	passed	passed	—
SI.L2-3.14.3	MET	human-only	—	passed	—
SI.L2-3.14.4	MET	machine	passed	passed	—
SI.L2-3.14.5	MET	machine	passed	passed	—
SI.L2-3.14.6	MET	human-only	—	passed	—
SI.L2-3.14.7	MET	machine	passed	passed	—

3.2 Awareness and Training

AT.L2-3.2.1	MET	human-only	—	passed	REF_POL_AT_Training_v1
AT.L2-3.2.2	MET	human-only	—	passed	REF_POL_AT_Training_v1
AT.L2-3.2.3	MET	human-only	—	passed	REF_POL_AT_Training_v1

3.3 Audit and Accountability

AU.L2-3.3.1	MET	human-only	—	passed	—
AU.L2-3.3.2	MET	human-only	—	passed	—
AU.L2-3.3.3	MET	human-only	—	passed	REF_POL_AU_Procedure_v1
AU.L2-3.3.4	MET	machine	passed	passed	—
AU.L2-3.3.5	MET	human-only	—	passed	—
AU.L2-3.3.6	MET	human-only	—	passed	REF_POL_AU_Procedure_v1
AU.L2-3.3.7	MET	machine	passed	passed	—
AU.L2-3.3.8	MET	machine	passed	passed	—
AU.L2-3.3.9	MET	machine	passed	passed	—

3.4 Configuration Management

CM.L2-3.4.1	MET	human-only	—	passed	—
-------------	-----	------------	---	--------	---

Control	Status	Backing	Automated check	Attestation	Policy ref
CM.L2-3.4.2	MET	human-only	—	passed	—
CM.L2-3.4.3	MET	machine	passed	passed	—
CM.L2-3.4.4	MET	human-only	—	passed	REF_POL_CM_Config_v1
CM.L2-3.4.5	MET	machine	passed	passed	—
CM.L2-3.4.6	MET	human-only	—	passed	—
CM.L2-3.4.7	MET	human-only	—	passed	—
CM.L2-3.4.8	MET	machine	passed	passed	—
CM.L2-3.4.9	MET	machine	passed	passed	—

3.5 Identification and Authentication

IA.L2-3.5.1	MET	machine	passed	passed	—
IA.L2-3.5.10	MET	machine	passed	passed	—
IA.L2-3.5.11	MET	machine	passed	passed	—
IA.L2-3.5.2	MET	human-only	—	passed	—
IA.L2-3.5.3	MET	machine	passed	passed	—
IA.L2-3.5.4	MET	human-only	—	passed	—
IA.L2-3.5.5	MET	machine	passed	passed	—
IA.L2-3.5.6	MET	machine	passed	passed	—
IA.L2-3.5.7	MET	machine	passed	passed	—
IA.L2-3.5.8	MET	machine	passed	passed	—
IA.L2-3.5.9	MET	machine	passed	passed	—

3.6 Incident Response

IR.L2-3.6.1	MET	human-only	—	passed	REF_POL_IR_Plan_v1
IR.L2-3.6.2	MET	human-only	—	passed	REF_POL_IR_Plan_v1
IR.L2-3.6.3	MET	human-only	—	passed	REF_POL_IR_Plan_v1

3.7 Maintenance

MA.L2-3.7.1	MET	human-only	—	passed	REF_POL_MA_Maintenance_v1
MA.L2-3.7.2	MET	human-only	—	passed	REF_POL_MA_Maintenance_v1
MA.L2-3.7.3	MET	human-only	—	passed	REF_POL_MA_Maintenance_v1
MA.L2-3.7.4	MET	human-only	—	passed	REF_POL_MA_Maintenance_v1
MA.L2-3.7.5	MET	machine	passed	passed	—
MA.L2-3.7.6	MET	human-only	—	passed	REF_POL_MA_Maintenance_v1

Control	Status	Backing	Automated check	Attestation	Policy ref
3.8 Media Protection					
MP.L2-3.8.1	MET	human-only	—	passed	REF_POL_MP_Media_v1
MP.L2-3.8.2	MET	human-only	—	passed	REF_POL_MP_Media_v1
MP.L2-3.8.3	MET	human-only	—	passed	REF_POL_MP_Media_v1
MP.L2-3.8.4	MET	human-only	—	passed	REF_POL_MP_Media_v1
MP.L2-3.8.5	MET	human-only	—	passed	REF_POL_MP_Media_v1
MP.L2-3.8.6	MET	human-only	—	passed	REF_POL_MP_Media_v1
MP.L2-3.8.7	MET	machine	passed	passed	—
MP.L2-3.8.8	MET	human-only	—	passed	REF_POL_MP_Media_v1
MP.L2-3.8.9	MET	human-only	—	passed	REF_POL_MP_Media_v1
3.9 Personnel Security					
PS.L2-3.9.1	MET	human-only	—	passed	REF_POL_PS_Personnel_v1
PS.L2-3.9.2	MET	human-only	—	passed	REF_POL_PS_Personnel_v1

Appendix B — Signed-policy inventory

The authoritative source documents behind the attested (policy) controls. Each resolves to a version-pinned artifact and is checked for freshness and a role-appropriate signature.

Reference	Source	Version	Signature
REF_POL_AC_LoginBanner_v1	AUTHSRC_DocRepo	—	—
REF_POL_AC_RemoteAuth_v1	AUTHSRC_DocRepo	—	—
REF_POL_AC_SoD_v1	AUTHSRC_DocRepo	—	—
REF_POL_AT_Training_v1	AUTHSRC_LMS	—	—
REF_POL_AU_Procedure_v1	AUTHSRC_DocRepo	—	—
REF_POL_CA_Monitoring_v1	AUTHSRC_EngineHistory	—	—
REF_POL_CM_Config_v1	AUTHSRC_DocRepo	—	—
REF_POL_IR_Plan_v1	AUTHSRC_DocRepo	—	—
REF_POL_MA_Maintenance_v1	AUTHSRC_DocRepo	—	—
REF_POL_MP_Media_v1	AUTHSRC_DocRepo	—	—
REF_POL_PE_Physical_v1	AUTHSRC_DocRepo	—	—
REF_POL_PS_Personnel_v1	AUTHSRC_HRIS	—	—
REF_POL_RA_Assessment_v1	AUTHSRC_DocRepo	—	—
REF_POL_SC_Collab_v1	AUTHSRC_DocRepo	—	—

Reference	Source	Version	Signature
REF_POL_SC_SecEng_v1	AUTHSRC_DocRepo	—	—
REF_POL_SSP_v1	AUTHSRC_DocRepo	—	—

Appendix C — Full control catalog (all 110)

The complete NIST SP 800-171 Rev. 2 catalog and how each control is verified in the model: 65 machine-verified, 43 attested-reference, 2 CSP-inherited. "In this order" marks the controls this contract requires and scores above; the rest are out of scope for this order.

Control	Wt	Verified by	In this order	Requirement
AC.L2-3.1.1	5	Machine-verified	yes	Limit system access to authorized users, processes acting on behalf of authorize...
AC.L2-3.1.1.0	1	Machine-verified	yes	Use session lock with pattern-hiding displays to prevent access and viewing of d...
AC.L2-3.1.1.1	1	Machine-verified	yes	Terminate (automatically) a user session after a defined condition.
AC.L2-3.1.1.2	5	Machine-verified	yes	Monitor and control remote access sessions.
AC.L2-3.1.1.3	5	Machine-verified	yes	Employ cryptographic mechanisms to protect the confidentiality of remote access ...
AC.L2-3.1.1.4	1	Machine-verified	yes	Route remote access via managed access control points.
AC.L2-3.1.1.5	1	Attested-reference	yes	Authorize remote execution of privileged commands and remote access to security-...
AC.L2-3.1.1.6	5	Machine-verified	yes	Authorize wireless access prior to allowing such connections.
AC.L2-3.1.1.7	5	Machine-verified	yes	Protect wireless access using authentication and encryption.
AC.L2-3.1.1.8	5	Machine-verified	yes	Control connection of mobile devices.
AC.L2-3.1.1.9	3	Machine-verified	yes	Encrypt CUI on mobile devices and mobile computing platforms.
AC.L2-3.1.2	5	Machine-verified	yes	Limit system access to the types of transactions and functions that authorized u...
AC.L2-3.1.2.0	1	Machine-verified	yes	Verify and control/limit connections to and use of external systems.
AC.L2-3.1.2.1	1	Attested-reference	yes	Limit use of portable storage devices on external systems.

Control	Wt	Verified by	In this order	Requirement
AC.L2-3.1.2.2	1	Attested-reference	yes	Control CUI posted or processed on publicly accessible systems.
AC.L2-3.1.3	1	Machine-verified	yes	Control the flow of CUI in accordance with approved authorizations.
AC.L2-3.1.4	1	Attested-reference	yes	Separate the duties of individuals to reduce the risk of malevolent activity wit...
AC.L2-3.1.5	3	Machine-verified	yes	Employ the principle of least privilege, including for specific security functio...
AC.L2-3.1.6	1	Machine-verified	yes	Use non-privileged accounts or roles when accessing nonsecurity functions.
AC.L2-3.1.7	1	Machine-verified	yes	Prevent non-privileged users from executing privileged functions and capture the...
AC.L2-3.1.8	1	Machine-verified	yes	Limit unsuccessful logon attempts.
AC.L2-3.1.9	1	Attested-reference	yes	Provide privacy and security notices consistent with applicable CUI rules.
AT.L2-3.2.1	5	Attested-reference	yes	Ensure that managers, systems administrators, and users of organizational system...
AT.L2-3.2.2	5	Attested-reference	yes	Ensure that personnel are trained to carry out their assigned information securi...
AT.L2-3.2.3	1	Attested-reference	yes	Provide security awareness training on recognizing and reporting potential indic...
AU.L2-3.3.1	5	Machine-verified	yes	Create and retain system audit logs and records to the extent needed to enable t...
AU.L2-3.3.2	3	Machine-verified	yes	Ensure that the actions of individual system users can be uniquely traced to tho...
AU.L2-3.3.3	1	Attested-reference	yes	Review and update logged events.
AU.L2-3.3.4	1	Machine-verified	yes	Alert in the event of an audit logging process failure.
AU.L2-3.3.5	5	Machine-verified	yes	Correlate audit record review, analysis, and reporting processes for investigati...
AU.L2-3.3.6	1	Attested-reference	yes	Provide audit record reduction and report generation to support on-demand analys...
AU.L2-3.3.7	1	Machine-verified	yes	Provide a system capability that compares and synchronizes internal system clock...
AU.L2-3.3.8	1	Machine-verified	yes	Protect audit information and audit logging tools from unauthorized access, modi...

Control	Wt	Verified by	In this order	Requirement
AU.L2-3.3.9	1	Machine-verified	yes	Limit management of audit logging functionality to a subset of privileged users.
CA.L2-3.12.1	5	Attested-reference	yes	Periodically assess the security controls in organizational systems to determine...
CA.L2-3.12.2	3	Attested-reference	yes	Develop and implement plans of action designed to correct deficiencies and reduc...
CA.L2-3.12.3	5	Attested-reference	yes	Monitor security controls on an ongoing basis to ensure the continued effectiveness...
CA.L2-3.12.4	1	Attested-reference	yes	Develop, document, and periodically update system security plans that describe s...
CM.L2-3.4.1	5	Machine-verified	yes	Establish and maintain baseline configurations and inventories of organizational...
CM.L2-3.4.2	5	Machine-verified	yes	Establish and enforce security configuration settings for information technology...
CM.L2-3.4.3	1	Machine-verified	yes	Track, review, approve or disapprove, and log changes to organizational systems.
CM.L2-3.4.4	1	Attested-reference	yes	Analyze the security impact of changes prior to implementation.
CM.L2-3.4.5	5	Machine-verified	yes	Define, document, approve, and enforce physical and logical access restrictions ...
CM.L2-3.4.6	5	Machine-verified	yes	Employ the principle of least functionality by configuring organizational system...
CM.L2-3.4.7	5	Machine-verified	yes	Restrict, disable, or prevent the use of nonessential programs, functions, ports...
CM.L2-3.4.8	5	Machine-verified	yes	Apply deny-by-exception (blacklisting) policy to prevent the use of unauthorized...
CM.L2-3.4.9	1	Machine-verified	yes	Control and monitor user-installed software.
IA.L2-3.5.1	5	Machine-verified	yes	Identify system users, processes acting on behalf of users, and devices.
IA.L2-3.5.10	5	Machine-verified	yes	Store and transmit only cryptographically-protected passwords.
IA.L2-3.5.11	1	Machine-verified	yes	Obscure feedback of authentication information.
IA.L2-3.5.2	5	Machine-verified	yes	Authenticate (or verify) the identities of users, processes, or devices, as a pr...
IA.L2-3.5.3	5	Machine-verified	yes	Use multifactor authentication for local and network access to privileged accoun...

Control	Wt	Verified by	In this order	Requirement
IA.L2-3.5.4	1	Machine-verified	yes	Employ replay-resistant authentication mechanisms for network access to privileg...
IA.L2-3.5.5	1	Machine-verified	yes	Prevent reuse of identifiers for a defined period.
IA.L2-3.5.6	1	Machine-verified	yes	Disable identifiers after a defined period of inactivity.
IA.L2-3.5.7	1	Machine-verified	yes	Enforce a minimum password complexity and change of characters when new password...
IA.L2-3.5.8	1	Machine-verified	yes	Prohibit password reuse for a specified number of generations.
IA.L2-3.5.9	1	Machine-verified	yes	Allow temporary password use for system logons with an immediate change to a per...
IR.L2-3.6.1	5	Attested-reference	yes	Establish an operational incident-handling capability for organizational systems...
IR.L2-3.6.2	5	Attested-reference	yes	Track, document, and report incidents to designated officials and/or authorities...
IR.L2-3.6.3	1	Attested-reference	yes	Test the organizational incident response capability.
MA.L2-3.7.1	3	Attested-reference	yes	Perform maintenance on organizational systems.
MA.L2-3.7.2	5	Attested-reference	yes	Provide controls on the tools, techniques, mechanisms, and personnel used to con...
MA.L2-3.7.3	1	Attested-reference	yes	Ensure equipment removed for off-site maintenance is sanitized of any CUI.
MA.L2-3.7.4	3	Attested-reference	yes	Check media containing diagnostic and test programs for malicious code before th...
MA.L2-3.7.5	5	Machine-verified	yes	Require multifactor authentication to establish nonlocal maintenance sessions vi...
MA.L2-3.7.6	1	Attested-reference	yes	Supervise the maintenance activities of maintenance personnel without required a...
MP.L2-3.8.1	3	Attested-reference	yes	Protect (i.e., physically control and securely store) system media containing CU...
MP.L2-3.8.2	3	Attested-reference	yes	Limit access to CUI on system media to authorized users.
MP.L2-3.8.3	5	Attested-reference	yes	Sanitize or destroy system media containing CUI before disposal or release for r...
MP.L2-3.8.4	1	Attested-reference	yes	Mark media with necessary CUI markings and distribution limitations.

Control	Wt	Verified by	In this order	Requirement
MP.L2-3.8.5	1	Attested-reference	yes	Control access to media containing CUI and maintain accountability for media dur...
MP.L2-3.8.6	1	Attested-reference	yes	Implement cryptographic mechanisms to protect the confidentiality of CUI stored ...
MP.L2-3.8.7	5	Machine-verified	yes	Control the use of removable media on system components.
MP.L2-3.8.8	3	Attested-reference	yes	Prohibit the use of portable storage devices when such devices have no identifia...
MP.L2-3.8.9	1	Attested-reference	yes	Protect the confidentiality of backup CUI at storage locations.
PE.L2-3.10.1	5	CSP-inherited	yes	Limit physical access to organizational systems, equipment, and the respective o...
PE.L2-3.10.2	5	CSP-inherited	yes	Protect and monitor the physical facility and support infrastructure for organiz...
PE.L2-3.10.3	1	Attested-reference	yes	Escort visitors and monitor visitor activity.
PE.L2-3.10.4	1	Attested-reference	yes	Maintain audit logs of physical access.
PE.L2-3.10.5	1	Attested-reference	yes	Control and manage physical access devices.
PE.L2-3.10.6	1	Attested-reference	yes	Enforce safeguarding measures for CUI at alternate work sites.
PS.L2-3.9.1	3	Attested-reference	yes	Screen individuals prior to authorizing access to organizational systems contain...
PS.L2-3.9.2	5	Attested-reference	yes	Ensure that organizational systems containing CUI are protected during and after...
RA.L2-3.11.1	3	Attested-reference	yes	Periodically assess the risk to organizational operations (including mission, fu...
RA.L2-3.11.2	5	Machine-verified	yes	Scan for vulnerabilities in organizational systems and applications periodically...
RA.L2-3.11.3	1	Attested-reference	yes	Remediate vulnerabilities in accordance with risk assessments.
SC.L2-3.13.1	5	Machine-verified	yes	Monitor, control, and protect communications (i.e., information transmitted or r...
SC.L2-3.13.10	1	Machine-verified	yes	Establish and manage cryptographic keys for cryptography employed in organizatio...
SC.L2-3.13.11	5	Machine-verified	yes	Employ FIPS-validated cryptography when used to protect the confidentiality of C...

Control	Wt	Verified by	In this order	Requirement
SC.L2-3.13.12	1	Attested-reference	yes	Prohibit remote activation of collaborative computing devices and provide indica...
SC.L2-3.13.13	1	Attested-reference	yes	Control and monitor the use of mobile code.
SC.L2-3.13.14	1	Attested-reference	yes	Control and monitor the use of Voice over Internet Protocol (VoIP) technologies.
SC.L2-3.13.15	5	Machine-verified	yes	Protect the authenticity of communications sessions.
SC.L2-3.13.16	1	Machine-verified	yes	Protect the confidentiality of CUI at rest.
SC.L2-3.13.2	5	Attested-reference	yes	Employ architectural designs, software development techniques, and systems engin...
SC.L2-3.13.3	1	Machine-verified	yes	Separate user functionality from system management functionality.
SC.L2-3.13.4	1	Machine-verified	yes	Prevent unauthorized and unintended information transfer via shared system resou...
SC.L2-3.13.5	5	Machine-verified	yes	Implement subnetworks for publicly accessible system components that are physica...
SC.L2-3.13.6	5	Machine-verified	yes	Deny network communications traffic by default and allow network communications ...
SC.L2-3.13.7	1	Machine-verified	yes	Prevent remote devices from simultaneously establishing non-remote connections w...
SC.L2-3.13.8	3	Machine-verified	yes	Implement cryptographic mechanisms to prevent unauthorized disclosure of CUI dur...
SC.L2-3.13.9	1	Machine-verified	yes	Terminate network connections associated with communications sessions at the end...
SI.L2-3.14.1	5	Machine-verified	yes	Identify, report, and correct system flaws in a timely manner.
SI.L2-3.14.2	5	Machine-verified	yes	Provide protection from malicious code at designated locations within organizati...
SI.L2-3.14.3	5	Machine-verified	yes	Monitor system security alerts and advisories and take action in response.
SI.L2-3.14.4	5	Machine-verified	yes	Update malicious code protection mechanisms when new releases are available.
SI.L2-3.14.5	3	Machine-verified	yes	Perform periodic scans of organizational systems and real-time scans of files fr...
SI.L2-3.14.6	5	Machine-verified	yes	Monitor organizational systems, including inbound and outbound communications tr...

Control	Wt	Verified by	In this order	Requirement
SI.L2-3.14.7	3	Machine-verified	yes	Identify unauthorized use of organizational systems.

This report renders the signed audit-package manifest. The manifest is the source of truth; this document is a human rendering of it. Re-verify with `uv run ce verify-package`.