166

ZAM



STUDENT REPORT

228

NEAO

662

DETAILS Na

228/241 Roll Number

22B124ME466

EXPERIMENT

ANEATITIE

CANDIES

Description

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where $1 \le x \le N$) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

Note: Each child receives only 1 candy.

Input Format:

The first line of input contains 3 space seperated integers N, K and A.

Output Format:

Print the friend who will be the final recipient of the candy.

Constraints:

1<=N<=K<=10^8

Sample Input:

521

Sample Output:

2

```
Source Code:
n,k,a=list(map(int,input().split()))
ans=(a+k-1)%n
if ans==0:
    print(n)
else:
    print(ans)
```

RESULT

MEA60322812A

27/09/2024, 16:00 22B124ME466-Candies

6 / 6 Test Cases Passed | 100 %

18. WHO STATE WELLS TO SELACO