POD Translation by pod2pdf

ajf@afco.demon.co.uk

Hebrew.pm

Title Page Hebrew.pm

12 September 2002 Fly leaf

Table of Contents Hebrew.pm

NAME	1	
SYNOPSIS	1	
DESCRIPTION	1	
METHODS	1	
new()	1	
name()	1	
lookup()	1	
combining()	1	
getCharSize()	1	
TODO	1	
AUTHORS	1	
Ed Summers <ehs@pobox.com></ehs@pobox.com>	1	

12 September 2002

Hebrew.pm Table of Contents

ii 12 September 2002

pod2pdf Hebrew.pm

NAME

MARC::Charset::Hebrew - MARC8/UTF8 mappings for Hebrew

SYNOPSIS

```
use MARC::Charset::Hebrew;
my $cs = MARC::Charset::Hebrew->new();
```

DESCRIPTION

MARC::Charset::Hebrew provides a mapping between the MARC8 Hebrew character set and Unicode(UTF8). It is typically used by MARC::Charset, so you probably don't need to use this yourself.

METHODS

new()

The constructor, which will return you a MARC::Charset::Hebrew object.

name()

Returns the name of the character set.

lookup()

The workhorse method that does the lookup. Pass it an a character and you'll get back the UTF8 character.

combining()

Pass it a character and you'll get back a true value (1) if the character is a combining character, and false (undef) if it is not.

getCharSize()

Returns the number of bytes in each character of this character set.

TODO

AUTHORS

Ed Summers <ehs@pobox.com>

12 September 2002 1

Hebrew.pm pod2pdf

2 12 September 2002